SEPTEMBER 10, 1960

Chemical Week

A McGRAW-HILL PUBLICATION PRICE FIFTY CENTS



Foreign forecast – Survey pegs outlook for U.S. chemical business abroad p. 29

Aerosol showdown nears as hair spray patent hassle comes to trial .p. 36


Research: state affair.
Story of Mississippi's novel scientific agency p. 57

High-quality uranium from low-grade ore: boast of cost-cutting new process ...p. 95

RED CHINA:

DADED TICER'

THE MEDOR RICH
THE STATE AT CHOCKER IN
CARROLLE RICHOLING IN
CARROLLE RICHOLING IN



HEXAPHOS®

- 1. Powder 2. Granular #1
- 3. Granular #2 4. Plate 5. Flake
- 6. Adjusted Powder
- 7. Adjusted Granular


SODAPHOS*

8. Powder 9. Granular

FOSFODRIL®

. . . for the petroleum industry

One of these soluble glassy phosphates gives maximum efficiency and economy in your process...



only fmc makes them all!

Whatever your use for glassy phosphates, FMC gives you the widest latitude in choosing the physical form, P₂O₅ content and pH that works best for you.

All nine forms are highly soluble. Most rapidly soluble is the flake form of Hexaphos Sodium Hexametaphosphate... made only by FMC.

In addition to fully-integrated production of commercial grades, FMC produces high purity grades for use in food processing. Our nearest office will gladly supply samples and data.


Putting Ideas to Work

FOOD MACHINERY AND CHEMICAL CORPORATION

Mineral Products Division
General Sales Offices:

161 E. 42nd STREET, NEW YORK 17









If you're having trouble with crocking in your emulsion printing, here's a tip: Look into the many synthetic latices by Goodyear.

Take the case of one industry leader. Eight years ago, he started modifying his emulsions with PLIOLITE LATEX. The results are shown in the crocking test at left.

PLIOLITE LATEX not only minimizes crocking, but also reduces "tarnishing"—effectively cutting down roll clean-up time. What's more, it permits good color values, adds to the binding strength of the emulsion and improves the print's resistance to the abrasion of laundering.

Why not learn more about PLIOLITE LATEX and the other latices in the Goodyear line? Full details, including the latest *Tech Book Bulletins*, are yours by writing Goodyear, Chemical Division, Dept. U-9417, Akron 16, Ohio.



CHEMICAL DIVISION

Flielite-T. M. The Goodyear Tire & Rubber Company, Akron, Ohio

DYNAMIC IN PHOSPHATES!

AA Quality:

SODIUM TRIPOLYPHOSPHATE

TETRASODIUM PYROPHOSPHATE

TRISODIUM PHOSPHATE

DISODIUM PHOSPHATE

Vast phosphate rock reserves make us big in phosphates. Our phosphate customers know we're good at high-specification deliveries.

Just announced is our new TRIPOLYPHOSPHATE. New plants are being built or expanded to supply this and other new phosphate products and grades.

You may want to benefit from this dynamic growth in phosphates by making us at least one of your suppliers!



Chemical Division

e American Agricultural Chemical

Company

100 Church Street New York 7, New York

40 plants and offices

ON THE COVER: The steel furnaces shown in this picture by Eastfoto are part of the Anshan Steel Centre, in Manchuria. Anshan, China's largest steel producer, was originally built by Japan; it has been modernized, enlarged with Soviet aid.



Chemical Week

- 5 VIEWPOINT -- Price cutting won't keep new firms out of chemical making.
- 15 LETTERS
- 16 **MEETINGS**
- 25 **BUSINESS NEWSLETTER**
- 29 Chemical companies set pace in expanding U.S. investments abroad.
- 31 Lithium producers—now on downswing—pin hopes on new uses.
- 31 Two big pharmaceutical acquisitions mapped by Dow and 3M.
- 32 Monsanto launches new phthalic project, new ag chemical division.
- 33 Political factors cloud decision-making on big Argentine projects.
- 35 SPECIALTIES -- Paintmakers get two versatile, new high-boiling solvents.
- 36 Hair spray industry goes to court to battle rights to PVP.
- 40 Man-Tan maker sues its biggest competitors for patent infringement.
- 45 SALES—Stretchable paper wins 25% of multiwall bag market.
- 51 WASHINGTON NEWSLETTER
- 57 RESEARCH—Mississippi industrial development agency stresses research.
- 60 Ultrasonic device may provide precise data on chemical reaction rates.
- 62 Britain's Shell Research Ltd. shows off high-powered fuel cell.
- 71 SPECIAL REPORT—How strong is Red China's Chemical industry?
- 89 **TECHNOLOGY NEWSLETTER**
- 95 ENGINEERING—Process improvements fortify uranium industry optimism.
- 98 Enjay outlines process for making new Buton paint resins.
- 107 PRODUCTION— How American Cyanamid uses statistics to gauge process performance.
- 115 MARKET NEWSLETTER
- 123 MARKETS—New plants could bring styrene monomer overcapacity by '62.
- 129 ADMINISTRATION—Spevack starts firm to cash in on deuterium process.
- 130 Century Chemical investors take steps to revitalize company.
- 132 Case against "counterfeit drug" company enters new phase.
- 138 **BUSINESS BENCHMARKS**



Chemical Week (including Chemical Specialties and Chemical Industries) is published weekly by McGraw-Hill Publishing Go., James H. McGraw (1860-1948), founder. EXECUTIVE, EDITORIAL, CIRCULATION AND ADVERTISHING OFFICES: McGraw-Hill Building, 330 West 42nd St., New York 36, N. Y., Place of publication: 3rd and will refer the New Publishing Adv. Ps. Second class postage poid at Philadelphis, (See below for directions regarding beneticitions or charged widdress). OFFICERS OF THE PUBLICATIONS DIVISION: Nelson L. Bond, president; Shelton Fisher, Wallace F. Traendly, senior vice-presidents, you have considered in advertising sales; A. R. Venezian, vice-president and circulation coordinator. OFFICERS OF THE CORPORATION: Donald C. McGraw, president; Joseph A. Gerardi, Hugh J. Kelly, Marry L. Waddell, axecutive vice-presidents; L. Keith Goodrich, vice-presidents.



CORPORATION: Donald C. McGraw, president; Joseph A. Gerardi, Hugh J. Kelly, Harry L. Waddell, executive vice-presidents; L. Keith Goodrich, vice-president and treasurer; John J. Cooke, secretary.

United States and United States possessions subscription rate for individuals in the field of the publication, \$3 per year; single copies, 50¢. Foreign subscription rates per year: Canada, \$4; other Western Hemisphere countries, \$15; all others, \$25, payable in advance. Printed in U.S.A. Title registered in U.S. Patent Office, Copyright 1980 by McGraw Hill Publishing C. Inc. All rights reserved. UNCONDITIONAL QUARARNITE: the publisher, upon direct request from any subscriber to our New York office, agrees to refund the part of the subscription price applying to copies not yet mailed.


Subscriptions to Chemical Week are solicited from management men in the Chemical Process Industries in administration, production and plant operation, design and construction, research and development, sales and purchasing. Position, company connection and nature of company's business, products and approximate number of employees must be indicated on subscription application. Send to address shown below.





SEND SUBSCRIPTION CORRESPONDENCE AND CHANGE OF ADDRESS TO PLUFILLMENT MANAGER, CHEMICAL WEEK, 330 WEST 42nd ST., NEW YORK 36, N. Y. SUBSCRIBERS SMOULD MOTIFY FULFILLMENT MANAGER PROMPTLY OF ANY CHANGE OF ADDRESS, GIVING OLD AS WELL AS NEW ADDRESS, AND INCLUDING POSTAL ZONE NUMBER, IF ANY. IF POSSIBLE, ENCLOSE AN ADDRESS LABEL FROM RECENT ISSUE OF CHEMICAL WEEK, PLEASE ALLOW ONE MONTH FOR CHANGE TO BECOME EFFECTIVE.

Postmaster: Please send Form 3579 to Chemical Week, 330 West 42nd St., New Yerk 36, N.Y.













Only Crown Makes Every Aerosol Can You will Need!



TASK-DESIGNED aerosol cans by Crown meet all your requirements, and meet them efficiently! Whether your product demands the exclusive, seamless Spra-Tainer® or can be packed in a conventional 3-piece aerosol can . . . whether you want 6, 8, 12, 14 or 16 ounce capacities . . . come to Crown for reliable aerosol containers!

Come to Crown for reliable advice, too. The first production-line disposable aerosol can was produced by Crown, and Crown has led the field ever since. Take advantage of this vast backlog of experience—write today for more information.





for eans . crowns . closures . machinery

CROWN CORK & SEAL CO., INC., 9300 Ashton Rd., Philadelphia 36, Pa.

Chemical Week

Robert S. MullerPublisher
Howard C. E. Johnson Editor-in-Chief
Ralph R. Schulz
DEPARTMENTS
Administration Cooper R. McCarthy, editor F. Bryan Williams Business News Homer Starr, editor
Engineering
Foreign Bruce Bendow, editor Markets Philip A. Cavalier, editor Gary G. Reibsamen
Gary G. Reibsamen Production Herbert C. Short, editor Research Joseph F. Kalina, editor Philip A. Untersee Sales
Carl A. Hiester, editor Specialties Richard J. Callahan, editor Marion L. Meade Reports Jorma Hyypia, editor Vincent L. Marsilia
Vincent L. Marsilia
CopyWilliam Mullinack, editor Kay Sarner, Renee Kleinkopf ArtRobert T. Martinott, director Richard Kluga: Forbes Linkhorn
Dolores Able Betsy L. Emery
REGIONAL EDITORS
ChicagoJohn M. Winton, editor
Nina Sagwick
Housten Thomas H. Arnold, editor Wilma Cortines
San Francisco Martin D. Robbins, editor Terry Shaw

NATIONAL AND WORLD NEWS

Dexter M. Keezer	Ecol	nomics
John Wilhelm	Director, News B	ureaus

Atlanta, B. F. Barnes; Chicago, Stewart Ramsey; Cleveland, Arthur Zimmerman; Dallas, Marvin Reid; Detreit, Donald MacDonald; Los Angeles, Kemp' Anderson, Jr.; San Francisco, Jenness Keene; Seattle, Ray Bloomberg; Washington, George B. Bryant, Jr. Correspondents in 75 principal cities of the United States.

Beirut, O. M. Marashian; Bonn, Morrie Helitzer: Caracas, John Pearson; London, John Shinn; Melbourne, Alicja Grobtuch; Mexico City, Peter Weaver; Moscow, Ernest Conine; Paris, Robert E. Farrell; Rio de Janeiro, Leslie Warren; Tokyo, Sol Sanders. Correspondents in 78 cities.

Knox Armstrong Advertising Sale	s Manager
Alvin J. Babkow Busines	s Manager
Fred E. Lesner Sales Promotio	n Manager
John M. Pierce Market Service	e Manager
Robert L. Maier Advertisin	g Makeup
Paul W. Erb	
Frances Regan	. Reprints
Advertising Salesmen See	Adv. Index

Cutting Prices Is Not the Answer

THINGS GOING A BIT ROUGH? Able to make more than you can sell? The answer is simple: Cut the price. That, at least, appears to be many chemical firms' solution of an increasingly worrisome problem-judging by the rash of price-slashing that's so in evidence this summer.

The whole situation is reminiscent of the clothing manufacturer who "lost a little" on each suit he sold. The only way he managed to stay in business was "on the volume" he did.

The plain truth is that the costs of raw materials, equipment, capital and labor have been steadily rising. Chemical prices should be rising too. Not only aren't they going up, they're actually going down.

The explanation to the paradox is rather simple. Some of the price cutting is a natural, competitive reaction to a marketing picture where many lines are over-built-at least temporarily. Some is no doubt due to need to meet the influx of cheap, foreign material. But a great deal, we suspect, has been triggered by a desire to keep nonchemical companies out of the business of manufacturing chemicals.


That there is a "threat" from nonchemical companies can be attributed in large measure to the activity of engineering-construction firms. Thanks to them, any refiner with a catalytic reformer (which produces hydrogen) can "buy" an ammonia plant and compete handily with oldline chemical companies. He can, if he wishes, make nitric acid or urea. A plastic molder, with no research of his own, can buy monomer and make his own polystyrene or polyvinyl.

In short, it means the chemical industry has been facing a brandnew sort of competition: from the firm that produces chemicals but which has no expensive, past research to write off.

Cutting prices may drive some of them off, of course, But, in the final analysis, this will do more harm than good. For lower prices inevitably mean lower profits and lower return on investment. And that, just as inevitably, cuts incentive for new research and for new chemical

The prospects of more competition from companies outside the chemical industry may not be happy to contemplate. The important point to remember, however, is this: A firm "buying its way into chemicals" may seem to be off to a running start. Actually, the buying of a plant from an engineering-construction firm is only the first step. The buyer must develop skills in operating his plant, improving the process, servicing its products and carrying out its own research program for the future. Any firm that doesn't is bound to wither on the vine.

Any concern that does this is making its own contribution to chemical technology. In time, it will become a chemical company in good standing and eventually will be vocal in its complaints about competition from "nonchemical" companies.



California Ammonia Co. is owned in partnership by Best Fertilizer Co., Lathrop, Calif., and a group of farmers. Using Calamco ammonia, Best produces ammonium sulfate and over 20 different grades of pelleted ammonium phosphates and dry mixes.

CALAMCO Relies on Selas Gradiation® Heating to Meet Varying Hydrogen Production Demands

This new Selas steam-methane reforming furnace—installed at California Ammonia Co.'s Lathrop, California, anhydrous ammonia plant—provides the necessary versatility to meet a wide variety of production demands.

Controlled heat, delivered to the vertical tubes by Duradiant® burners positioned in rows along the furnace walls, assures:

- Preciseness of heating . . complete combustion within Duradiant burner cup permits placing burners close to tubes . . achieving fast heat-up and instantaneous response to controller demand.
- Heat uniformity . . even-heat distribution along and around tubes increases tube life by eliminating hot spots, minimizing coke formation.
- Versatility . . Duradiant burners, readily adjustable to desired heat pattern (in either horizontal or vertical rows), provide CALAMCO with an extremely versatile heat processing tool.

For example, the ability to alter burner pattern, enables CALAMCO to produce hydrogen under any of the following conditions:

- Boost throughput to meet increased production demands, without changing conversion.
- Increase conversion without changing throughput . . resulting in higher product yield.
- Operate for maximum thermal efficiency, at design throughput and conversion.
- Operate at lower tube wall temperature, at design throughput and conversion.

May we arrange for a Selas field engineer to discuss your heat processing needs with you? For this service . . without cost or obligation to you . . or for a copy of Bulletin "Gradiation Heating for Petroleum and Chemical Processing" and article reprint "Uniform Heat Raises Reformer Output," write to Mr. K. W. Fleischer, vice president, Fluid Processing Div., Selas Corporation of America, 99 Dreshertown Road, Dresher, Pa.

Gradiation and Duradiant are registered tradenames of Selas Corporation of America



Heat and Fluid Processing Engineers
DEVELOPMENT DESIGN CONSTRUCTION



Progress Report...

Streamlined processing with 2-methyl-1-butanol, commercial

Like almost everything in our modern world, chemical processes can be streamlined, too. In short, you can get faster reactions with fewer side reactions, by-products, and residues.

If your process employs a primary alcohol, you can "streamline" it with CARBIDE's commercial grade of 2methyl-1-butanol, consisting entirely of five-carbon primary alcohols. Used as an intermediate, this mixture gives quick, complete reactions and highly efficient production. There are no competing side reactions, no by-products, and no un-reacted residues.

Water-white, liquid 2-methyl-1butanol is a mixture of the branched chain primary amyl alcohols: 2-methyl-1-butanol and 3-methylbutanol-1 with small amounts of pentanol-1. Typical analysis shows 86% by weight of 2methyl-1-butanol. Boiling point of the mixture is 130° C, and it sets to glass below -90° C. In water at 20° C., it is 2.2% soluble by weight.

While the primary alcohols in amyl mixtures have similar physical and reaction properties, their pharmacological properties are distinctive. Where isomeric contamination is undesirable, the use of 2-methyl-1-butanol permits preparation of products with controlled flavor, odor, and biological characteristics.

The branched-carbon structure of 2-methyl-1-butanol has advantages where solubility, compatibility, and substantivity are important. Its molecular structure is a major factor in lubricants, helping to provide lowtemperature pour-points without sacrifice of body at high temperatures. Branched-chain ester plasticizers are faster-solvating and are compatible in a wide variety of systems. In resins, methyl substitution reduces crystallinity. Additives for oils, greases, paints, and other oleaginous materials are more compatible and more soluble when made from such intermediates. Check the coupon below for a copy of a technical bulletin.

Now molten **Ucar butylphenol 4T** available in tank cars

Ucar butylphenol 4T is now being shipped in molten form in both insulated tank cars and tank trucks. This relatively new chemical is also supplied in near-white flake form in 50-pound bags. Its molecular weight is 150.21 and specific gravity is 0.9081 at 114/4° C. Freezing point is 97° C., and boiling point, 236°-238° C. at 760 mm. CARBIDE produces UCAR butylphenol 4T to these specifications: para-Tertiary-butylphenol-97 wt. % min.; ortho-Tertiary-butylphenol-1 wt. % max.; Di-tertiary-butylphenols-2 wt.



UCAR butylphenol 4T is the starting material in the production of oil-soluble phenolic and modified phenolic resins used for varnishes and lacquers. Combined with appropriate drying oils, the resins give light-colored coatings that are rapid-drying, tough, and resistant to light, water, acids, and alkalies.

UCAR butylphenol 4T is also useful as an intermediate in the manufacture of other products of many types. Among these are antioxidants, waterproof starch finishes and adhesives, pour-point depressors and emulsion breakers for petroleum oils, vinyl ether and dimethylol melamine type plastics, tackifiers and vulcanizers for rubber and curing agents for neoprene adhesives, synthetic lubricants, insecticides, and industrial odorants. For prices and a special Technical Information Bulletin, check the coupon.

Sure cure for epoxy resins

CARBIDE's alkylene amines are effective curing agents or hardeners for both liquid and solid types of epoxy resins. Diethylene triamine, triethylene tetramine, dimethylamino propylamine, and diethylamino propylamine are excellent for room-temperature curing of small masses of resin. These amines are especially suitable when used with resins intended for potting or encapsulating electrical components. The alkylene amines are also used as curing agents in laminating resins.

An interesting new booklet on CAR-BIDE's epoxy curing agents is now available. For your copy, check the coupon.

Tear out this coupon. Check the boxes on which you'd like more information, and mail to Dept. H. Union Carbide Chemicals Company, Division of Union Carbide Corporation, 270 Park Avenue, New York 17, N. Y.

- 2-methyl-1-butanol, commercial
- UCAR butylphenol 4T
- Bulletin F-8665B (Epoxy Resins)
- ☐ 1960 Physical Properties of Synthetic Organic Chemicals a comprehensive description of the properties and applications of nearly 400 CARBIDE chemicals.

Position Company _ Street _

UCAR and UNION CARBIDS are registered trade marks of Union Carbide Corporation.



Get Sodium Bicarbonate in the


grain size you need **EVELY** til



Sodium Bicarbonate U.S.P. Powdered No. 1-For general purpose use in chemical processing, dyestuffs, adhesives, starches, textiles and industrial applications.

TYPICAL SCREEN ANALYSIS CUMULATIVE PERCENT RETAINED BY


42 MeshTrace	200 Mesh
100 Mesh5%	325 Mesh
170 Mesh20.0%	400 Mesh80.0%



Sodium Bicarbonate U.S.P. Fine Powdered No. 3DF for use specifically in dry powder fire extinguisher mixes, also in rubber and plastics blowing, lubricant for sheet vinyl.

TYPICAL SCREEN ANALYSIS CUMULATIVE PERCENT RETAINED BY

170 Mesh	Trace	325	Mesh	.25.0%
200 Mesh	2.0%	400	Mesh	45.0%



Sodium Bicarbonate U.S.P. Granular No. 5 for use in effervescent salts, other pharmaceuticals and special types of cleansers-

TYPICAL SCREEN ANALYSIS CUMULATIVE PERCENT RETAINED BY

42 Mesh Trace	100 Mesh 92.5%
65 Mesh 27.0%	170 Mesh 99.0%
80 Mesh66.5%	



Sodium Bicarbonate U.S.P. Treated Free-Flowing for use in fire extinguishers and sponge rubber.

TYPICAL SCREEN ANALYSIS CUMULATIVE PERCENT RETAINED BY

42 Mesh Trace	200 Mesh
100 Mesh5%	325 Mesh70.0%
170 Mesh 20.0%	400 Mesh80.0%

Are you getting sodium bicarbonate of the specific grain size for optimum results in your process or for maximum shelf life and performance of your products? You can eliminate doubts by specifying Church & Dwight. This simple step will assure you of obtaining the widest selection of grain sizes available because Church & Dwight is the country's largest supplier of Sodium Bicarbonate U.S.P. You'll also receive for the asking unmatched technical service based on more than 100 years of experience with sodium bicarbonate. Unusual grain size requirements are given special attention. Try as and see.

CHURCH & DWIGHT CO., INC., 70 PINE STREET, NEW YORK 5, N.Y.





Looking toward tomorrow, visualizing the shapes and courses it will take, anticipating its needs... this search for ways to serve industry better and more fully has been an unremitting spur to Sonneborn, since many tomorrows ago. Inasmuch as this quest dates back to the turn of the century and has been concentrated upon a specialized segment of petroleum refining, it is not surprising that in products, technical assistance, service, Sonneborn Goes Further.




SONNEBORN
CHEMICAL AND REFINING
CORPORATION

White Oil Division, 300 Park Ave. South, New York 10, N.Y.


SPECIALISTS IN PETROLEUM SULFONATES (PETRONATES)

We have changed our name from L. SONNEBORN SONS, INC. to SONNEBORN CHEMICAL AND REFINING CORPORATION



Salt selection The International Salt Company sales engineer is helping his customer choose the right salt and a matching salt-dissolving system for a new plant. His advice is sure to be impartial because International supplies Sterling Salt in over 80 different types. In this full line, there is a type and size of salt for every industrial need. The man from International can also suggest the most efficient and economical method of using, storing and handling the salt he recommends. His experience, knowledge and on-the-spot service are the vital extras that make Sterling Salt the first choice of so many salt-using companies. To put this technical knowledge at your disposal—contact International Salt Company headquarters, Clarks Summit, Pennsylvania, or the office nearest you: Boston, Buffalo, Charlotte, Chicago, Cincinnati, Detroit, Newark, New Orleans, New York, Philadelphia, Pittsburgh, St. Louis.





Foster Wheeler plants...in these countries: Argentina • Mexico • Germany • Holland England • United States

Foster Wheeler exported its first complete phthalic anhydride plant in 1947.

For 19 years FW has designed and fabricated major equipment for phthalic anhydride plants.

Common to all Foster Wheeler plants is *simplicity* . . . of start-up and operation.

All are tailored to particular commercial and technical requirements for:

- first cost
- feed stock
- yield
- product purity
- · operating cost
- plant availability

For information, write to Foster Wheeler Corporation, 666 Fifth Avenue, New York 19, N.Y.

Heat Engineered products, plants and processes . . . for the world's industrial progress

FOSTER



WHEELER


NEW YORK

LONDON

PARIS

ST. CATHARINES, ONT.

SOME PERFORMANCES HAVE NEVER BEEN EQUALLED—



S.S. UNITED STATES established a new speed record crossing the Atlantic Ocean in 3 days 10 hours, becoming the first American ship to win the Atlantic Blue Riband

Speed Trophy in almost 100 years. Nearly 5 city blocks long, her hull contains such luxuries as a swimming pool, gymnasium, shopping center and theatre.

LOOK AT PINE OIL

The speed of the S.S. United States may be overshadowed one day—but it hasn't been done yet. Someday someone may even invent a better all-round blending ingredient where high solvent performance is required.

Pine Oil's exceptional wetting properties, bactericidal properties, and safety make it one of the most important raw materials used in the manufacture of liquid detergents, soaps, laundry aids, general cleaners, disinfectants and deodorants. There are two good reasons for this ... Pine oil smells clean ... Pine oil cleans clean.

Look to Hercules for all the pine oil you need, because when everything is considered pine oil still remains an outstanding ingredient for many diversified uses.
 Pine Oil
 500+

 Toluol
 105

 Naphtha, H.A.
 95

 Turpentine
 55

 Naphtha, VM&P
 34

Mineral Spirits 32

Kerosene 23

Kauri-Butanol Value

Pine Chemicals Division, Naval Stores Department

HERCULES POWDER COMPANY

900 Market Street, Wilmington 99, Delaware





THAT WOULDN'T STOP TURNING RED

(Another Diamond Alkali Success Story on Chlorine and Caustic Soda)

One of Diamond's customers was a manufacturer of laundry products and cleaners. He figured he could make his business larger by going into the laundry-bleach business.

After some investigation, he assembled equipment, ordered chlorine and caustic soda, and ran his first batch. It turned red, as did every other batch he ran.

A Diamond technical man was called in to run down the trouble . . . traced it to scale in a used heat exchanger. He showed the plant staff how to prepare equipment for handling caustic soda and chlorine, suggested improvements in their setup, helped get the process running smoothly.

If you use caustic soda, get to know the Diamond technical man. He not only saves customers money on shipping and handling problems, but he also

helps with their process problems. What he can't handle himself, he'll refer to the Diamond Research Center.

There is no finer caustic soda than Diamond's. There is no better service than Diamond's. No matter where your plant is located, you can get fast, economical delivery from one of Diamond's four strategically located producing plants. By truckloads, carloads or bargeloads.

Call any Diamond Sales Office: Chicago, Cincinnati, Cleveland, Houston, Memphis, New York, Philadelphia, Pittsburgh, St. Louis. DIAMOND ALKALI COMPANY, 300 Union Commerce Building, Cleveland 14, Ohio.





These tough pallets still do their job after long-haul shipment and months of snow and freezing temperatures.

Trial by weather!

International Paper Bagpak, Pallets survive prolonged storage in snow and severe winter weather with no damage to multiwall bags.

WE DON'T recommend storing Bagpak Pallets in the snow. But when one of our up-state New York customers did, he learned the meaning of *real* protection.

The pallets in our photograph, travel-worn and weather-beaten but still completely serviceable, survived the rigors of shipment, plus exposure to winter weather for several months! When they were opened, every multiwall bag was safe and uniform.

And ready to do its job-no matter how tough.

International Paper pioneered this method of shipping and handling multiwalls. Our pallets now have four years of on-the-job experience.

And the Bagpak Pallet has a rigid construction that eliminates transit damage due to abrasion. Plus a square design that means a big saving in storage area.

Sixty-two years of papermaking

and materials-handling experience are compressed into every Bagpak Pallet. And these rugged pallets are only part of a *complete* multiwall packaging service offered to you by International Paper — world's most experienced papermaker.

Whatever your multiwall packaging needs, you will find it profitable to talk to your Bagpak packaging engineer. He has complete information. It's yours for the asking.



LETTERS

Contract Extended

To THE EDITOR: You report (Business Newsletter, Aug. 27) that National Lead Co. will continue to operate the Atomic Energy Commission's feed material plant at Fernald, O., through 1961. Actually the contract with AEC for operation of the plant was extended through June 30, 1965.

> CARLTON H. ROSE Director of Public Relations National Lead Co. New York

Protest but No Suit

To THE EDITOR: We read with great interest your editorial titled "A Defense and a Caution" (July 23, p. 7) concerning the purchase of Italian tetracycline by the United States Military Medical Supply Agency.

By calling attention to a government procurement policy that tends to penalize research, vitiate patent rights, and promote unemployment within the pharmaceutical industry, you have rendered a distinct service. In the interest of accuracy, however, may I offer some clarification of other statements in your editorial?

Since only one company was mentioned in your editorial, the reader might conclude there was only one United States bidder on this contract. It is our understanding that there were several.

Second, while we have, as you state, protested MMSA's action, no company is suing the government in connection with this procurement, although, no doubt, such legal remedies as are available are being studied.

Your statement that under the Armed Forces Procurement Act, Defense Dept. officials are required to award contracts to foreign firms, when, all else being equal, the foreign price is lower, has misleading implications. Our understanding is that government procurement agencies are under no obligation whatsoever to seek competitive bids from foreign sources; whether they do so or not is solely a matter of policy. We are not aware of any Military Medical Supply Agency purchase from foreign sources prior to the tetracycline procurement in question.

Your comments on the magnitude of the American research effort and on the market disparity of wage rates here and abroad are well made. However, we take exception to your statement that a 72% differential between the Italian purchase price and the lowest U.S. bid poses the question as to whether "the American pharmaceutical houses are not pricing their products disproportionately high." Perhaps the issues are not quite that

An important fact to be considered is that the prevailing market price in Italy was more than 100% higher than the price paid by the government for its foreign-made tetracycline. Accordingly, it seems clear that this material was dumped in the United States in apparent violation of the Antidumping Act and at the expense of American labor and American industry.

It is not too difficult to suggest reasons why a foreign concern might be willing to sell substantial quantities of a product in the United States at prices far below what is considered fair and reasonable in its own country. To establish a marketing foothold, for example, a foreign supplier might be persuaded to sell very cheaply to an American customer such as the government.


Perhaps the issue is not whether drug prices in the United States are disproportionately high. More likely, it is whether the American pharmaceutical industry, if it is to be faced with foreign dumping and attacks on the patent system, can continue to maintain the burden of costly research and quality-controls programs that have contributed so much to the advancement of medical science and man's victory over once deadly dis-

WILLIAM KLOEPFER, JR. Director of Public Information Pharmaceutical Manufacturers Assn. Washington, D.C.

New Process in New Plants

TO THE EDITOR: I have been taken back a bit by your article "Bypassing the Crumbs Boosts Synthetic Rubber Process Payoff" (Aug. 20, p. 62).

An article with this encouraging title and a diagram that shows a onestep unit that does the same job as the existing SBR process along with the high hopes of revolutionizing synthetic rubber production really caught my interest. In fact, your cover goes



Send for this concise, basic reference data on Sodium Phosphates and other Blockson chemicals. Handy pocket size. Many timesaving tables and charts. Clip this ad to your business letterhead and mail to Blockson Chemical Company, Joliet, Ill.

BLOGKSON GHEMIGAL COMPANY

Chemicals Division

Olin Mathieson Chemical Corporation



STAUFFER PRODUCTS

AGRICULTURAL CHEMICALS DIVISION

Defoliants Fertilizers Fungicides Grain Fumigants Herbicides Insecticides and Miticides Seed Disinfectants Soll Fumigants Sulfurs, Ground and Refined



ANDERSON CHEMICAL DIVISION

Metal-Organics Metal Esters Research Chemicals Metal Chlorides Aluminum Acetyl Salicylate


CONSOLIDATED CHEMICAL INDUSTRIES DIVISION

Sulfuric Acid Alums Bone Charcoal Bone Meal Muriatic Acid Hydrogen Chloride Ferric Sulfate

INDUSTRIAL CHEMICALS DIVISION

NDUSTRIAL CHEMICALS DIVISION

Acids: Boric, Muriatic, Sulfuric and
Tartaric Aluminum Sulfate
Bono Charcoal Bone Muriatic
Caustic Soda Carbon Disulfide
Caustic Soda Carbon Fetrachloride Chlorides of Aluminum,
Antimony, Boron, Columbium, Silicon,
Tantalum, Titanium and Zirconium Chlorine
Chloroform Cream of Tartar Ferric Sulfate
Greases Hydrogen Animal Glues
Hydrogen Chloride
Methylene Chloride Oleum Perchlorethylene
Potassium Nitrate Rochelle Salt
Sodium Sulfate Sulfur Chlorides
Sulfurs: Refined, Flowers, Roll, Rubbermakers
and insoluble Crystex.**





A. R. MAAS CHEMICAL DIVISION

Phosphoric Acid Phosphates Photographic Chemicals Questex®

MOLDED PRODUCTS DIVISION

Battery Boxes and Fittings Plastic Foam Plastic Pipe Miscellaneous Molded Rubber and Plastic Products



NYOTEX CHEMICALS DIVISION

Hydrofluoric Acid, Anhydrous and Aqueous Aluminum Chloride Aluminum Fluoride

STAUFFER-TEMESCAL COMPANY

Electron Beam Furnaces High-purity refractory Metals and Alloys

VICTOR CHEMICAL WORKS DIVISION

Phosphoric Acid Phosphates of Ammonia, Calcium, Iron, Potassium and Sodium Organophosphorus Compounds Chlorinated Trisodium Phosphate Phosphoric Anhydride Phosphorus Chlorides Phosphoric Pentasulfide Formic Acid and Formates Oxalic Acid and Oxalates Phosphatic Fertilizer Solution Sodium Hypophosphite Methyl Parathion

WEST END CHEMICAL COMPANY DIVISION

Borax Lime Products Soda Ash Sodium Sulfate

New York 17, N. Y Please send:	
beam - p	ations for electron rocessed refractor nd alloys.
where: f	Chemicals Every New publication with ons and non-technical
descripti	on of the broad liner Chemicals.
descripti	on of the broad lin
descripti of Stauff	on of the broad liner Chemicals.
descripti of Stauff (Name)	on of the broad liner Chemicals.

ILETTERS

so far as to state: "Crumbs get brushoff from unconventional new synthetic rubber process."

After pointing out all the advantages of a solvent rubber plant, suddenly in the last paragraph the author states: "Solvent-rubber plants are not expected to win out in competition with existing SBR plants."

Is this double talk?

R. J. DALY Advertising Manager Columbian Carbon Co. New York

Not on careful reading. The key word is "existing." Although rubber makers won't scrap existing plants and put in the Beal-Crawford "desolventizer," this process instead of the crumb processes is likely to be intalled in new plants. In fact, the first contract for the Beal-Crawford desolventizer has already been made-a semi-works plant for American Rubber & Chemical Co. (CW Business Newsletter, Sept. 3.).-ED.

Another Percent

To THE EDITOR: We were very much interested in your article concerning the joint venture between Oronite and our company, Nippon Petrochemicals Co., Ltd. (NPCC) (July 9, p. 27).

However, we regret to say that it contained so many errors . . .

In the first place, the joint company established is Nippon Petroleum Detergent Co., Ltd., not Japan Oil Cleanser. Second, our company's name is not Japan Petrochemical. Third, Oronite will hold 45% interest, not 44% . . .

> G. R. NEGISHI Director Nippon Petrochemicals Co., Ltd. Tokyo, Japan

Silicon Rod Prices

TO THE EDITOR: Recently Dow Corning issued its first price list on silicon polycrystalline rod. Your comments in the Aug. 20 issue might lead to misunderstanding, and perhaps it will help your readers to have the facts clarified.

Markets for silicon single crystal and polycrystalline lump are well established with firm price scales. The market for polycrystalline silicon rod on the other hand, for all practical purposes, has been nonexistent. The few prices that have been quoted have had the tentativeness natural in this stage of any product. At these prices it was uneconomical to zonerefine polycrystalline rods into single crystals. Users, therefore, bought single crystals or rods cast from polycrystalline lumps.

Our process, derived from Westinghouse and Siemens, produces highpurity polycrystalline rod suitable for zone refining. Its efficiency permits us to set realistic prices that will encourage zone refiners to purchase quality silicon instead of rods cast from polycrystalline lumps. Our prices, and the purity of our silicon, will make it attractive for some users to acquire float-zone equipment instead of extending their holdings of Czochralski crystal pullers.

Far from indulging in price cutting, Dow Corning is helping to open up a fresh market in the fast-growing semiconductor field.

> E. L. WARRICK Manager Dow Corning Corp. Hyper-Pure Silicon Division Midland, Mich.

MEETINGS

American Chemical Society, National meeting, New York, Sept. 11-16.

Synthetic Organic Chemical Manufacturers Assn., meeting, Roosevelt Hotel, New York, Sept. 13.

Chemical Exposition U.S.A. 1960, Sept. 13-15, Hotel Statler Hilton, New York. Exposition held concurrently with 138th national meeting of the American Chemical Society. Admission to exhibits free to industry representatives.

Western Petroleum Refiners Assn., meeting, industrial relations and refining technology; Henning Hotel, Casper, Wyo., Sept. 14-15.

Engineering Management Conference; theme: forces influencing engineering management, etc.; Morrison Hotel, Chicago, Sept. 15-16.

Drug, Chemical & Allied Trades Assn., 70th annual meeting, Sagamore Hotel, Bolton Landing, Lake George, N. Y., Sept. 15-18.

Chemical Market Research Assn.; theme: "The European Chemical Industry"; Wentworth-by-the-Sea, Portsmouth, N. H., Sept. 22-23.

American Ceramic Society, electronics division meeting, Schroeder Hotel, Milwaukee, Wis., Sept. 22-23.

Research is Digging!

CHI ODICO CHI COLLA CHI ODICO CHI ODICO COLLIMBILIM PENT CHI ORIDE CREAM OF TAK



COLUMBIUM PENT MLORIDE CREAM OF TAR RBON DISULFIDE CAUSTIC SODA CHLORINE CHI OROFORM CARBON JC ACID HYDROGEN FERRIC SULFATE **FORMAT!** SICIDES GLUES HERBICIDES HYDROCHLORIC ACID HYDR TERS **METAL-ORGA** DROGEN CHLORIDE INSECT IRON PHOSPHATE IE PRODUCTS MESYL CHLORIDE **OXALATES** METHYLENE CHLORIDE MOLDED PROS MURIATIC ACID **ORGANOPHOSP** SSIUM PHOSPHA RCHLORETHYLENE OTOGRAF PIPE POT ASTIC FOAM DIUM SULFATE RESEARCH CHEMICA SILICON ASH SODIA ROSULFIDE M TETRACHLO LFUR SULFUR CHLC TAN TART UM TE ALUMINUM CHLORIDE DRIDE E MUINOP IMINUM ASPIRI NY CHLORIDES BONE CHARCOAL BORIO I CILIM BOR DE CARBON DISULI RBON TETRACHLORID CHLORI COL IC ACII RRIC SULFATE FORMATES FUNG ASES CHLORIC ECTICIDES HLORIDE YDROGEN CHLO IRON ME PRODU UNDS ENE CHLORIDE MITICIDES URIATIC RGANOPH OSPHORIC ACID PLASTN C PIPE PERCHLORETHYL EARCH CHEMICALS ATES SODIUN SODA ASH OSULFIDE SOD ROCHELLE SALT SILICON RACHLORIDE SUI LEUR CHIORIDES SULFURIC ALUM PENTACHL TARIC ACID TITA ACHLORIDE ALUMINUM FLUORIDE MMONIUM PHOS ALUMINUM AS ALUMINUM CHLORIE BONE MEAL BORAX OXIDE BOR RIDE ANTIMONY BONE CHARCOAL USTIC SODA CHLORINE COLUMBIUM P CARBON DISL CARBON TETRACHLO CREAM FORMATES **FUNGICIDES** GILLES CIDES HYDROC HYDROFLUM HYDROGEN IN PHOSPHATES LIME F ESYL CHLORIDE ESTERS O GANICS HYDR INSECTIO MOLDED PRODUCTS OLEUM ORUS COMP ICIDES OTOGRAPHIC CHEMICAL PHORIC SILICON KOCHELLE SAL ULFURIO TETRACHLORIDE SULFUR SULFUR CHLOR ZIRCONIUM BORIC ACID BORON OXIDE BORON TRICHLORIDE CALCIUM PHOSPHATES

Know Who Digs First?

Right...It's company officers and executives! Long before groundbreaking the company directors must foresee the need for new facilities. It is they who first decide to dig into capital for the dollars required to construct new laboratories, furnish laboratory "glass", pilot-plant equipment and materials, as well as payroll for the staff of top-notch chemists, engineers and professional scientists.

Recently, several Stauffer officials celebrated the start of construction on the company's newest research center at Richmond, California. The shovels used by the group are probably the world's most costly. They are made of an alloy of *ultra-pure* tungsten and *ultra-pure* tantalum produced by Stauffer-Temescal Company research in their electron beam furnaces.

Alloys of these and other refractory metals will have many strategic applications as research reveals the amazing properties of chemically pure metals. The tungsten-tantalum alloys find immediate application in critical rocket components like nozzles for rocket engines, which must survive the heat and erosive effects of flaming gas ejected at tremendous speeds. These alloys also have potential application as leading edges of glide re-entry missiles. A major advantage is that they retain a high degree of mechanical strength at temperatures in excess of 4000°F. Unlike other refractory metals, they can be fabricated and machined on conventional steel-working equipment. Moreover, these electron beam-refined alloys can be reheated and welded without loss of workability.

The new technique of creating ultra-pure metals is but one example of how Stauffer is digging into the application of chemical elements and compounds to the needs of science, industry and agriculture. Stauffer Chemical Company, New York 17, N.Y.




















"And we can still be at the new plant before nine!"



A couple of hours in a duck blind before the plant opens? That's perfectly feasible when your industry is located in northeastern North Carolina. For the same rivers and lakes that mean plentiful industrial water also mean fine shooting, fishing, and summer water sports.

Ask VEPCO about the abundant timber, mild climate and many other advantages of this key area . . . including the

fact that North Carolina home-grows two willing, trainable workers for every one who retires or moves away. For a list of available locations, or free confidential site finding help in this land of cordial government

and friendly communities, write, wire or phone VEPCO today.






VIRGINIA ELECTRIC and POWER COMPANY

Clark P. Spellman, Manager-Area Development, Electric Building, Richmond 9, Virginia • MIlton 9-1411

SERVING THE TOP-OF-THE-SOUTH WITH 1,990,000 KILOWATTS - DUE TO REACH 2,580,000 KILOWATTS BY 1962

Formulating Adhesives?

Make your single source for resins and save with a lower RMC*



Single-source buying of adhesive resins from RCI offers these distinct advantages:

- Simplified Purchasing
- Lower Inventory Costs
- Elimination of Delivery Problems
- Extensive Production Experience combined with Technical Service

RCI provides a full line of quality raw materials for professional compounding of adhesives. You get what you need, when you need it, in the quantity specified. Resins, emulsions and catalysts may be combined for full truck loads to lower your *Raw Material Cost. Ordering, handling, capital investment, can be held to a minimum.

For fast, dependable delivery, there are Reichhold plants strategically located across the country. You can have delivery in drums, tank cars or tank trucks.

Reichhold's 35 years in the resin business is your assurance of reliability. And, of course, Reichhold's Technical Service stands ready to help you at any time.

Investigate the quality resins and emulsions available from RCI. Write for the address of your nearest source of supply.



Epoxy Resins, Epoxy Hardeners, PVAc Emulsions, Phenolic Resins, Acrylic Emulsions, Urea Resins, Melamine Resins, Catalysts

Creative Chemistry . . .
Your Partner in Progress




REICHHOLD

Synthetic Resins • Chemical Colors • Industrial Adhesives • Phenol • Hydrochloric Acid Formaldehyde • Phthalic Anhydride • Maleic Anhydride • Ortho-Phenylphenol • Sodium Sulfite Pentaerythritol • Pentachlorophenol • Sodium Pentachlorophenate • Sulfuric Acid • Methanol

REICHHOLD CHEMICALS, INC., RCI BUILDING, WHITE PLAINS, N.Y.

If your product can be...





... aerosol packaging may be more profitable for you

Does your product meet the requirements above? If so, there's a good chance aerosol packaging can revolutionize your sales as it has for manufacturers of hair fixatives, insecticides and many other products.

Aerosol packaging offers customers the neatest, quickest, handiest way ever to apply a product. Result—aerosols are increasing their share of the consumer market every year.

Get the complete story. It's easy to have your product tested by a custom loader—no need for your own loading

line. Let Du Pont send you technical data and the names of aerosol loaders. It's one of the many services offered without obligation by Du Pont, manufacturer of time-proved "Freon" propellents for aerosols.

FREE BOOKLET, "Package for Profit", contains information on how you can enter this field without major capital investment . . . includes marketing and technical data. For your copy, write: E. I. du Pont de Nemours & Co. (Inc.), "Freon" Products Division, 2420N-339. Wilmington 98, Delaware.

Best-selling aerosols are powered with

FREON®



BETTER THINGS FOR BETTER LIVING ... THROUGH CHEMISTRY



CYANAMID

Cyanamid's new facilities assure you of a continuous supply of Urea.

Cyanamid Urea is superior in quality and color—low in biuret content. Whether you order Cyanamid Urea in 20-ton minimum carloads or 10-ton minimum truckloads, you will receive prompt attention, courteous service and a uniformly high quality product. Send coupon today.

SOME PRODUCTS OF CYANAMID'S PROCESS CHEMICALS DEPT.:

ACCOBOND® Resins . AEROMET® Metallurgical Additive
AEROSOL® Surfactants . Ammonium Sulfate . Mineral Acids.
CYQUEST 40® Sequestering Agent . Aluminum Sulfate
Products marketed under the trademark AERO are:

Calcium Carbide • Calcium Cyanamide • Cyanuric Chloride • Dicyandiamide Glycolonitrile • Guanidine Hydrochloride • HCN (Liquid Hydrocyanic Acid) Maleic Anhydride • Melamine • Metallic Stearates • Phthalic Anhydride


AMERICAN CYANAMID COMPANY

PROCESS CHEMICALS DEPARTMENT . 30 Rockefeller Plaza, New York 20, N. Y.

American Cyanamid Company Process Chemicals Department	CWP-910
30 Rockefeller Plaza New York 20, N. Y.	
Please send me additional information a UREA	bout
Name	
Company	
Address	
City	-
Tone State	

Acrolein Dimer

3,4-dihydro-2H-pyran-2-carboxaldehyde



ACROLEIN DIMER contains a labile vinyl ether type double bond and a carbonyl group which can be reacted independently or simultaneously to form a variety of pyran derivatives. In addition, the ring can be readily opened, via hydrolysis, thereby providing a practical route to a large number of linear compounds. An ACROLEIN DIMER derivative may be of use to you as a polymer precursor, cross-linking agent, solvent, or pharmaceutical intermediate.

Another chemical building block, from acrolein

TYPICAL REACTIONS OF ACROLEIN DIMER Hydrolysis $CHO + H_2O \longrightarrow OHC - CH_2 - CH_2 - CH (OH) - CHO^*$ Tischenko Reaction $CHO \longrightarrow OHC - CH_2 - CH_2 - CH (OH) - CHO^*$ $CHO \longrightarrow CH_2 - CH_2 - CH (OH) - CHO^*$ $CHO \longrightarrow CH_2 - CHO^*$ Oxidation $CHO \longrightarrow CHO^*$ $CHO \longrightarrow CHO^*$ $CHO \longrightarrow CHO^*$ $CHO \longrightarrow CHO^*$ $CHO \longrightarrow CHO^*$

SHELL CHEMICAL COMPANY

Atlanta • Chicogo • Cleveland • Detroit • Houston • Los Angeles • Newark • New York • Son Francisco IN CANADA: Chemical Division, Shell Oil Company of Canada, Limited, Montreal • Toronto • Vancouver

AVAILABILITY

Market development quantities of Acrolein Dimer are available, and research samples will be supplied upon receipt of your letterhead request. Please address your inquiries to:

Product Development Department Industrial Chemicals Division Shell Chemical Company 110 West 51st Street New York 20, New York



*Research Quantities Available

Aldol Condensation

Business

Newsletter

CHEMICAL WEEK
September 10, 1960

CPI growth continues, both at home and abroad (see p. 29), although industry management is not looking for big improvement in business conditions over the next year or so. Among newest projects:

- Collier Carbon & Chemical and Tidewater Oil are planning to build and operate a second multimillion-dollar petroleum naphthalene plant. The proposed new facility will be built at Collier's Los Angeles plant and is scheduled for completion in late '61. It will have an initial capacity in excess of 50 million lbs./year. Their first petronaphthalene joint venture—also 50-million-lbs./year capacity—will be at Tidewater's refinery near Wilmington, Del.
- Dow Badische Chemical (Freeport, Tex.) will add facilities to produce n-butanol and isobutanol, for use in lacquer and resin solvents, with first shipments to be made early in '61. The plant is now producing acrylic acid and esters, will later produce caprolactam for Dow's nylon tire-cord project.
- Stauffer Chemical is planning a phosphate fertilizer plant at Vernal, Utah. It will use phosphates from the nearby mining and beneficiating units to be built by San Francisco Chemical, a Stauffer affiliate (CW Business Newsletter, March 26).

Another spate of mergers will be moving through various stages of formalization this week. The list includes:

- National Distillers' merger with Federal Chemical (Louisville, Ky.), producer of mixed fertilizers at six plants in Kentucky, Tennessee, Illinois, Indiana and Ohio.
- Metal & Thermit's acquisition of Orefraction Minerals, South Carolina supplier of granular and dry-milled zircon for the foundry, refractory, ceramic and glass industries, for \$1 million in cash.

Chemical companies figure in two suspense-filled "Westerns" this week.

- In Wyoming, Union Carbide has started a guessing-game as to its intentions in taking an option on 9,000 acres in the north-central part of the state to explore coal deposits. The two tracts under option are adjacent to the holdings of Reynolds Metals, which has been doing feasibility studies on utilization of the vast low-grade coal deposits in that area in connection with a proposed aluminum reduction plant.
- And in Utah, the big potash mining and refining project proposed by Texas Gulf Sulphur (CW, Aug. 20, p. 25) is running into opposition from the oil and gas companies. The U.S. Dept. of the Interior has invited comment on a move to withdraw the potash-bearing public lands from oil and gas leasing so that Texas Gulf would be able to carry out its potash plans; and the 1,200-member Rocky Mountain Oil and Gas Assn. has indicated that it will have plenty of comments to voice.

Business

Newsletter

(Continued)

Du Pont edges closer toward possible entry in polypropylene this week with formation of a Polyolefin Division within its Polychemicals Dept. The new division—to be headed by Roy Schuyler, assistant sales director for Polychemicals—will consolidate marketing, production, and research and development efforts in the field of polyolefin plastics. It will take over the conventional polyethylene plant at Orange, Tex.; the conventional PE plant at Victoria, Tex., which is expected to come into production early next year; the relatively small plant for conventional PE at Parkersburg, W. Va.; and the linear (high-density) polyethylene plant that's now in startup phase at Orange. Also, the new division "will be responsible for research and development programs on other polyolefins."

Polypropylene fiber development is picking up steam.


In Europe, Imperial Chemical Industries (London) has just taken out an exclusive license to produce polypropylene fibers in the United Kingdom under Montecatini (Milan) patents and technology. ICI's 10,000-tons/year polypropylene resin plant at Wilton is nearly completed, and the company is moving ahead to build a fiber plant. Montecatini is already operating a 12-million-lbs./year polypropylene staple fiber plant at Terni, Italy, and expects to expand the plant's capacity fivefold by '62.

In the U.S., producers of polypropylene resin are optimistically pushing fiber and filament development. AviSun is turning out fibers on a pilot-plant basis, expects to have its commerical fibers plant at New Castle, Del., onstream about one year from now. Outsiders predict its capacity will be in the neighborhood of 10 million lbs./year. AviSun's Donald Fiedler—product manager for fibers—foresees a U.S. market of anywhere from 200 million to 1 billion/lbs. year for polypropylene fibers within 10 years, with home carpets as the first big application.

ICI also is linking up for technical skill in boron. The big British concern has entered into an exchange-of-information agreement with Callery Chemical (Pittsburgh). The deal calls for trading assessment data in certain areas of boron chemistry "with a view to the acquisition by either party of nonexclusive, royalty-bearing licenses under the other party's patents, as requested." Callery says it's nearly ready to start production of pentaborane for U.S. Air Force at the government-owned propellants plant at Muskogee, Okla.

Are your employees active in the political campaign? One chemical company that can answer with an unhesitating "yes" is Hercules Powder. Two members of its legal department are running for major public offices this fall. In last week's state Republican convention, William Roth and Gerald Kavanaugh were nominated as candidates for lieutenant governor of Delaware and mayor of Wilmington, respectively. Roth has been serving his party as national vice-chairman of the Active Young Republicans organization.

QO®Furfural offers Montage of uses as a selective solvent



Just as a montage is a composite illustration to an artist—QO furfural offers a composite of solvent extraction ideas for the chemical engineer. Furfural is highly polar which favors sharp separations of saturates from unsaturates in lube oils, gas oils, cycle stocks and other petroleum products as well as wood rosin, glycerides, butadiene. Supplementing the basic advantage of preferential solubility, furfural is easy to reclaim, easy to handle, and easy to buy.

Uses for which QO furfural offers advantage as a selective solvent include:

Lubes: In the furfural refining of lube stock the undesirable aromatic and olefinic components are selectively dissolved and separated from the desirable paraffins and napthenes.

Cat Cracker Cycle Stock: Furfural treatment of cycle stock sharply reduces carbon lay down on the catalyst which means improved cracker efficiency and greater gasoline out-put. Furfural reduces heavy metal contaminants, sulfur bearing materials and carbon residue.

Wood Rosin: Furfural removes color bodies from crude FF grade wood rosin to produce a light colored product equivalent to X grade.

Butadiene: In the purification of butadiene, furfural alters relative volatilities of butadiene and other C₄ hydrocarbons. This permits easy fractionation of compounds differing in degree of unsaturation to give good yields of high purity butadiene.

Glycerides: Glyceride oils may be separated by solvent extraction with furfural. Furfural selectively removes unsaturated glycerides from saturated ones.

If you have a separation problem, furfural may well be your answer. Write for information indicating nature of material to be extracted.

The Quaker Oals Company





336A The Merchandise Mart, Chicago 54, Illinois

Room 536A, 120 Wall St., New York 5, N. Y.

Room 436A, 48 S.E. Hawthorne Blvd.
Portland 14, Oregon

In the United Kingdom:

Imperial Chemical Industries, Ltd., London, England

in Europe:

Quaker Oats-Graanproducten N. V., Rotterdam, The Netherlands; Quaker Oats (France) S. A., 3, Rue Pillet-Will, Paris IX, France; A/S "Ota", Copenhagen, S. Denmark

In Australia:

Swift & Company, Ltd., Sydney

In Japan:

F. Kanematsu & Company, Ltd., Tokyo



Rounding up the "critters" in the country's wash

For corralling Ca and Mg ions in hard water, there's hardly a better hand than STPP—sodium tripolyphosphate. One of the finest sequestering agents known, this pure FMC product ends problems of sticky soap residues and scale. The pepped-up activity of detergent mixtures using STPP is another reason why leading manufacturers of laundry detergents prefer it as a builder. In fact, one famous brand includes it to the tune of 50%.

Phosphate chemicals are produced by the Mineral Products Division of FMC. Other members of FMC's Chemical family include the Chlor Alkali, Niagara Chemical, Becco Chemical, and Chemicals & Plastics Divisions. With its diversity of products and service, FMC serves a broad base of customers in government, agriculture and industry.





Putting Ideas to Work


FOOD MACHINERY AND CHEMICAL CORPORATION

Chemical Divisions

161 East 42nd Street, New York 17, N. Y.

JOB OPPORTUNITIES: Immediate openings exist in the FMC Chemical Divisions for Chemists and Chemical Engineers at all levels of experience. If interested, call or write our technical recruitment manager in New York.

PRODUCTS OF THE FMC CHEMICAL DIVISIONS: BECCO CHEMICAL DIVISION—hydrogen peroxide and peroxygen chemicals; CHEMICALS & PLASTICS DIVISION—DAPON'S and OXIRON resins, plasticizers and organic chemicals; CHLOR-ALKALI DIVISION—alkalis, solvents, and chlorinated products; NIAGARA CHEMICAL DIVISION—agricultural chemicals and pesticides; MINERAL PRODUCTS DIVISION—phosphates, barium and magnesium chemicals. Our 34-page brochure describing hundreds of FMC chemical products available on request.



Totaling Foreign Investment Tab

U.S. chemical companies will increase their investment in the European Common Market this year and next and boost their total overseas capital spending to record highs. They expect gains in sales by their overseas subsidiaries to more than make up

for leveling-off of exports in '61.

Those are key findings of the second annual Survey of Foreign Operations, conducted by McGraw-Hill's Dept. of Economics. The companies responding to the survey account for an estimated 75% of annual overseas

expenditures of U.S. manufacturing and petroleum corporations.

After hiking their overseas capital spending 21% in '58, the chemical companies in the survey planned to raise '59 expenditures another 14% when they were queried halfway

Bigger Stakes in Business Abroad

(Foreign capital expenditures by U.S. companies, in million dollars/year.

Source: McGraw-Hill Dept. of Economics.)

		OTILAL		51.44	MED
	A	ACTUAL			INED
Industry Groups	1957	'58	'59	.60	'61
Manufacturing and petroleum companies	2,504.5	2,037.4	2,077.7	2,395.2	2,547.6
Chemical process industries:					
Chemicals & allied products	147.5	178.5	191.0	256.4	285.8
Pulp and paper products	60.5	29.6	31.0	31.0	32.2
Rubber products	61.5	51.0	54.5	56.7	65.8
Stone, clay & glass product	s 22.1	25.0	12.9	17.7	14.5
Primary metals	155.2	127.7	104.5	81.5	88.8

CPI Exports: Further Gains Forecast

(U.S. CPI companies' export sales, in million dollars/year. Source: McGraw-Hill Dept. of Economics.)

	62,49	ACT	UAL	EXPE	CTED
Industry Groups	4	1958	.59	'60	'61
Chemicals and allied products		1,476.2	1,600.9	1,889.1	1,945.8
Pulp and paper products		303.6	337.1	347.2	361.1
Rubber products		278.3	326.5	375.5	356.7
Stone, clay and glass products	5	295.4	308.8	339.7	377.1
Petroleum products	*:	461.8	402.2	418.3	414.1
Primary metals		908.0	667.9	781.4	804.8

through the year. Instead, following the trend of their domestic spending, they spent 6% less than anticipated, bringing their '59 total up only 7% over the '58 level. For all manufacturing companies surveyed (excluding petroleum), the cutback on expected '59 spending was about 2%.

Making It Up: But chemical producers, along with other manufacturers, will easily make up for the cutback this year. While the chemical companies spent \$12.5 million less than they planned to in '59, they now expect to spend \$71.4 million more this year than they predicted they would a year ago—boosting spending in '60 to \$246.4 million, 29% over the '59 total.

In '61 they expect to boost outlays an additional 16%, to \$285.8 million. If business abroad holds up, this total may well be pushed higher as

the companies firm their plans.

Uneven Pattern: For the rest of the CPI, investment plans are uneven. Primary-metals producers (including some mining concerns) plan to cut expenditures 22% this year, but raise them 9% in '61. Paper producers will hold expenditure level this year, and boost them 3.8% in '61. The rubber industry plans a slight increase in '60—4%—then a 16% boost next year. Stone, clay and glass makers see a 37% rise this year, an 18% cut in '61. And the petroleum industry will raise outlays 11% in '60, but cut them 2% in '61.

Apparently, much of this year's foreign investment planned by the chemical companies will lay the groundwork for next year's projects. Last year the chemical companies spent \$11.5 million—6% of their total foreign expenditures—on land and

existing facilities. This year they figure to devote 18%—\$44.3 million—of the total on such expenditures. In '61 the outlay will drop to \$22.8 million—only 7.8% of the total—while total outlays on new plants are higher than ever before.

The Big Swing: The most striking pattern in overseas investments by U.S. manufacturers is the big swing to the Common Market. Chemical companies are in the vanguard of this trend. In '59 the manufacturing companies put 17% of their foreign expenditures into the Common Market. They plan to increase this proportion to 24% in '60, 27% in '61. Chemical companies, with only 8% of '59 expenditures tagged for the Common Market, expect to boost them to 22% this year, 32% in '61.

The reason for this swing is clear. The Common Market is emerging as the largest single market outside the U.S. And as it integrates, its trade barriers will make it less accessible to U.S. exports.

New market opportunities are the most important factor spurring foreign investment by the companies queried. Of the chemical companies surveyed, 43% cited new markets as the primary factor determining their decision. For all corporations surveyed, 48% were primarily motivated by this consideration.

But the chemical industry is more worried than other industries about rising trade restrictions: 38% of the chemical companies voiced marked trepidation on this score; only 16% considered this their prime concern.

The promise of higher profits persuaded 14% of the chemical companies to invest abroad, and availability of raw materials accounted for another 14%. Lower labor costs and competition each were the most important factor for 9% of the chemical companies.

The payoff of these investment decisions should be very apparent next year. This year the chemical companies expect their exports to rise a healthy 18%. But—partly because of their own investment activities overseas—they believe the boom will level out in '61—rising only 3%. Sales of these companies' overseas subsidiaries will at least partly compensate for this. They're expected to rise 18% this year, 14% in '61.

Growing in Adversity

Last week one major lithium producer decided to skip its third-quarterdividend payment; another disclosed that its first-half operations resulted in a \$13,867 net loss; and a third is nearing the end of deliveries to its only significant customer. Nevertheless, the theme in this hard-hit industry continues to be optimism and expansion.

Foote Mineral's board of directors voted to omit payment of a thirdquarter dividend. First-half sales were down nearly 27% and earnings 60%both because Foote is no longer selling lithium carbonate to the Atomic Energy Commission and because the steel industry is operating at such a low level the ferroalloy business is in the doldrums.

Lithium Corp. of America-which earned \$442,587 on sales of \$5.7 million during first-half '59-has been operating in the red this year, with first-half sales down nearly 60%, to \$2.3 million. It's paying \$1.9 million in settlement of a lawsuit.

American Lithium Chemicals -56.7%-owned by American Potash & Chemical-is now in the last four months of its five-year contract with AEC. No renewal is expected.


Yet all these companies are researching and expanding-in lithium and in their other lines.

Money for Growth: LCA is preparing to offer \$2.3 million worth of convertible subordinated debentures. While nearly half of net proceeds would be used to retire \$925,000 worth of convertible debentures due in '64, about \$125,000 is earmarked for purchase of mining equipment for lithium operations in North Carolina and about \$75,000 will be invested in construction of a new unit to produce butyl lithium.

Foote is completing construction of a \$2-million research and technical center at Exton, Pa., and its research program will continue to lay heaviest stress on lithium products and appli-

An American Potash affiliate has purchased additional lithium ores in Africa and is gearing for growing sales of lithium products to glassmakers and other users. And Quebec Lithiumalso hurt by the stop in AEC buying is putting a new lithium salts plant onstream.







Dow's Doan: Seeks integration, steadier profits through Allied merger.

New Faces in Drug Industry

Two major CPI companies-Dow Chemical and Minnesota Mining and Manufacturing-are moving to further diversify their operations by acquiring two leading U.S. pharmaceutical companies: Allied Laboratories and Warner-Lambert Pharmaceutical, respectively.

These proposed mergers would paralled in significance the landmark chemical-pharmaceutical mergers of American Cyanamid and Lederle Laboratories (1930) and Olin Mathieson and E. R. Squibb ('52). As a result, both Dow and 3M will be acquiring "recession insurance" in the form of drug operations whose profits tend to remain stable while those of companies in other industries slide.

Directors of Dow and Allied Laboratories last week approved a proposal for the merger of the two companies, subject to ratification by Allied stockholders at a special meeting Nov. 30 at Wilmington, Del.

If the proposal is approved, Dow will distribute two-thirds of a share of its common stock for each share of Allied stock. Based on recent stock prices, this would be about \$45 million worth of Dow stock for the 796,856 Allied outstanding June 30.

Under terms of the agreement, Allied Laboratories would continue to operate under its present officers as a division of Dow Chemical.


Minnesota Mining expects to complete arrangements for the acquisition of W-L before the end of the year.

If stockholders of both companies ratify the plan, 3M will issue one-half share of its common stock and one share of a special Class A voting stock for each share of Warner-Lambert common. The Class A stock would provide a means to pay each W-L stockholder a '60 dividend return from the combined company equal to that which he probably would have received from W-L alone. The Class A stock may be converted, at the stockholder's option, into three-fifths of a share of 3M common. Since W-L has about 5,260,000 shares outstanding, the deal would involve commitment of 3M stock with a present market value of about \$400 million.

In both proposed mergers, areas of integration of operations are evident. Dow ag chemicals-sales were up 10%, to about \$47 million the past fiscal year-could dovetail with Allied veterinary products. And 3M research could lead to development of chemicals for use in medicine, pharmacy.

Operating results for these companies in their latest fiscal years (sales and earnings, respectively): Dow, \$781 million, \$82 million; Allied, \$30 million, \$2 million; 3M, \$500 million, \$63 million; Warner-Lambert, \$190 million, \$16 million.







Monsanto's Morris: New plant may make company biggest in phthalic.

Leading from Strength

In a get-up-and-go mood last week, Monsanto Chemical took steps to bolster its already big stakes in two major fields:

• The company decided to build a multimillion-dollar plant in New Jersey to produce phthalic anhydride and phthalate ester plasticizers. This plant—to be completed early in '62—will increase Monsanto's phthalic capacity by more than 30%, its phthalate ester capacity by more than 50%.

• The company set up a new operating division, Agricultural Chemicals Division, to consolidate and strengthen marketing, research, development and manufacturing functions relating to fertilizers, pesticides, and animal feed supplements. This work had been split between the Organic and Inorganic Chemical divisions.

Tops in Phthalic? Since industry sources estimate Monsanto's present phthalic capacity (at Everett, Mass., and St. Louis) at about 120 million lbs./year, the new plant in Gloucester County, New Jersey (near Gibbstown), could raise the firm's total to more than 155 million lbs./year. Right now the largest U.S. producer of phthalic is Allied Chemical's Plastics and Coal Chemicals Division; its capacity is about 150 million lbs./year.

With U.S. phthalic producers operating at close to 80% of capacity in first-half '60, this year's output may

amount to 390-400 million lbs., compared with last year's 360 million lbs. But production has been limited by a shortage of the principal raw material, naphthalene, which is produced largely as a by-product from steelmakers' coke ovens. Causing the scarcity: last year's steel strike and this year's low rate of operation in that industry.

But Monsanto is confident that bigger things are ahead for phthalic. Vice-President Robert Morris—general manager of the company's Organic Chemicals Division—predicts that U.S. demand for this product should top 450 million lbs./year by '65. Principal outlets: in alkyd resins for surface coatings, polyester resins for reinforced plastics, and plasticizers for vinyl plastics.

Nearby Naphthalene: One thing Monsanto is banking on is a firm and ample supply of naphthalene. A major factor here, Morris points out, is that several new plants to produce naphthalene from petroleum are slated to be operating by the time Monsanto's new plant comes onstream in '62 (CW, June 25, p. 95).

At least one of these new petronaphthalene plants will be conveniently close to Monsanto's new phthalic plant, which will be on a 650-acre tract on the Delaware River just across from Chester, Pa. The naphthalene plant being built by Tidewater Oil and Collier Carbon and Chemical—with initial capacity estimated at more than 50 million lbs./year—will be at Tidewater's Delaware City, Del., refinery, about 25 miles downstream from the Monsanto site, and is scheduled to be operating by the end of '61. And it's known that a petronaphthalene unit is being considered for one of the refineries even closer to Chester.

New Divisional Lineup: Heading the new Agricultural Chemicals Division will be Tom Smith, Jr., who rose through the sales ranks to assistant general manager of the Inorganic Chemicals Division (formerly known as the Phosphate Division).

Manufacture of ag chemicals has become of prime importance to Monsanto in recent years, accounting for 11.5%—about 93.3 million—of last year's total corporate sales volume. And with two divisions selling to farm markets, selling costs per product were high.

Monsanto hopes the new division—with its salesmen handling all ag chemicals—will lead to lower marketing costs. This is important in markets such as ammonia and ammonium nitrate, where price competition and co-op competition are severe.

Also, the new division should make possible more effective promotion to farm groups such as 4-H clubs. This is regarded as an important tool in farm marketing; but there were problems in getting the two divisions to agree on programs and cost sharing.

At the outset, the new division will take over operation of the chemical plant at El Dorado, Ark., and the Barton plant at Luling, La.—both previously operated by the Lion Oil Co. Division. Its major product lines will be nitrogen and phosphorus fertilizer materials. Smith notes that Monsanto is regarded as the world's largest producer of elemental phosphorus and one of the larger producers of nitrogen products.

The moves to enhance Monsanto's status in phthalic and fertilizer circles come just a week after completion of expansion that likely makes it the world's largest producer of maleic anhydride (CW, Sept. 3, p. 92). Together, they suggest that this year at least, Monsanto intends to invest for growth primarily in those areas in which the company is already strong.

Blocking the Mergers

Recent antitrust actions by the Federal Trade Commission and the Justice Dept, last week spiked a merger move by Union Bag-Camp Paper Corp., and are discouraging similar moves by other pulp and paper companies. Moreover, industry reaction indicates papermakers feel they have become favorite targets for the government's antimerger patrol.

Antitrust proceedings instituted by the FTC earlier this summer, plus the fear that a new merger would draw another legal salvo, have caused Union Bag-Camp to cancel its plans to purchase Crossett Co., Arkansas producer of forest products (including methanol and other chemicals). Crossett President Peter Watzek said Union Bag-Camp has been unable to arrange satisfactory terms to finance the reported \$156-million transaction partly because of the antitrust proceedings.

Officials of the two companies had signed an agreement last spring to investigate the possibility of Union's purchase of 2,279,640 shares of Crossett common at \$68.50/share (CW Business Newsletter, May 21).

The FTC had earlier attacked the '56 merger of Union Bag and Paper Corp. and Camp Mfg. Co. In a mid-June complaint, it charged that this merger had damaged competition in

the paper industry.

Boxed In: In other major antitrust actions involving pulp and paper companies, FTC charged: Indiana Container Corp. with unlawful acquisition of General Box's Louisville, Ky., plant; Scott Paper Co. with illegal acquisition of Soundview Pulp Co., Detroit Sulphite Pulp & Paper Co., and Hollingsworth & Whitney Co.; also, Crown Zellerbach Corp. with illegal acquisition of St. Helens Pulp & Paper Co.

The Justice Dept.'s Antitrust Division also has been active in this field. Its lawyers accused Continental Can of illegal acquisition of Robert Gair, manufacturer of paper board, paper containers, and flexible packaging products: and Owens-Illinois Glass of illegal acquisition of National Container Corp., producer of corrugated shipping containers.

In a suit to enforce reporting requirements, FTC won a decision against St. Regis Paper; but St. Regis is appealing the ruling.







John Fennebresque's Texas Butadiene has already government approval.

Rumpus Over Rubber

Rival plans for building Argentina's first synthetic rubber plant have stirred bad feelings and bitter words between several U.S. Companies.

Texas Butadiene proposes to build a \$38-39-million complex to produce SBR-type rubber, butadiene, and carbon black (CW Business Newsletter, Aug. 27); in contention is a proposal for a \$74.5-million rubber and petrochemical complex, put forward by a group composed of Fish International (Houston), Continental Oil, Cities Service, U.S. Rubber, and Witco Chemical (CW Business Newsletter, Sept. 3). Fish International heads this quintet.

Here is the background.

Fish filed a preliminary proposal early in '58 to build an SBR and petrochemical complex at San Lorenzo, just north of Buenos Aires.

Early in '59 the government asked Fish to propose a plant for Southern Argentina instead, in line with its industrialization program for that region. Fish declined, on the grounds that the project in northern Argentina was more feasible.

In April '59 Texas filed a proposal for building its project in the South. In September the government issued the firm a decree authorizing the project, conditional on its having arranged for financing, raw materials, and site approval.

Fish finally got a decree, in Feb.

'60, authorizing multiproduct "Petrochemical complex integrated by plants for development of cis-polybutadiene and/or polyisoprene," also conditional on approval of finance, raw materials and site.

In line with its decree, Texas Butadiene filed its detailed plans for the project on Aug. 12. It had decided to build the 60,000-tons/year rubber plant at Puerto Deseado, Santa Cruz province, had already signed a contract with the provincial government for the latter to supply water, utilities and fuel from a 123-mile natural gas pipeline to be built by Santa Cruz.

The ruckus started when the Fish group filed its plans on Aug. 22. Although its decree specifically called for a "cis-polybutadiene and/or polyisoprene" plant-which would not have conflicted with Texas Butadiene's plans-Fish now proposes to make 45,000 tons/year of "all the types" of rubber used in Argentina-including the SBR type. Fish maintains its plant could produce SBR cheaper than Texas Butadiene's, wants the government to approve both plants and let them compete for Argentina's limited market. Texas asserts this proposal violates terms of Fish's decree.

Fish's new bid will almost certainly fail. The government expects to approve both projects soon—under the original terms.

COMPANIES

Bzura Chemical Co. (Keyport, N.J.)—the country's newest producer of citric acid—is seeking Securities & Exchange Commission registration for a public offering of 450,000 shares of common stock. Proceeds—estimated at \$2.85 million—will be used to expand fumaric acid capacity and to provide facilities for production of itaconic acid and other fermentation products. Also, Bzura Chemical is about to issue 2.1 million shares of stock for acquisition of its parent company, Bzura, Inc. (CW, Aug. 20, p. 26).

National Gypsum Co. (Buffalo) will acquire the Allentown (Pa.) Portland Cement Co. through an exchange of stock valued at \$30 million. NG will exchange one-half share of its common stock for each share of Allentown common. The acquisition will boost NG's capacity by 4.5 million bbls./year. National Gypsum is also expected to acquire another—as yet unnamed—construction materials producer through a \$20-million stock exchange.

Nixon-Baldwin Chemicals (Nixon, N.J.), manufacturer of rigid thermoplastic sheeting, rods, tubes, and other forms, is seeking Security & Exchange Commission registration for sale of \$4 million worth of 6½% subordinated debentures (due Oct. 1, 1980) and 160,000 shares of common stock. Proceeds will be used to help clear debts incurred in last June's purchase of Nixon Nitration Works.

Olin Mathieson Ship Financing Corp. (New York) has obtained Securities & Exchange Commission clearance to lend Olin Mathieson Shipping Corp. \$9.5 million—to be obtained by selling bonds to Prudential Insurance Co.—for construction of a combination cargo ship. This will be one of several vessels for shipment of African alumina to Ormet Corp. (Omal, O.)—jointly owned by Olin Mathieson Chemical and Revere Copper and Brass—and to various European aluminum producers. OM and those European producers are co-owners of FRIA, the Guinean bauxite mining company that will supply the alumina.

EXPANSION

Cement: Kaiser-Permanente Cement Co. (Oakland, Calif.) will construct a \$5-million cement manufacturing plant either at Anchorage, Alaska, or at Sutton, 66 miles from Anchorage. The plant, scheduled for construction in '62, will feature a new European-type kiln with capacity of 500,000 bbls./year. Choice lies between availability of natural gas at Anchorage, and 240 acres of high-grade limestone and a producing coal mine at Sutton.

Silica: National Silica Co. (Oregon, Ill.) is building

a \$500,000 silica plant four miles south of Guion, Ark. The new plant—to be built on an 800-acre site containing an estimated 500 million tons of silica assayed at 99.9%—will produce 120 tons/hour of silica. It will process silica for the glass industry and foundries, fracturing sand for the oil industry. Onstream date: Sept. 15.

Chemical Coke: Peabody-Wright Corp., subsidiary of Peabody Coal Co. (Chicago), will build a chemical coke plant at Columbia, Tenn. The plant—scheduled for operation by Jan. 1—will supply several chemical plants in the Columbia area, including Hooker Chemical's Phosphorus Division, which uses chemical coke to produce elemental phosphorus. Construction costs: "below \$5 million."

Textile Chemicals: W. F. Fancourt Co. (Philadelphia), textile chemical manufacturer, will construct a plant on a 10-acre tract recently purchased at Greensboro, N.C. Completion date: next summer. The threestory brick building will include a research and development laboratory. The new plant's manufacturing unit will double the company's present capacity.


FOREIGN

Resins/Uruguay: Reichhold Chemicals (White Plains, N.Y.) has signed a license agreement with Compania BAO, S.A. (Montevideo) to manufacture resins for use in adhesives, bonding and polyesters. BAO will market these resins in Uruguay under RCI's trade marks. Cost of plant equipment (other costs are as yet undetermined): \$100,000.

Synthetic Urea/Portugal: Montecatini has signed an agreement with Uniao Fabril do Azoto (Lisbon) to build a plant at Lavradio, Portugal, to produce synthetic urea by the Fauser-Montecatini process. The plant—Montecatini's 34th for urea synthesis through its F-M process—will have a capacity of 40,000 tons of granulated urea/year.

Investment/Taiwan: American Cyanamid's recent investment in Taiwan (CW, Aug. 13, p. 18) apparently has given impetus to local legislation designed to spur private—including U.S.—investment. A new investment incentives law is scheduled to be passed by the legislature this week. The law will provide for sale of agricultural land for industrial use, foreign exchange controls and remittances of profits, and the sale of government-owned enterprises to private holdings.

Maleic Anhydride/Japan: Miike Gosei Chemical Industry Co. (Ohmuta City, Kyushu) will build a maleic anhydride plant using the Scientific Design process of fixed-bed, catalytic, air oxidation of benzene. Plant capacity: 8 million lbs./year.



Versatile new high-boiling solvents help improve spray coatings.

Shooting for Solvent Sales

Two new solvents are seeking acceptance on the strength of their ability to simplify the formulation of acrylic, nitrocellulose and vinyl coatings. Shell Chemical Corp. (New York) has developed the new compounds (CW Technology Newsletter, Sept. 3), which appear to have solvency for a wide range of resins, enabling paintmakers to make substantial cuts in their solvents inventory.

The new solvents are (1) a ketoether called Pent-Oxone and (2) a glycol-ether Pent-Oxol. Addition of these new compounds to its line gives Shell four types of high-boiling (slow evaporating) solvents. (The company also offers two other high-boiling materials: diacetone alcohol and ethyl amyl ketone.) The high-boiling solvents (those with boiling point above 140 C) are, generally, high-molecularweight materials, used in coatingssuch as those used on furniture and autos-where "blush" resistance and good flow properties desired.

About 20 of these solvents are used in the U.S. at present; they

generally command a higher price than lower-boiling solvents; and in conventional practice they're used in combination with fast- and mediumevaporating solvents.

About 10% of the solvent used in a nitrocellulose lacquer would be made up of the higher-boiling types. For acrylic coatings the percentage of higher-boiling-point solvents would run somewhat higher.

The importance of getting the proper solvent system is obvious: around 80% of a coating consists of the various solvents and/or diluents.

Wide-Range Use: Of the new solvents, Pent-Oxone (4-methoxy-4-methyl pentanone-2) is widest in its solvency range. According to Shell, it has solvency for nitrocellulose, vinyl, acrylic, epoxy and urethane resins. This is an exceptionally wide range of solvency for a long-chain solvent.

Such a range would give Shell some heavy sales ammunition with which to approach formulator. For instance the formulator who is using a solvent such as Cellosolve acetate for acrylics, butyl Cellosolve for nitrocellulose and either isphorone or cyclohexanone for vinyls, might be able to use Pent-Oxone as a substitute for any or all of these.

This claim as a multi-use solvent however, could also be made for such solvents as methyl amyl acetate, butyl Cellosolve and a number of other high-boiling materials.


Pent-Oxone is chemically a derivative of diacetone alcohol, another Shell product; it's a water-white liquid and has a boiling range of 147-163 C. One of the drawbacks of diacetone alcohol is it's tendency to give some trouble in color formation by reverting back to acetone, but apparently, by substituting a methyl group for hydrogen, Shell has been able to stabilize the molecule.

Pent-Oxol: While Pent-Oxol, th glycol-ether solvent doesn't have the wide range of solvency reputed for Pent-Oxone, Shell's looking for it to find considerable application in noncoating uses. As a solvent the compound (4-methoxy-4-methyl pentanol-2) appears to have promise for use with acrylic, nitrocellulose and vinyl (though some trade sources doubt this latter claim). It's a higher-boiling (slower evaporating solvent than Pent-Oxone, has a boiling-point range from 163.8 to 167 C. Its evaporation rate closely resembles that of 2-ethoxyethyl acetate (it's somewhat slower), while Pent-Oxone's is close to that of ethyl amyl ketone.

One of the big selling points of Pent-Oxol may prove to be its high toluene dilution ratio of 4.6 (Pent-Oxone's is around 3.0). This allows paintmakers to use the lower-cost material in considerable quantity, consequently cutting down on over-all costs.

Though Shell describes the new materials as "competitive" with other high boilers (Pent-Oxone sells for $17\frac{1}{2} \frac{e}{lb}$, and Pent-Oxol for $19\frac{e}{lb}$, in bulk), their respective \$1.32 and \$1.41/gal. costs appears to make them premium price items.

Paintmakers Gain: Introduction of the two new solvents, along with Union Carbide's recent reduction in costs of its high-boiling solvent methyl isoamyl ketone from 31¢ to 17½¢/-lb. should provide paintmakers a wider range of solvents with which to formulate products in the future.



Hair Spray

The \$125-million hair spray industry is closely watching a Minneapolis court case this week and figuratively keeping its fingers crossed. Reason: outcome of the La Maur-Donaldson case, currently being tried over La Maur's patent rights to polyvinyl pyrrolidone and a copolymer of PVP in hair sprays, could bring sweeping changes to the business.

Besides manufacturers of the aerosol sprays, others could also be affected by the decision, including custom fillers, and producers of PVP and other resins for hair sprays.

The Contestants: La Maur, Inc. (Minneapolis), maker of hair sprays and other supplies mainly for beauty salons—and recipient of a patent on use of PVP* in hair spray, is the plaintiff in the case. It is suing L. S. Donaldson Co., a Minneapolis department store that was selling Max Factor's Sof-Set Curl Control a product La Maur claims infringed upon its patent.

Donaldson, however, is more or less an innocent party. In reality, La-Maur's main opposition (and co-defendant with Donaldson) is G. Barr & Co. (Chicago), contract aerosol filler with a large volume of business in packaging hair sprays. Barr, which is Max Factor's filler, is "holding harmless" Factor and its other hair spray customers by assuming responsibility for damages in the event the case goes in La Maur's favor.

Crux Is Copolymer: For years it was generally believed by the industry that a PVP hair spray formulation was not patentable. But La Maur, which had brought out the first PVP spray, Style, in '52, applied for a patent the same year and finally received it in Jan, '59.

The patent's claims covered more than PVP, according to Maurice Spiegel, president of La Maur and owner of the patent, who has maintained it includes rights to certain copolymers, particularly vinyl pyrroli-

^{*}Technically, the patent describes a "sprayable water-free alcoholic polyvinyl pyrrolidone hair preparation" combined with a fluorinated hydrocarbon propellant.

G. Barr's George Barr fights PVP patent as industry awaits outcome.

Makers Near Court Showdown

done/vinyl acetate (70% VP/30% VA)

This point was quickly disputed by the rest of the industry, which argued that Spiegel's patent was extremely vague on this point. And both G. Barr and General Aniline & Film Corp. (New York) had already applied for their own patents on the use of the copolymer in a hair spray.

Probably the most important question that the trial now under way will decide is whether Spiegel's patent covers a copolymer-containing hair spray. For today, few straight PVP hair sprays are on the market. A great many spray formulations, including Factor's Sof-Set, use the copolymer.

Hectic History: In the spring of '59 La Maur offered to license other marketers of PVP or VP/VA sprays. Royalties were set at ½ ¢ for 8- to 16-oz. cans, ¾ ¢ for 4-8-oz. cans, and ¼ ¢ for cans under 4 oz. With few exceptions, La Maur found the hair spray industry not interested in licensing. Gene Rose Co., a Chicago aerosol filler, took a license for a short time and dropped it. Breck, one of the top manufacturers, which sells a PVP formulation, is known to be a licensee and La Maur says several others are paying royalties also.

Shortly after La Maur's patent was granted Barr considered paying royalties to the Minneapolis firm. According to Barr, it decided against paying—for several reasons. At that time it was filling only a small quantity of PVP sprays and production of this type soon stopped altogether. Besides, Barr felt that its packaging volume was not big enough for it to become involved in a licensing arrangement. Also, it felt the patent did not cover the VP/VA copolymer.

The company assured its customers that they had nothing to worry about, and that it would be responsible should La Maur sue for damages.

A few months later La Maur brought suit on two counts—patent infringement and misappropriation of a trade secret. (The companies have not always been at odds, though. In '52 Barr filled the initial runs for La Maur's PVP spray; the company now has packaging facilities of its own.)

Play It Safe: Barr's position of

holding his customers "harmless" is a unique stand. Most other aerosol fillers, while watching the dispute with avid interest, have not offered to do the same for their hair spray customers. Main reason is that their business is not so heavily concentrated in hair sprays as is Barr's.

Aerosol Techniques Inc. (Bridgeport, Conn.) which is packaging both PVP and VP/VA sprays, says it will assume responsibility for any suits brought against its VP/VA spray customers.

Three Results Possible: The hearing, scheduled to begin Sept. 6, could have three possible denouements. La Maur may win, Barr-Donaldson may win, or the patent may be declared invalid and the case thrown out. The hair spray industry is betting on—and hoping for—the latter.

If La Maur wins its case on all counts, including the claim to the copolymer, it means Barr must pay damages for all PVP and VP/VA hair sprays that it has turned out since Jan. '59. This would add up to a tidy um for La Maur. But the decision will directly affect only Barr and its customers. La Maur would have to sue individually other marketers who are not paying royalties.

On the other hand, if Barr wins because the court decides the patent does not cover the copolymer, it will mean Barr's customers and probably the whole industry can breathe easily.

If the patent is declared invalid, it means Barr and the industry are home free.

If La Maur wins, not all is lost for hair spray makers. There are half a dozen similar resins on the market from which to choose; and others in the experimental stage.

It's also reported that if La Maur wins, some marketers, who don't wish to take a chance on getting involved in patent infringement suits, are thinking of changing their PVP formulations.

Most Popular Aerosol: Hair sprays continue to be the biggest-selling aerosol product in terms of units. The trend, steadily upward in sales and production, was arrested slightly in '59 when 100 million units were turned out. But in '60, an estimated 112 mil-

lion cans are expected to be produced—worth \$159 million in retail sales. By '63, it's forecast, there will be 120 million hair sprays in a \$170-million market.


About 45 companies market hair sprays, many of them private label. Among the companies marketing top-selling national brands are Revlon, Helene Curtiss, Colgate, Breck, Toni.

The first aerosol hair lacquer, Liquinet, made by Liquinet Corp. (Chicago), appeared in '49. Early products were shellac-type formulations.

Since that time many variations—e.g., formulations for different types of hair, men's hair sprays, hair colorants—have been introduced and new resins have been developed.

Ciba is offering a modified acrylic resin, Base 325, which is a neutralized copolymer of a polyacrylic acid ester, while National Starch & Chemical Corp. has available a vinyl acetate copolymer, Resyn 28-1310. Hoffmann-

La Maur's Spiegel battles to prove his patent covers PVP copolymer.



Adsorb Metal and other contaminants

This virtually 100% pure, finely divided cellulose is providing important answers for improved filtration and processing in many industries. Not only is Solka-Floc supremely efficient in adsorbing many metals such as iron, copper, and other impurities—its greater efficiency saves time and money.

Whether your field is heavy chemicals, food processing, pharmaceuticals, chromatography, beverages, textiles, plastics, water purification or many other areas . . . Solka-Floc may provide the better, more economical way.

We would like to show you how it improves filtration flow rates . . . keeps screens cleaner . . . saves down time . . . gives more volume of clarified filtrate with minimum retention in cake . . . how it makes a stable pre-coat, does not bleed . . . prevents loss of cake from pressure drops . . . and why it does not abrade pumps and valves. Just write us about your specific filtration problem and we will be glad to send you experimental samples and provide answers . . . no obligation.

SOLKA-FLOC



Another Quality Product Of

BROWN COMPANY

150 Causeway St., Boston 14, Mass., Dept. CF-9 Please send me SOLKA Fact Folder.

NAME_____TITLE____

COMPANY___

ADDRESS ____CITY___

SPECIALTIES

La Roche Inc.'s Panthenol can be used alone for a soft set, or combined with a resin for a firmer set. Dimethyl hydantoin formaldehyde is also being used, and shellacs, whose popularity dropped off, are said to be making a comeback.

PVP Has Competition: General Aniline & Film Corp. did much of the developmental work on PVP in aerosol hair sprays. The German patent on PVP was seized by the alien property custodian during the war and was licensed to GAF, among others. However, GAF itself owned the patents directed to Reppe chemistry preparation of PVP intermediates. Today, it remains the sole producer of the material in the U.S., a market amounting to 500,000 to 1 million lbs./year. Sales of \$625,000 to \$1.25 million/year do not add up to a tremendous market but still worthwhile for one company.

However, if La Maur wins and the hair spray industry decides to drop PVP and VP/VA, GAF stands to lose heavily.

Also, recently developed materials are threatening to undercut PVP use. The Dow Chemical Co. (Midland, Mich.) introduced two new polymers a few weeks ago with which it hopes to make significant inroads into PVP's market. Devlex A515 is a copolymer of vinyl methyl oxazolidinone and vinyl acetate; Devlex 130, a grade of polyvinyl methyl oxazolidinone. Prices are said to be competitive with PVP. And Texas Butadiene (New York) has been working on a styrene maleic anhydride copolymer that may have application in hair sprays.

Regardless of who wins the La Maur-Donaldson test case, it will settle some questions which have plagued the industry for years.

Boost for Silicones

If a drycleaning machine, soon to be introduced into North American markets, lives up to its advance publicity, makers of silicone fabric treatments may enjoy a substantial market increase. A French-developed drycleaning unit, called the Silvimatic, combines drycleaning with silicone finishing of clothes. Heretofore, most silicones have been put on fabrics before they're made into garments. Successful debut of the Silvimatic, or others like it, would create a new



You can't run a bluff...when you're betting on machinery performance!

Raking in the pot when we're "called" to bet our labeling machine against all comers is real *straight* poker. Only the facts count...a machine cannot bluff its competitor.

In several instances we have been in that kind of game...our machine in the plant...competition offering to put theirs in on a trial "winner-take-all" basis. We've yet to lose and we're confident that no other labeling machine, anywhere,

will match the all-round production and versatility of the Super C.M. in the foreseeable future.

There are some mighty good reasons for this advantage. Reasons that were designed into the machine before it left the drawing boards. Over 150 Super C.M.s are now in field operation.

Your WORLD Sales Engineer will be happy to show you 18 reasons why you should bet on the Super C.M., too! May we arrange a meeting?





market for silicones to neighborhood cleaners.

A Canadian company, Silvimatic Commonwealth Corp. (Montreal), has been organized to introduce and sell the machine. The unit holds interest for more than just makers of textile silicones, since it uses no filters, solvent recovery apparatus, or vacuum still. It is also said to eliminate the need for most prespotting and/or charged baths.

Bottled-Tan Battle


A battle in the booming bottled-tan business is shaping up over recent patents. Drug Research Corp. (New York), maker of the first synthetic tanner to hit the market (Man-Tan), and Wallerstein Laboratories, initial producer of chemical tanning agent, dihydroxyacetone, are prime contestants in the battle.

The patents are certain to have some effect on the cosmetics market, which has retail sales of \$10 million to \$70 million/year. Drug Research, which launched Man-Tan in '59, now sells three companion items as well—Miss Mantan, a foundation cream for women; and Positan and Tan Perfect, sun tan lotions that are made with a sun-screening agent. Its patent (2,949,403) contains eight claims, covers all no-sun tanners using DHA as main ingredient. DHA, a fermentation product of glycerol, wasn't used commercially prior to bottled tanners.

DR's first move after receiving its patent was to sue some of its biggest competitors (DR says some are imitators) for patent infringement and, in some cases, unfair competition. The companies include: Coppertone Corp. and Plough, Inc. (Q-T); Tan-O-Rama, Inc. (Tan-O-Rama); Rolley Co. and Botany Industries Inc. (Tansation); Ed Pinaud, Inc. and Nestle-Lemur, Inc. (Rapid-Tan); Chemway Corp. (Tan-O-Tan); Leonet Corp. (Magic Tan); and Procapa Products (Pro-Tan).

Several dozen smaller outfits are also manufacturing or distributing similar products, but DR hasn't pressed them yet.

Harry B. Solmson, executive vicepresident of Plough, Inc., told CHEM-ICAL WEEK, "We do not feel there is any valid patent position that prevents our selling our Q-T product. We feel that we have certain prior



inventive rights. We are taking necessary legal steps to establish our position and are continuing to advertise and sell Q-T."

And President Abe Plough adds, "We have no concern over the suit, though they (Drug Research) are making a big thing of it."

William B. Randall, general manager of Rolley Co., declined to comment on what steps his company will take.

Drug Research, now in the process of setting up a worldwide distribution system, says it has applied for patents abroad also. So far, Canada and Belgium have issued patents to DR.

On the raw-materials side of the picture, Wallerstein Labs was granted a patent on its process for making DHA about a month ago (CW, Aug. 20, p. 94). Three competing producers, Dawes, Pfizer and Abbott, may be affected by that patent but, so far, no action has been taken by either side.

PRODUCTS

Lubricity Stabilizer: Fine Organics, Inc. (205 Main St., Lodi, N.J.), has made available its W.S.G. lubricity stabilizer to extend the life of water-soluble cutting oils and to eliminate odor and spoilage. It is suggested for Blanchard and Centerless grinders, turret and bench lathes. It's said to be noncorrosive, nontoxic and stable, is being sold in 1-gal. bottles and 5- and 55-gal. drums.

Leveling Agent: Shanco Plastics and Chemicals Inc. (Tonawanda, N.Y.) has developed a new leveling agent, Shanco L-1159, for polymer emulsion polishes. It is said to produce a clear, brilliant film when used with acrylic emulsions, and resultant films are resistant to water spotting. The product is described as a pale, high-melting, alkali-soluble resin.

Stops Spud Sprouts: Columbia-Southern Chemical Corp. (Pittsburgh, Pa.) this fall will market a new potato sprout inhibitor that is said to be a permanent low-cost treatment for stored potatoes. Sprout Nip, applied to potatoes as an aerosol, is suspended in the air circulating through potatoes stored in bulk or pallet boxes. The product contains isopropyl N-3-chlorophenyl carbamate.





Working Chemical Magic..

Celanese acrylates—versatile family of chemicals—are the magic ingredients in countless new and better products.

Acrylic coatings, for example, eliminate the need for priming metal surfaces before painting . . .

acrylic-based floor polishes give clear, scuff-proof finishes. And Celanese acrylates are improving fibers,
plastics, paper, adhesives, and many other products. Uses for acrylates are among the fastest growing
in the chemical field. Industry consumption has more than doubled in the past four years . . . with
new applications boosting the sales curve higher. Capacity of the Celanese, Texas plant will soon be doubled
to provide an annual capacity of 30-million pounds of methyl, ethyl, 2-ethylhexyl, and butyl acrylates. For
technical data, please write to: Celanese Chemical Company, 180 Madison Avenue, New York 16, N. Y.

Celanese a



From this basic formula springs the magic-working Celanese family of acrylic acid—methyl, ethyl, 2-ethylhexyl, and butyl acrylates.



.. Celanese Acrylates



Celanese Chemical Company is a Division of Celanese Corporation of America.

Canadian Affiliate: Canadian Chemical Company Limited, Montreal, Toronto, Vancouver.

Export Sales: Amcel Co., and Pan Amcel Co., Inc., 180 Madison Avenue, New York 16, N. Y.



... protects easily-contaminated liquids and tank cars, too

Liquids that pick up contamination from, or that tend to damage steel have long been shipped in GATX tank cars protected with organic coatings. For some products this is still the best method. For others, a new kind of protection—KANIGEN chemical plating—provides the answer.

Already several hundred tank cars lined with KANIGEN, General American's hard, corrosionresistant nickel alloy, are in use, transporting caustic soda, tetraethyl lead, toluol, fatty acids, glycerine, ethylene oxide, resins and many other easily-contaminated materials.

Unlike some coatings which must be replaced periodically, KANIGEN is permanent. Cars lined with KANIGEN give you more miles on the road, far less down-time, than other kinds of protective coatings. Call us about tank cars lined with KANIGEN—as well as other special GATX cars. You can lease them from General American without capital investment or operating worries.

You'll find it pays to plan with General American.


Tank Car Division

GENERAL AMERICAN TRANSPORTATION CORPORATION
135 South LaSalle Street • Chicago 3, Illinois

Offices in principal cities

In Canada: Canadian General Transit Co. Ltd., Montreal • In Mexico: General American de Mexico, S. A., Mexico City





'Stretch' Paper Crimps Kraft Multiwall Lead

Ordinary kraft paper, long the mainstay of the paper multiwall shipping sack business, is finding the competition keener than ever. A host of new materials, led by stretchable paper, is bidding for a chunk of the big market for shipping sacks in the chemical process industries. For chemical shippers, these new materials are revolutionizing the multiwall business, offering ever-higher bag performance standards and attracting new kinds of chemical products into bag shipments.

Latest available figures (see chart, above) show that after just two years on the market, extensible kraft paper has mounted a formidable attack on markets long dominated by conventional kraft, has begun to take a

substantial portion of the business.

Extensibles' Push: Virtually all extensible paper now being produced is Clupak, made by a patented process owned and licensed by New York-based Clupak, Inc. (jointly owned by West Virginia Pulp & Paper and Cluett-Peabody, Inc.). Scott Paper Co. (Chester, Pa.) produces a similar material called Expandakraft, but is now tangled with Clupak, Inc., in a legal battle over the process.

Clupak, Inc., reports that over 15% of all multiwalls produced in the U.S. are made of its extensible paper. Actually, some observers figure they have even more of the market—some 53 million bags/month, which accounts for nearly 23% of all multiwalls made. What's more, Clupak pre-

dicts that its extensible paper will be used in 75% of all multiwalls by '65.

But oddly enough, some top chemical companies differ widely on the merits of extensible paper. Proponents points out that the greater strength inherent in extensible paper allows them to cut loss and damage claims sharply. And, they add, often one ply of a 4-, 5- or 6-ply bag can be eliminated because of the paper's strength and puncture resistance. In other instances, chemical shippers can use thinner paper. On a weight basis, extensible paper costs about 5-7% more than conventional kraft, but bags made of it usually cost less because shippers use fewer plies and thinner paper.

One large shipper told CHEMICAL

18/h	Maddinalla		Head
Muele	Multiwalls	ALG	U366

	'58	'59
Chemicals, drugs	36%	38%
Agricultural, food	35%	32%
Building materials	19%	20%
Minerals	8%	8%
Miscellaneous	2%	2%

WEEK it now uses extensible paper for 65-70% of its paper shipping sack needs. Another large CPI firm reports that is expects to make a complete changeover to extensible paper sacks within two years.

Braking the Rise: But not all chemical shippers feel this way about extensible paper sacks. They see the higher price as a real deterrent to more widespread use of the paper. In some companies, extensible paper has found applications only where damage losses have been unsually high. These firms report they've managed to cut these losses with the stretch paper; still, they move slowly in adopting it for other bag uses. Their reason: "Why spend more for a bag when you're doing all right with the one you've got?"

Another large chemical shipper notes that extensible paper is spongy, tends to pick up moisture readily.

Paper and bag producers are not entirely pleased with the new paper, either. It's no secret that many of them dislike the easy stretch of the paper, which makes it more difficult to handle without sagging. And extensive development work has been needed to coat various plastic materials over extensible paper.

Still, many observers who aren't enthusiastic about extensible paper believe it represents only the first of a series of improvements in the strength and durability of paper for shipping sacks.

Moisture Barriers: More paper shipping sacks now embody moisture barriers of one kind or another—some 25%—than perhaps at any previous time. Here, as with outer bag wall components, the traditional mainstay—asphalt laminated sheet—is under heavy pressure from newer materials. Besides conventional high density polyethylene, polyethylenes of

medium and low density as well as numerous other resins and copolymers are finding uses as extrusion-coatings over kraft paper to provide moisture barriers.

Bag constructions are undergoing numerous changes, too. Among them:

- Pasted-end sacks are becoming more important since they are more easily palletized than are sewn-end sacks.
- Chase Bag Co. recently announced its Poly-ply bag, consisting of a ply of polyethylene spot-pasted between layers of kraft. This ply protects the polyethylene from abrasion by hard, sharp materials such as salt.
- An all-polyethylene bag inside a kraft sack is getting a close look from several bag producers and chemical shippers hoping to get maximum moisture protection at minimum cost.

The 5-10-mil plastic sack (CW, Feb. 20, p. 35) is still under development. Heat seal and cost problems still figure to hold this bag down to specialty uses for now. Examples:

• St. Regis Paper Co. says its new, Capcote poly-coated kraft outperforms conventional extrusion-coated krafts as a barrier.

Meanwhile, outlook for the over-all multiwall business is mixed. Based on '60 production of conventional kraft paper for shipping sack use, the multiwall business seems brisk. Output of this paper in the first half topped 500,000 tons, is headed for a record 1 million tons/year. Production last year totaled 891,000 tons.

But market observers caution that business is not so rosy for multiwall producers. Most packaging men figure '60 multiwall production will reach 2.75 billion bags, essentially the same as in '59. It's possible, they say, that bag production could fall short of '59's total by some 2-3%. One reason: slow pace of building construction, causing reduced cement shipments.

One bright spot in the multiwall picture is consumption by the chemical process industries. Chemical and drug uses took 38% of all sacks made in '59, up 2% from '58 (see chart, above). And mineral and building products took a substantial share, boosting over-all CPI use to an estimated 45% of all multiwalls made last year.

Increasing dependence on bulk shipping methods has hurt multiwall use in the CPI. But packaging men feel that the addition of new chemical products (which often are packaged in multiwalls, at least when first introduced) and over-all growth of the business have reduced the impact somewhat. And they note that in many cases it's difficult to package for less than 0.1¢/lb., which is usually considered as the rule-of-thumb for bag costs, even using current high-volume, bulk shipping methods.

Looking Ahead: In any event, the lively struggle among competing materials for sacks—and among sack types—appears to be aimed exactly where chemical packaging men would have it: in the direction of higher bag performance and lower bag costs. The shipping sack business apparently provides one of those rare but welcome situations for chemical packaging men in which they have almost nothing to lose, and a great deal to gain

Piggyback Tank Trucks

Last week's okay given to Chicago & North Western Railway to carry "piggyback" highway tank trucks filled with hazardous chemicals may be the first of several such authorizations (CW Market Newsletter, Sept. 3). At least one other road, Maine's Bangor & Aroostoock Railroad, has been testing the plan also.

In any case, it will be some time before chemical producers can take advantage of the new transport system, since rates and schedules have not been worked out. Testing of the system, in fact, has just been wound up. During May, June and July of this year, C&NW ran test loads between Chicago and St. Louis, first using tankers filled with water, then with sulfuric acid.

According to the Assn. of American Railroads' Bureau of Explosives, helping the Interstate Commerce Commission on this program, the tests proved that tank trucks could be firmly attached to rail flatcars; that the tankers and auxiliary equipment (such as pressure relief devices) will be satisfactory for such uses.

Severest of the tests imposed on the piggyback shipments were rapid stops made by fast-moving freight trains. During such stops, rail equipment and lading undergo severe jolting usually expected when highway tank trailers are used.




CONTINENTAL'S NEW ALL-PURPOSE FLIP CAP*


Continental presents new packaging beauty with economy and convenience, too...Flip Cap* can, with dripless pour spout, is perfect for practically all liquids and granulated products now packaged in round or oblong nozzle-type cans.

Continental's new plastic Flip Cap is permanently hinged to its dripless pour spout—snaps back and stays open, snaps shut and stays shut. Inserted into the top of the can *after* tilling, Flip Cap permits higher filling speeds through a larger opening. And the top of the

container can be fully lithographed—no solder splashes, no flux spots or heat scorching. For the full story, ASK THE MAN FROM CONTINENTAL!



Cap can't be lost—permanently attached by a hinge. Flip Cap is available in either ½- or %-inch opening, and in a variety of colors.



Applied after filling, Flip Cap nozzle can be inserted automatically at 200 per minute. Full lithography on top of can.









CONTINENTAL CAN COMPANY

Eastern Division: 100 E. 42nd St., New York 17 Central Division: 135 S. La Salle St., Chicago 3 Pacific Division: Russ Building, San Francisco Canadian Division: 790 Bay St., Toronto 4 Cuban Office: Apartado 1709, Havana, Ouba As a result of the tests, however, the bureau feels that most highway tank trucks should prove adequate for piggyback hauls.

Economic Puzzle: Although this technical hurdle has largely been cleared, the big unanswered question remains: Where will piggyback tanktruck service prove most useful to chemical shippers?

Consensus: piggyback tank-truck moves likely will extend the operating radiuses of many tank truckers and for the most part will involve very-high-volume commodities—e.g., sulfuric acid, caustic soda, alcohols. Reasons: chances of getting a return haul would be greater, and cleaning would not pose many of the problems created by harder-to-handle materials.

Traffic men agree that piggyback shipments involving Plan 1 (railroads carrying regular common-carrier tank trucks) and Plan 3 (carriage of shipper-owned trucks) seem most promising.

Linde Shifts Lines

The Linde Co., division of Union Carbide Corp., is this week putting final touches on a plan to shift into broader production of cryogenic equipment. At the same time, it is trimming its output of conventional gas cylinders.

By the end of this month, Linde will terminate production and sale of gas cylinders for liquefied petroleum gas, refrigerant gases and anhydrous ammonia. These containers had been produced both for captive use and for sale to other companies.

Linde has sold for an undisclosed sum its manufacturing equipment and relevant technology to Cylinders, Inc., an affiliate of the Newark Steel Drum Co. (Linden, N.J.). Customers are scheduled to start receiving cylinders from the new maker's Linden plant in Feb. '61.

Reason for the move, according to Linde, is its desire to broaden and deepen its production of cylinders and gas converters for handling cryogenic materials.

Early Product Line: For Linde, the move will effectively close out a line of products predating the formation of the Union Carbide Corp. in 1917. At that time, the Prest-O-Lite Co., Inc.—one of the several companies

that merged to form Union Carbide & Carbon Corp.—produced various kinds of gas cylinders as an outgrowth of its original work in making and selling highly specialized cylinders for acetylene (which it will continue to manufacture).

Principal items of cryogenic equipment to be produced include liquid nitrogen-cooled refrigerators, oxygen converters for high-altitude aircraft.

DATA DIGEST

- Acetone: New data sheet outlines the properties, specifications and uses for acetone made by cumene oxidation. Hercules Powder Co. (Wilmington 99, Del.).
- High-Purity Halides: Catalog describes company's line of high purity fluorides, iodides and bromides. American Fluoride Corp. (415 Lexington Ave. New York 17).
- Company Products: Bulletin presents the formulas, properties and uses of 88 commercially-produced products as well as six development chemicals. Over 20 of the products listed are relatively new to the line. Among those listed: acids, alkalies, sulfur compounds, chlorides, phosphorus materials, metallic salts and chlorobenzenes. Hooker Chemical Co. (P.O. Box 344, Niagara Falls, N.Y.).
- PVC Plasticizers: Booklet (MR-20-60) outlines the physical and performance properties of monomeric and polymeric plasticizers for polyvinyl chloride products, Rohm & Haas Co. (Washington Square, Philadelphia 4, Pa.).
- Minerals: New eight-page catalog (# 1004) outlines properties and uses of various mineral products derived from aluminum silicate, activated bauxite, attapulgus clay and limestone. Minerals & Chemicals Philipp (Menlo Park, N.J.).
- Molten Maleic Anhydride: New, 12-page booklet details the economic and technical reasons for receiving and handling maleic anhydride in molten form. Charts and tables describe investment and amortization data as well as storage systems for the material. National Aniline Division, Allied Chemical Corp. (New York).
- Titanium Tetrachloride: New, 16-page brochure outlines the properties, handling precautions and typical analysis of titanium tetrachloride.

Columbia-Southern Chemical Corp. (632 Fort Duquesne Blvd., Pittsburgh, Pa.).

- Amides: Booklet describes properties and uses of high-molecular-weight amides derived from fatty acids. These waxlike materials are straight-chain molecules with melting points in the 68 to 104 F range. Typical uses: coatings, rubbers, detergents, water repellants, inks and emulsions. Armour Industrial Chemical Co., division of Armour & Co. (110 North Wacker Dr., Chicago 6).
- Methanol: New, 32-page booklet presents data on properties and uses of synthetic methanol. Tables provide detailed property and specification data; charts illustrate relationships. Also included: sections on toxicity and health hazards, determination of methanol vapors in air, specification test methods and storage and handling recommendations. Industrial Chemical Dept., Commercial Solvents Corp. (260 Madison Ave., New York).
- Ion-Exchange Paper: Folder and price list give data on grades, prices and uses of ion-exchange paper for use in analytical separations, industrial purification operations and as a medical diagnostic tool. Rohm & Haas Co. (Washington Square, Philadelphia 5).
- Epoxides: Bulletin furnishes property and use data on olefin and terpene oxides as reactive diluents for epoxy resin formulations. Epoxy Dept., Chemicals & Plastics Division, Food Machinery and Chemical Corp. (New York).
- Ultrapure Gold: Data sheet highlights available forms of ultrapure gold. Firm offers material in purities to 99.999% in powder, foil, strip or bar. High Purity Metals, Inc. (340 Hudson St., Hackensack, N. J.).
- Styrene-Butadiene Latexes: Data sheet lists some of the specifications, properties obtainable and available forms of styrene-butadiene latex materials. Chemical Division, International Latex Corp. (Dover, Del.).
- Acetonitrile: New, 56-page ringbound book gives data on reactions, physical properties, uses and over 130 literature references for acetonitrile. Typical uses: metal deactivation, solvent jobs of many types, dyes, antistatic agents, pharmaceuticals and detergents. Sohio Chemical Co. (Lima, O.).

FOR INDUSTRIAL FINISH FORMULATION

SHELL AROMATIC SOLVENTS

with a variety of evaporation rates

SHELL TOLUENE

... for applications where very fast evaporation and high solvency are required.



... has an exceptionally narrow distillation range, is slower drying than toluene.



Typical properties are given in the booklet shown. Write for a copy.

SHELL CYCLO-SOL*


... an excellent solvent with higher flash point and slower evaporation rate than xylene. Recommended for baking finishes and flow coating.

*Registered Trademark

SHELL TS-28

ing aromatic concentrate of medium high solvency. Recommended for baking finishes and flow coating.


These Shell solvents cover a very wide range of evaporation rates. Their individual characteristics satisfy specific requirements in a great variety of formulations.



L OIL CO

SO WEST SOTH STREET, NEW YORK 20, NEW YORK 100 BUSH STREET, SAN FRANCISCO 6, CALIFORNIA





"Stainless steel has become an indispensable part of our program"

Manufacturing processes at Union Carbide Chemicals Co., Institute, West Virginia, involve high pressures, extreme temperatures, corrosion and toxicity. The resistance of stainless to these factors eliminates contamination, maintains proper color specifications and assures over-all product quality control wherever it is used.

Because of these and other advantages (low-cost

maintenance, long life), Union Carbide uses stainless in storage tanks, valves, pipe-lines and other areas.

Because Eastern makes stainless steel exclusively, we are set up to offer technical assistance as well as distribution and production facilities to deliver exactly the type of stainless needed for any fabricating problem. When you have a job that calls for stainless, call for Eastern Stainless.



Plant Manager Luther Dickinson:

"The availability of stainless steel has made possible some processes of material manufacture that otherwise could not be achieved economically."



EASTERN

STAINLESS STEEL

BALTIMORE 3, MARYLAND, U. S. A.

Stainless steel sheets, plates, strip, coils

Washington

Newsletter

CHEMICAL WEEK
September 10, 1960

The military is buying foreign drugs at enormous savings—to the dismay and anger of the U.S. pharmaceutical industry. The drug makers have pressured the State Dept., Comptroller General, Secretary of the Navy and some congressmen to stop the practice, so far in vain (see also CW Viewpoint, July 23).

This is the story the Kefauver investigating committee is expected to bring out this week. The witness: Rear Adm. W. L. Knickerbocker, Executive Director of the Military Medical Supply Agency.

In the past seven months the agency made five big drug purchases from Italian firms for a total \$1,732,131—a savings of 53%. The military says it is buying foreign drugs only where domestic ones are overpriced. On "reasonably priced" drugs, it says, foreign firms are not trying to compete.

The drugs are tested by the Food & Drug Administration for quality. U.S. military inspectors have even gone to the Italian plants to watch over production and insure adequate controls. Quality of foreign products is attested, says Knickerbocker, by the fact that leading American drug suppliers procure raw material from foreign sources. As to safety, in purchases of meprobamate (Miltown and Equanil), the military requires batch-by-batch quality tests by FDA—a safeguard it cannot legally impose on domestic producers.

Knickerbocker says the military started seeking foreign bids only after finding that only one domestic source would be willing to supply a particular item, or that "amazingly, time and time again" competitors submitted identical low bids.

One key industry rebuttal: "Sure, but the Italians are parasites on the pharmaceutical discoveries of others. They have no patent protection and have not produced a single important new drug. If they had our research costs, they couldn't undersell us."

The Italians may not be the only suppliers in the future, however. The military is looking at such other companies as Lepetit-Ledoga; Rhone Poulenc, Imperial Chemical Industries, and Geigy.

Distribution of the new oral polio vaccine may trigger a fight between the medical profession and the government. U.S. Surgeon General Leroy Burney is calling a meeting sometime this fall among public health officials, pharmaceutical manufacturers, pharmacists and the American Medical Assn. to consider the problem.

Burney will want programs of mass immunization on a community-by-community basis when the vaccine becomes available late in 1961 (CW, Sept. 3, p. 23). A Public Health Service committee made this recommendation because the live virus vaccine has the ability to spread

Washington

Newsletter

(Continued)

immunization even to those who do not receive treatment. This has both benefit and danger: immunization is widened, but authorities warn that the known potential of live virus vaccine reverting to virulence must be considered. (Once it passes through the body it can regain strength.) The best way to prevent such a possibility, they feel, is to get everybody inoculated.

Such a mass program would almost necessarily entail a government program, some observers feel. This would by-pass both the physician and the pharmacist. Public Health officials will argue that one of the advantages of the oral vaccine is its expected lower price, and distributing it at wholesale price will enhance its economic value.

The medical profession, which originally wanted the Salk vaccine distributed to private doctors and administered by them, will have even less of a basis for argument now since the new vaccine can presumably be administered by layman-run clinics. The American Medical Assn. has not yet formulated any policy on the program.

Whether the government will purchase the vaccine and distribute it free will have to be settled, too. With the Salk serum, Congress appropriated some funds to supply vaccine to the needy, but other free inoculation clinics were financed mostly by state health services and the National Polio Foundation.

The cost of shipping chemical products will rise slightly if the Interstate Commerce Commission approves freight rate increases being sought by the railroads. Here's what the rails are seeking:

Line-haul rates on all commodities for which rates are quoted in cents per hundred pounds—except coal—would go up by $\frac{1}{2} \phi$ in cases where present rates do not exceed 65ϕ . Otherwise they would be increased 1ϕ .

Per-ton rates would be increased 10ϕ per net ton and 11ϕ per gross ton on rates not exceeding \$13. On those exceeding \$13, the increase would be 20ϕ /net ton and 22ϕ /gross ton.

Per-car rates would be hiked generally by \$3.

After the proposed rates are filed with ICC, the commission probably will authorize a speed-up procedure whereby rates will go into effect automatically within 30 days unless the commission decides to suspend them pending an inquiry and hearings. If protests are not wide-spread, the commission may let them take effect automatically after the 30-day period. The increases are small—generally about 1%—and the railroads cite increased costs, principally from recently granted wage increases, as the basis for their request.

Source unlimited...

A STATE OF THE STA

Citric Acid

Sugar Cane . . .

and from it . . . cane blackstrap molasses . . . the most basic carbohydrate source, now expanded to new chemical horizons through BZURA advanced fermentation technology to bring you Citric Acid, U.S.P. . .. in unlimited supply. Write today for informative literature which describes our company and our products. It will help us become better acquainted.


- SEMENTATION



BZURA CHEMICAL COMPANY INC.

Keyport, New Jersey / Plant: Fieldsboro, New Jersey






Chemicals from Armour for the plastics

Manufacturers of plastics and plastic products frequently are faced with production problems such as poor mold release, blocking, electro-static build-up on surfaces and inadequate dispersion of pigments. These problems and many others are being solved through the use of Armour Aliphatic Organic Chemicals. The cost and time-savings these versatile chemicals effect are worth the attention of every manufacturer of plastics and plastic products.

Mold Release and Anti-block Agents

When improper mold release of polyethylene occurs it necessitates costly and time-consuming operations. Two examples of 'extra' operations are, between-cycle release sprays and frequent cleaning of molds and extrusion dies. Poor anti-block properties lead to storage difficulties with stacked film and molded products.

Armour's Armid® chemicals (Aliphatic Amides) act effectively in solving these problems. The Armids migrate to the surface of the polymer film and act as slip or release agents during both extrusion and storage. In most cases only as little as 0.05% of chemical is necessary. Polyethylene films modified with an Armid chemical can easily be used in high-speed packaging operations. In addition, polyethylene molding equipment will cycle faster, less time is spent cleaning molds, and there is no need for betweencycle sprays. The anti-block properties are passed on to the finished products so there are no stacking or nesting problems while in storage.



Armids for plastic film for food packaging—Makers of plastic film for food packaging should be particularly interested in the use of Armid HT (Stearamide) and

Armid O (Oleamide). Both of these Armour chemicals are listed as acceptable by the Food & Drug Administration for use in the food packaging field.

Anti-Static Agents


Vinyl—Electro-static build-up in vinyl products is a common and annoying problem. Production costs may be unnecessarily high because slip sheeting or other special handling during production and shipment is needed, and severe arcing may occur during calendering operations. In addition, the finished product will still retain the static charge, causing new problems for the user—unsightly dust collections on display items, annoying shocks built up on automobile seat covers.

Surface treatment of the plastic or vinyl has been used to prevent electro-static build-up, but this method of treatment introduces a new set of difficulties—limited protection time and water spotting (an extra operation if buffing is required after drying).

Search for a better method of eliminating static led Armour to investigate the incorporation of an internal anti-static agent. At present, Armour's Ethofat® C/25 and 60/15 and Ethoquad® C/12 are being incorporated into vinyl formulations. These polyethoxylated chemicals not only eliminate the production and shipping problems involved, but provide the anti-static property to the finished product.

Makers of pigmented plastics will be especially interested in recent work with Armour's aliphatic-organic coated pigments. When coated pigments are incorporated into polyvinyl chloride plastisols they impart internal anti-static properties to the fused sheet.

Fiber-glass—When producing resin fiber-glass structures, such as boats or chairs, a mixture of glass rovings and resin is sprayed onto a mold. As the rovings are delivered to the chopping head an electrostatic charge is developed that causes the rovings to migrate to the nearest source of an opposite charge, the metallic spray-gun.




industry

To overcome this problem, a water solution of Arquad® 12-50 (quaternary ammonium chloride) is used to coat the glass rovings, before they are used in the spray-gun. Work stoppages to clean clogged nozzles are cut sharply and it has been reported that there is an actual increase in the bonding strength of the resins to the glass.

Pigment Dispersants

Manufacturers of plastisols and other plastics that require pigments should take note of Armour's new combination of Arquad 2C and Ethomeen® S/12, a polyethoxylated amine. Latests reports indicate that the use of these chemicals for pigment dispersion can result in numerous advantages in production and finished product.



After several months aging, plastisols containing pigments coated with Armour chemicals (at left) remain fluid.

Using pigments coated with these chemicals, manufacturers can improve viscosity stability in plastisols, lower initial viscosity, maintain longer working periods for the plastisols, and reduce water and soapy-water extraction. Coatings of Arquad 2C and Ethomeen S/12 will also result in reduced processing time for inclusion of the pigment into the plastisol.

For additional information on all these Armour chemicals for the plastics industry, and for samples for your own testing, use the convenient coupon.

NEW DEVELOPMENTS FROM ARMOUR

Armid O

for polypropylene and low pressure polyethylene

Some of the most recent ideas in the plastics industry have come from manufacturers who are investigating new plastic materials.

Two such materials, that have come to light, are polypropylene and low pressure polyethylene. With the increasing use of these versatile materials, the need for certain formulation improvements has become apparent.

In keeping pace with these current developments, manufacturers examined the possibilities of using Armid O in the modification of polypropylene and low pressure polyethylene. Initial investigation has indicated that Armid O is effective in preventing blocking in these plastics, and imparts the same advantages that it does in polyethylene-improved extrusion and more easily handled products.

For additional information on Armid O for polypropylene and low pressure polyethylene, and for samples for your own testing, use the convenient coupon.



Leader in progressive fatty acid chemistry

Armour Industrial Chemical Company Division of Armour and Company

Send additional i	formation on:
Anti-static agen Pigment dispersa Armid O for pol low-pressure pol	anti-block agents
NAME	
TITLE	
COMPANY	
ADDRESS	
CITY	STATE



What does it take to win first place? Usually, a lot! And Alipal anionic surfactants offer a lot to liquid detergents: good cleansing power, high wetting strength, easy emulsification, economical price — all in combination with high foaming ability. Alipal formulations are also distinguished by easy rinsing and improved drainage characteristics, mildness of odor and gentleness to the skin.

Alipal C0-433 is employed especially in industrial applications requiring stability to alkali. It is useful as an emulsifier for latex polymerizations and petroleum waxes, as a wetting agent in the processing of textiles and of metals, an antistatic agent for plastic materials, and in other operations.

Alipal CO-436 is used principally in detergents for dishes and light laundry, and in household cleaners for rugs and hard, waxed surfaces. Also in bubble baths and hair shampoos.

Chemists must be able to rely on the complete standardization and purity of the components they use—and they can when the label reads "Antara"! Purchasing Departments, too, find Antara's product line attractive because it is so broad. You get extra convenience and economy when you supply all of your chemical needs from a single source. Shipments are made promptly from distribution points located nationally—by tank car, tank truck, drum or even smaller containers. Write or call any Antara office for samples, information, and technical assistance.



From Research to Reality.


ANTARA CHEMICALS

A SALES DIVISION OF

GENERAL ANILINE & FILM CORPORATION
435 HUDSON STREET • NEW YORK 14, NEW YORK

SALES OFFICES: New York • Providence • Philadelphia • Charlotte • Chattanooga • Chicago
Phritand, Ore. • San Francisco • Los Angeles. IN CANADA: Chemical Developments of Canada Ltd., Montreal

All and anical of quality and by any anilone & Film Corp. are sold outside the U.S., by distributors all over the world, under the trademark "Fenopon".



New Mississippi agency headed by Andrew Suttle (right) plans ways to lure industrial research.

Research Becomes an Affair of State

A new idea in state agencies is taking shape this week as researcher Andrew Suttle (above) directs the initial steps of the Mississippi Industrial and Technological Research Commission. His work represents a new technique in the increasingly competitive business of luring industry.

Suttle's team is doing this through a wide variety of research activities. Among them: offering research services to industry on a contract basis; carrying out physical research as well as studies of natural resources and other economic surveys; cooperating with universities in offering advanced science courses; and establishing and administering a research park.

This broad sweep of responsibility in the research area makes the efforts of the new commission a distinctly unusual endeavor by a state government. Almost all states have industrial development agencies, but Mississippi is the first to add a research arm dedicated to this purpose.

Campaign Pledge: Establishment of the research commission helped Gov. Ross Barnett fulfill a pledge he made while campaigning for office a year ago: that he would take steps to improve the state's economic status.

Before his inauguration, he and several key members of the state legislature attended a "Nuclear Future Conference" that brought speakers from across the country to Jackson, the state capital. Among these speakers was Suttle, a senior research chemist and physicist at Humble Oil & Refining Co.'s Baytown, Tex., facilities. His topic, "Profitable Areas for Research and Development," helped spark the idea for the commission.

After looking into Suttle's research

background the Mississippi officials asked Humble to lend his services to the state for a three-year period. Humble, with a big interest in the state's welfare—and tax programs—because of its extensive oil and gas exploration and production there, and contemplating the valuable experience that would accrue to one of its promising young scientists, agreed to give Suttle a leave of absence.

Legislative approval to hire Suttle came fast. A key step in convincing the lawmakers of the importance of research was an address given to a joint session of the legislature by nuclear physicist Edward Teller.

Broad Duties: In writing the law that created the research commission, the legislators provided for an agency with these broad responsibilities: "... to inaugurate and to continue a broad and effective program of research,



FIGHT FOAM FAST!

SILICONE

CHEMICAL processors who use SAG Silicone Antifoam have made tremendous strides in fighting or controlling foam in many applications.

After a recent trial of SAG 47 Antifoam in a chemical plant, one customer reported: "This proves to be an excellent product for us. It requires smaller concentrations than previously used competitive products because of its lower viscosity and excellent dispersibility."

Years of research went into development of SAG Antifoams to make them fight foam fast. There are two types: SAG 470 Emulsion for aqueous systems; SAG 47 Fluid for non-aqueous systems. Just a few cents worth can eliminate thousands of cubic feet of costly, space-eating foam. Both products are shipped ready to use. And they're stable in storage. Mail the coupon today for samples and technical assistance.



SILICONES

Dept. 1G-4001
Silicones Division, Union Carbide Corporation
270 Park Avenue, New York 17, N. Y.
(In Canada: Union Carbide Canada Limited,
Bakelite Division, Toronto 12.)

Send sample of ☐ SAG 470; ☐ SAG 47 fluid; and data on SAG Silicone Antifoams.

COMPANY			
ADDRESS			
CITY	ZONE	STATE	
Citation Cashi	1 m I me s c m		erice



Suttle (foreground) brings scientific background to new position.

economic, technological and otherwise, as a basis of direction and guidance for the work of the industrial and economic development of this state."

In explaining the apparent vagueness of the law, its authors added, "This definition of the duties of the commission is made very broad and flexible because it is the purpose of the legislature . . . to create a state agency that . . . will take advantage of every possible opportunity in the new and rapidly expanding fields of technology and science, and it is not the . . . desire of the legislature to limit the work of this commission . . . by a definition that could prove restrictive. . . ."

The act permits the commission to establish at least two departments: a scientific and technological division and an economic and industrial division. In addition, it authorizes the establishment of a research center and research parks.

The budget appropriated for the commission is \$350,000 for its first two years, plus \$500,000 for initial work in establishing a research park.

Suttle's Plans: Suttle sees the work of the commission divided about 40% for long-range or fundamental research, 30% for engineering development and 30% for economic studies.

Early major undertakings will be


studies of the industrial potential of nuclear explosions in salt domes—the resultant molten salt could be an excellent reservoir of heat. Suttle specialized in nuclear physics and applications studies at Humble, is getting help from the Atomic Energy Commission and the Lawrence Radiation Laboratory at the University of California at Berkeley. Preparations for the explosions are expected to take two to three years.

Suttle is also keenly interested in research on ceramics, agricultural chemistry, wood products, and utilization of ground and surface water—all subjects of importance to the state's economic development.

Four or five sites are being actively considered for the research park, with the nod likely to go to an area with a specific and permanent research need.

Other plans: studies of nuclear explosions to deepen the Mississippi River and to open a waterway in the northeast part of the state, a complete manufacturing index and an atlas of potential plant sites, and evaluation of the state's natural resources.

Diverse as these activities are, they are reasonably concentrated when compared with setups in other states, which often assign all "industrial development" programs to a single agency that also has jurisdiction over



BIG NEWS! NOW IT'S U.S. BORAX FOR

FAST DELIVERIES OF LITH UM

BORAX

BORIC ACID

BORON Compounds

POTASH

LITHIUM

Now you have a convenient new source of supply for lithium... in any quantity you want... when you want it! Eastern production for Eastern consumption means shorter lead time in ordering...lower inventory investment... faster deliveries.

Now when you think of lithium, think first of U.S. BORAX. There's a sales office near you for convenience in ordering.

ATLANTA
CHICAGO
LOS ANGELES

U.S.BORAX

50 ROCKEFELLER PLAZA . NEW YORK 17, NEW YORK

all kinds of planning, including urban renewal and housing. Mississippi has taken the necessary step of channeling its industrial development into different agencies that serve different purposes. And the creation of its specifically research-oriented agency marks a significant, novel step in recognizing the need of technically trained executives to help in the overall job.

Reaction Tester

A new, highly accurate method of measuring chemical reaction rates, using sound waves, is under investigation by physicist Harvey Blend at the University of California (Los Angeles). Working with reactions that occur in the one-millionth-of-a-second range. Blend subjects them to sound waves in an apparatus he designed himself. Minute changes in wave velocity (which changes with the time of the reaction), as well as changes as little as 4 x 10-4 in. in wavelength and frequency changes of one cycle in a million can be measured. The technique is said to represent a new high in accuracy. Sound waves are sent in short bursts to eliminate echoes. Blend sees important applications for his data in basic probes of how molecules combine and separate during chemical reactions.

Staph Fighter

A new form of penicillin (code number X-1497) that attacks antibiotic-resistant staphylococcus bacteria (so-called "hospital staph") has been developed by Bristol Laboratories (Syracuse, N.Y.), division of Bristol-Myers. The compound, which Bristol is describing in detail at a symposium in Syracuse this week, will be on the market in two months.

The new drug is the latest product to emerge from the development agreement between Bristol and The Beecham Group, Ltd. (England). Beecham's isolation of 6-amino-penicillanic acid (CW Technology Newsletter, March 14, '59) was the forerunner of new synthetic forms. Bristol's Syncillin, introduced last year, typifies a penicillin that has been modified so it can be absorbed into the blood more quickly.

Chas. Pfizer & Co., Inc. (Brooklyn), has a similar drug called Maxipen.



Filter fabrics by U. S. Rubber, engineered to exacting service requirements, provide more than extremely high resistance to abrasion. They offer maximum chemical and heat resistance, efficient cake retentionand-discharge properties. Write, wire or phone your specific requirements to Industrial Textiles Department at the following sales offices:

Glendale, California 102 N. Brand Blvd. CHapman 5-5961


Chicago Heights, Illinois P.O. Box 461 **SKyline 4-3116**

New York 20, N. Y. 1230 Ave. of the Americas CIrcle 7-5000



NOW AVAILABLE

first complete manual on



Handling highly-reactive toluene diisocyanates so as to avoid contamination between manufacture and use requires simple yet explicit techniques, equipment and precautions.

These are covered by detailed text and dia-

grams in our new manual, prepared especially to assist present and potential users of Nacconate[®] 65, 80 and 100 (toluene diisocyanates) in tank car, tank truck or drum lot quantities. To obtain your copy for present use or future reference, use the convenient coupon below.



NATIONAL ANILINE DIVISION

40 RECTOR STREET, NEW YORK 6, N. Y.
Alfants between Carlette Disage Bolles Greenberry
Le Jaguier Philosophile Prilling for Providence See Francisco
In Cannelle ALLES CIEBLICAL (CAMABA, LTD.,
1459 CDY Cancelline Ss., Masterial 2-188 Bent Decos Ss., Toucho 18
Biotribation Introughout the world. For Information.
ALLES DISIGIAL INTERNATIONAL - 49 Earlets S. New York 8, N. 7.

Kindly send NACC Manual. Our intere	CONATE Diisocyanates Handling st is:	
☐ We now use diiso	•	
☐ May use	☐ Future reference only	
NAME		
COMPANY		
ADDRESS		

INVEST 4 CENTS



find out how to get performance that means true economy in industrial workwear and uniforms!

Let an experienced Lee consultant give you all the facts on the garments best suited to your requirements. The Lee line (largest in the industry), including Shirts and Pants, Jackets, Union-Alls, Service Coats and others, makes it possible to provide each department in any industry with the right garments for the job.

We have proved to dollar-conscious management everywhere that Lee performance delivers big returns on employee morale, safety, long wear, comfort, good looks. Let your nearby Lee man show you the record.

WRITE TO DAY TO INDUSTRIAL DIVISION H. D. LEE COMPANY 117 WEST 20th STREET KANSAS CITY 41, MO.

RESEARCH



Shell cell burns hydrogen and oxygen.

Compact Fuel Cell

Three to five times more power per unit volume than competitive low-temperature fuel cells is the claim for this new fuel cell (above). Researchers at the Thornton Research Center of Shell Research Ltd. (London) currently have the 20-unit cell under development. It produces 50 watts at 250 C.

Shell says the new fuel cell electrodes are cheap and easily fabricated. (A fuel cell consists of two porous electrodes separated by an electrolyte. The fuel—often hydrogen—is fed to one electrode and oxygen or air to the other. Chemical energy of the fuel is converted directly into electricity.)

Details of the electrodes haven't been disclosed, but Shell calls them "radically different," capable of achieving current densities of 70 amperes/sq.ft. at room temperature and double that amount at 60 C. The cells can use either alkaline or acid electrolytes and operate on hydrogen plus oxygen or air at 3 psi. Power/cu. ft. is 3 to 5 kw. The company believes that power-to-weight ratios of 50 watts/lb. are possible (when lightweight construction-e.g., plastic instead of steel end plates—is used). This compares with 9.1 watts/lb. claimed for certain other fuel cells (CW, July 30, p. 28) now in develop-

Says Shell Research Ltd. Director C.G. Williams, "Shell's interest in the fuel cell stems from the fact that the oil industry is a supplier of fuels and no one has yet decided just what kind of fuel will best suit the fuel cell of the future."

f


- you are a young B.Ch.E.
- you have a flair for writing
- you enjoy meeting industry men and asking them questions
- you are intrigued by the broad scope of industry
- you do your best work in a fast-paced, responsible job . . .

YOU'RE OUR MAN

for an engineer-editor spot on the outstanding newsmagazine serving the influential men in the chemical process industries.

Send your resume with a covering letter to:

Howard C. E. Johnson CHEMICAL WEEK 330 W. 42nd St. New York 36, N.Y.



The widest selection of acrylate and methacrylate monomers available from any one source plus delivery in compartmented tanktrucks can mean savings in money and time when you choose Rohm & Haas as your acrylic monomer supplier. This means that two or three monomers can be shipped at the same time, and as long as a tanktruck is filled, you pay the bulk price for each monomer. Savings such as this also apply to mixed truckloads and carloads of monomers in drums. And when you order from one source, you simplify your paper work and save time by writing one order instead of several. Request information today on the convenience and savings made possible by buying acrylic monomers from the broad range offered by Rohm & Haas.

Write to Dept. SP-6 for samples, and technical literature relating to your processes.





Rohm & Haa

WASHINGTON SQUARE, PHILADELPHIA 5, PA.

Acrylic Monomers available commercially from Rohm & Haas . . . METHYL ACRYLATE • ETHYL ACRYLATE • BUTYL ACRYLATE • 2-ETHYLHEXYL ACRYLATE • METHYL METHACRYLATE • ETHYL METHACRYLATE • BUTYL METHACRYLATE • HEXYL METHACRYLATE • DECYL-OCTYL METHACRYLATE • LAURYL METHACRYLATE • STEARYL METHACRYLATE · GLACIAL ACRYLIC ACID · GLACIAL METHACRYLIC ACID



COPPER SULFATE

Tennessee Copper Sulfate is available in powdered form as well as large, medium, industrial, granular and snow crystals.

Our basic position in Copper and our technical experience in Copper Chemicals is your assurance of highest quality and uniform consistency.

Let us send you complete information on TC Copper products.

> For more information see our inserts— CHEMICAL WEEK BUYER'S GUIDE, Pages 173-176 CHEMICAL MATERIALS CATALOG, Pages 551-554.



TENNESSEE CORPORATION

612-629 Grant Building, Atlanta 3, Georgia



EXPANSION

• Pennsylvania State University (University Park, Pa.) has acquired Curtiss-Wright Corp.'s multimillion-dollar nuclear center at Quehanna, Pa., plans to add an accelerator building early in '61. The center, which includes a 4-megawatt swimming-pool reactor, was donated by C-W for educational purposes.

 Charles Bruning Co. Inc. (Mount Prospect, Ill.) has built a new center for research in photo-reproduction processes.

processes.

PRODUCTS

Biochemical Adds: Lachat Biochemical Co. (2202 West 107th Pl., Chicago 43) is adding pure nitriles and pure ketones to its offerings of fatty acids, the corresponding methyl esters, alcohols and amines.

Drug Intermediates: New pharmaceutical intermediates available in research quantities from Sapon Laboratories (101 East Hawthorne Ave., Valley Stream, N.Y.) include 2-bromobenzylamine, 2-fluorobenzylamine, 3-iodobenzaldehyde, and 3-thiophenecarboxylic acid.

Metal Entries: Linde Co., division of Union Carbide Corp. (New York), has developed a process for producing spherical metal particles ranging in size from 20 to 150 microns. Copper, nickel, aluminum and tungsten are among the metals available in the new form.

• Gallium and arsenic, each 39.9999% pure, are newly available from Semi-Elements, Inc. (Saxonburg Blvd., Saxonburg, Pa.).

APPARATUS

Tear Tester: The Albert Torsion Tear tester, developed for measuring shear strength or tearing resistance of directional materials (e.g., shipping tape, corrugated boxboard, textiles, highly calendered rubber stocks) that usually tear at right angles to the direction of greatest strength, is now offered by Thwing-Albert Instrument Co. (Penn St. and Pulaski Ave., Philadelphia 44, Pa.).

Microbe Mill: A new mill for rupturing large quantities of microorgan-



MILLIMICRON HEADQUARTERS is an apt name for Columbian Carbon's new research center in Princeton, N. J. Because it is devoted to the study of carbon black particles so tiny they must be measured in millimicrons . . . particles that play vital roles in the manufacture of rubber, paint, ink and plastic products.

Finding new frontiers for the use of carbon black... new ways in which it can contribute more effectively and efficiently . . . is an unending project that has earned Columbian credit for many "firsts" - the development of new types of carbon blacks . . . the use of electron microscopy to reveal new concepts of carbon black structure . . . data on pH effects . . . Columbian's Black Rubber process . . . and most recently low structure oil furnace carbons.

Perhaps Columbian research and carbon black can make a contribution to your industry . . . help you make a better product . . . and profit! Ask for complete information - today!



X 75,000 . . . Columbian pioneered the development of electron microscopy . . . now uses it as a research and quality control tool.

COLUMBIAN CARBON COMPANY

380 Madison Avenue, New York 17, N. Y.

PRODUCERS OF COLUMBIAN COLLOIDS: synthetic iron oxides, carbon blacks, carbon black dispersions



TOMORROW ... much of Columbian's research is devoted to breaking barriers...turning the impossible into reality.





PEOPLE ... An outstanding research staff whose accomplishments are well known . . . will direct laboratory activities.

isms has been developed by Gifford-Wood Co. (Hudson, N.Y.). It handles bacteria, spores, moulds, yeast and pollen granules in 150-2,000-ml. quantities, is reportedly useful in research on cell proteins and enzymes and viruses.

Ground Gainer: The Nasco-Asplin soil pulverizer, developed in the soils laboratory of the University of Wisconsin, pulverizes soil samples in preparation for soil analysis in less than a minute. The new device is "practically dustless" in operation, can process samples eight times faster than handgrinders, produces particles without grinding them into powder. It will be manufactured and distributed by National Agricultural Supply Co. (Fort Atkinson, Wis.).

1000 F Ovens: Despatch Oven Co. (619 S.E. Eighth St., Minneapolis) is offering a new line of "Top Temp" V-series laboratory ovens for operation at temperatures up to 1000 F.


• Gruenberg Electric Co., Inc. (9 Commercial Ave., Garden City, N.Y.), now offers its BHT line of bench ovens designed for use at 1000 F and available in sizes of 1, 3 and 8 cu.ft.

LITERATURE

· "Materials Research in the Navy" is a new, two-volume collection of reports covering the proceedings of the Office of Naval Research's Third Navy Science Symposium. It's available (as PB 161470,1) from the Office of Technical Services, U.S. Dept. of Commerce (Washington 25, D.C.) for \$11.

• More than 3,700 newly synthesized compounds are reported in the first issue of "Index Chemicus." a monthly index to new chemicals reported in the scientific literature. The publisher, originally called Eugene Garfield Associates (CW, Jan. 23, p. 38), is now named Institute for Scientific Information (1122 Spring Garden St., Philadelphia 23).

· Schwarz BioResearch, Inc. (Mt. Vernon, N.Y.), has issued a new price list, covering more than 300 biochemicals and radiochemicals. Among the new offerings: dehydrated firefly tails, used in investigations of bioluminescence and as a reagent for measuring adenosine triphosphate.



to meet all your needs - - -

for perfect blending of powders, pastes or liquids. DAY builds ribbon blenders having rugged tanks of many designs, in a variety of materials . . . with powerful drives . . . and various types of agitators . . . in capacities that range from 71/2 to 3850 gallons. Often combined with such allied DAY equipment as Ro-Ball or Brush Sifters that save floor space and increase your efficiency. Whatever your mixing requirements, there's no better buy than a low cost, trouble-free WRITE FOR NEW BULLETIN No. 800. DAY Ribbon Blender!

Division of The Cleveland Automatic Machine Co. 4928 Beech Street, Cincinnati 12, Ohio


MANUFACTURERS OF QUALITY MIXING, BLENDING, SIFTING, MILLING EQUIPMENT SINCE 1887

It gives you detailed information on the

complete line of DAY

RIBBON BLENDERS





DEVLEX 130 DEVLEX A515

new functional polymers display complexing and film-forming properties

Devlex is Dow's trademark for a series of unique new functional polymers. Two products are currently available in semi-commercial quantities: Devlex 130, poly-N-vinyl-5-methyl-2-oxazolidinone, and Devlex A515, vinyl acetate copolymer of N-vinyl-5-methyl-2-oxazolidinone. Both are white, odorless, free-flowing powders. Devlex 130 resin is readily soluble in water and a limited group of organic solvents, while Devlex A515 resin exhibits broad solvent compatibility but low water sensitivity.

A wide range of organic complexes, and several inorganic complexes, may be prepared utilizing Devlex resins. Complexing provides a means of modifying the solubility, volatility, stability, toxicity properties, and —in some cases—the odor and taste of complexed molecules without altering their chemical nature.

The film-forming properties of Devlex resins are of particular utility on proteinaceous and cellulosic substrates, such as cotton, wool, skin, leather, plant foliage, and paper.

The cosmetic industry should find utility for the Devlex products as hair fixatives in preparations such as hair sprays and grooming aids, wave sets and shampoos. The advantages provided include increased body and sheen with a natural feel, protection against excessive build-up of static electricity and better control following washing.

Other actual and potential applications include tablet binding and coating, clarification and stabilization of beer and wines by the complex-precipitation of certain phenolic compounds, dye levelling and stripping, safening of many biologically active materials, and in the formulation of waxes, polishes and inks. Food and drug applications are being explored with special developmental grades of Devlex resins which are available in experimental quantities.

Further information on Devlex products, as well as samples, may be obtained from The Dow Chemical Company, Technical Service and Development, Midland, Michigan. Dept. 604AM9-10.

See "The Dow Hour of Great Mysteries" on TV

THE DOW CHEMICAL COMPANY

MIDLAND, MICHIGAN

September 10, 1960 CHEMICAL WEEK 67

lubricity

Yarn-to-metal friction testing in Atlas laboratories

Whether the finished fabric covers the floor, the furniture, or the form help speed production and improve quality. They disperse fibers, and reduce static. Why wait? Ask our Dept.



divine, specialized Atlas surfactants dyes, lubricate and soften yarns and FO for more information today.



ATLAS
POWDER COMPANY
Wilmington 99, Delaware



HARSHAW PRODUCTION CONTROLLED HIGH-QUALITY

FLUORIDES

BORON TRIFLUORIDE HYDROFLUORIC ACID ANHYDROUS ... AQUEOUS

Shipments of Fluorides roll out of our Cleveland plant daily, either in tank cars, tube trailers, or in cylinders. Each shipment incorporates the knowledge gained during more than 45 years as a major producer of Hydrofluoric Acid.

We offer you the benefit of our accumulated experiences in engineering problems involving corrosion, safe handling and storage facilities.

Write for your free copy of M.C.A. Chemical Safety Data Sheet SD-25 on properties and essential information about . . . HYDROFLUORIC ACID Anhydrous and Aqueous.

THE HARSHAW CHEMICAL CO.

1945 East 97th Street . Cleveland 6, Ohio

Chicago • Cincinnati • Cleveland • Detroit • Houston Hastings-On-Hudson • Los Angeles • Philadelphia • Pittsburgh

Ammonium Bifluoride Ammonium Fluoborate **Barium Fluoride** Bismuth Fluoride **Boron Trifluoride Complexes** Chromium Fluoride Copper Fluoborate Fluoboric Acid **Fluorinating Agents Frosting Mixtures** Hydrofluoric Acid Anhydrous Hydrofluoric Acid Aqueous Hydrofluosilicic Acid Laboratory Fluorine Cells Lead Fluoborate Lithium Fluoride **Metallic Fluoborates** Potassium Bifluoride Potassium Chromium Fluoride Potassium Fluoborate Potassium Fluoride **Potassium Titanium Fluoride** Silico Fluorides Silicon Tetrafluoride Sodium Fluoborate **Tin Fluoborate** Zinc Fluoborate Zinc Fluoride









China's forced growth, aided by massive Soviet aid such as this steel mill, poses the question . . .

Far East Chemical Threat?

In Communism's campaign against the West, Red China's industry looms as a weapon. Here's a look at China's chemical prospects.

Because of the political and ideological strains showing up in Communist China's relations with the Soviet Union, speculation is rife about a "split" between the two countries. The Red Colossus of the Far East, many experts believe, wants to go its own way—taking its gains and making trouble where it chooses.


But for all its bluster and capacity to stir trouble, Red China will require decades to develop the industrial muscle and self-sufficiency to stand alone among the prime powers of the world.

Back in 1955, Communist Chinese planners anticipated building a significant industrial base by '67, but they admitted that it would be 40 to 50 years before China could become "a powerful country with a high degree of socialist industrialization." China's economic performance has proved that the planners were not overly pessimistic.

And if industry as a whole is China's weakness, the Chinese themselves admit that the "weakest link" within its industry is the chemical industry.

Short on Chemicals: Despite rapid chemical production expansion in recent years, domestic output of several key items still is far short of internal needs. For example, the ratio of domestic output to consump-





tion is about 50% for chemical fertilizers, 69% for sulfuric acid, 70% for soda ash, 56% for benzene.

If you believe the Chinese, output of sulfuric acid increased 15-fold between '49 and '58. In absolute terms, however, the sulfuric acid figure is hardly spectacular: 611,000 tons in '57, compared with 1 million tons for underdeveloped Spain, and 2.4 million tons for the United Kingdom. By '72, China intends to match the U.K.'s gross output of major industrial products.

And China's chemical industry still has many blank spots, which are revealed even in propaganda figures. It suffers from a critical lack of fertilizers—the most glaring example of its chemical industry's inadequacy. With minimum annual needs estimated at 15-20 million tons, China last year produced only 1.33 million tons of chemical fertilizers.

Experts vary on just how much progress China's chemical industry has made. But all agree that the gap between its production and internal requirements is too great to be overcome in the near future.

Common Problems: To a considerable extent, the problems of China's chemical industry are shared by


the economy as a whole: lack of capital, trained personnel and training facilities; shortages of transportation, fuel, power; a puny capital goods industry.

On this shaky base, Red planners are attempting to throw up a towering industrial and economic establishment. In '58, the start of the second five-year plan, the Communist rulers proclaimed their "great leap forward"—designed to match Britain industrially by '72—and early in '59 announced fantastic strides toward that goal.

But by fall they had to reveal that their earlier claims were wrong, that output of grain, cotton, steel and coal fell far short of boastful '58 goals; that the '59 goals for these products would have to be reduced.

Progress Nevertheless: But it would be a mistake to completely write off China's industrial achievements. Despite the flaws, they have been dramatic.

Many Western experts believe that Chinese figures for '55-'57 were relatively accurate. Working from these, they agree that China's gross national product grew about 7-8%/year during the first five-year plan—twice the rate of India's growth. Industrial production grew at the impressive rate of 23%/year, on the



average, between '50 and '59, and will likely grow by 14%/year at least until '65, according to estimates of the U.S. Central Intelligence Agency.

The Communist bloc as a whole is growing faster than the West, and within the Communist bloc China is steadily becoming a more important industrial factor. It may reach 25% of Russia's output by '65.

Chemical Strides: Little reliable data is available on Chinese chemical growth. By Chinese accounts, of course, it has been substantial. In '49, the year the Communists took control of China, the chemical industry accounted for 1.5% of the gross value of industrial output—which was miniscule after China's long ordeal of war.

By '57, this share is claimed to have increased to 6.6%, and it has evidently continued to rise since then. Gross chemical output is claimed to have risen fourfold between '52 and '57, and then to have doubled between '57 and '58. (Western experts discount such claims.) During the '52-'57 period, China claims to have built about 30 large chemical plants, and 70 major construction projects are supposed to be under way.

A timetable of initial trial production of products

new to China include: aniline and glacial acetic acid ('53); syntomycin and sodium nitrate ('55); polyvinyl chloride, Aureomycin, acetone, laminated glass ('56); methanol, variamine B, penicillin, synthetic fibers and synthetic leather ('57); reactive dyestuffs, organosilicon resins, chloroprene rubber, synthetic detergents ('58).

Vice-Minister of the Chemical Industry Wu Li-ping claimed that China could "catch up with or surpass Britain in the output of chemical fertilizers, sulfuric acid, synthetic fibers, and antibiotics in '62" (see chart, p. 78). These targets seem to contain a good measure of wishful thinking.

During the second plan the Communists hope to triple the amount invested in the chemical industry during the first plan. This would come to 2.4 billion Yuan (the U.S. government now figures \$1 equals 2.45 Yuan, although Chinese cost figures probably aren't very meaningful). Of these investments, 62.5% is slated to go into the chemical fertilizer industry, compared with 46.9% in the first plan.

Fertilizer Famine: There is an impelling reason for the stress on fertilizer production. China's population is now about 660 million, and growing by some 12 mil-



Communist China's Major Chemical Plants

Products, Capacity

Comments

(figures in '000 metric tons/year)

Fertilizers

Large Central-state Projects

Dairen Chemical Works, Dairen, Liaoning Synthetic ammonia (96), ammonium sulfate (385); sulfuric acid, soda ash, etc.

Built by Japanese in 1935, gutted by Russia. Capacity being expanded to 800 ammonium sulm.t./year fate.

Kirin Chemical Fertilizer, Kirin

Syn. ammonia (50); ammonium nitrate (90); nitric acid, oxygen, nitrogen.

First stage built with Russian equipment. Ultimate Ultimate capacity: ammonia, ammonium nitrate, 300 Principal Chinese chemical center.

Lanchow Chemical Works, Lanchow, Kansu

Synthetic ammonia, ammonium nitrate (130); nitric acid; methyl alcohol.

Soviet aided; Synthetic rubber plant being built

Nanking Phosphate Fertilizer, Nanking, Kiangsu

Superphosphate, triple su-perphosphate, calcium mag-nesium phosphate, defluori-nated phosphate, ammonnated phosphate, ammon-ium phosphate (total, 200); sulfuric acid.

Soviet technical aid. Started up June '58. Ultimate capacity: 400.

Szechuen Chem. Fertilizer Chint'ang haien, Szechuen

Synthetic ammonia (28); sulfuric acid (240), ammonium sulfate (290), ammonium nitrate (55), nitric acid. Chinese design, Czech. equipment. First stage completed in '59.

Taiyuan Chemical Fertilizer, Taiyuan, Shansi

Synthetic ammonia, ammonium nitrate, phosphate fertilizers (200).

Soviet aid. In partial opera-tion. Part of Taiyuan Chemi-

cal Works.

Yungli Chemical Works, Nanking

Ammonium sulfate (230), synthetic ammonia (78), sulfuric acid, nitric acid, potassium fertilizer.

Chief engineer U.S. trained. With Dairen supplies 62% national chemical fertilizer production. Expansion underway. Will make urea, poly-mide fiber, etc.

Local-state Projects

Anhwei Ammonium Sulfate, Anhwei

Ammonium sulfate (210), synthetic ammonia.

Expanding to 420 ammonium sulfate.

Canton Chemical Fertilizer, Canton, Kwangtung

Synthetic ammonia (25), sulfuric acid (80), nitric acid (50), ammonium sulfate By end of '60 slated to reach: ammonia (50), sulfuric (160), ammonium sulfate (130), urea (42), nitrogen

Chanchiang Phosphatic Fertilizer, Chanchieng, Kwangtung Superphosphate (100).

Capacity to double.

Chengtu, Szechwan

Ammonium sulfate (290), ammonium nitrate (55), sul-furic acid (240), nitric acid.

Being expanded.

Honan Chemical Fertilizer, Kaifeng, Honan

Nitrogenous (200), phosphate (200).

Started in '58; first phase slated for completion in '59; second phase to bring to 1,000 in '62.

Kiangsi Ammonia, Nanchang, Kiangsi

Ammonium sulfate (40), Synthetic ammonia (20).

Due onstream late '59. Expansion slated to up ammonia to 50.

Kunyang Phosphatic Fertilizer, Kunyang, Yunnan Phosphate fertilizers (100-

Built in '57 near 110 million ton phosphorus reserves.

tion slated for '61.

Kweiyang Chemical Fertilizer, Kweiyang, Kweichow Ammonium sulfate (400), superphosphate (200).

Peiping Chemical Fertilizer, Peiping, Hopei

Ammonium nitrate (120), ammonium sulfate (90), synthetic urea (40). Shansi Phosphatic Fertilizer, Taiyuan, Shansi

Construction started May '58, first phase due on-stream end of '59.

Started April '58, full opera-

Phosphate fertilizers (200).

Started March '57; producing since June '58.

Tientsin Chemical Fertilizer, Tientsin, Hopei Ammonium chloride (320), soda ash (320).

Like Due completed '61. Dairen, produces two products simultaneously, cutting costs 40%. Hou process.

Tsinan Chemical Fertilizer, Tsinan, Shantung Synthetic ammonia (50), ammonium nitrate (128) in first phase.

Started Aug. '58. First phase completion, slated '60; second in '62, to ammonia ammonium (256).

Yunnan Phosphatic Fertilizer, Kunming, Yunnan Superphosphate, defluorinated phosphate (total 200), triple superphosphate, calcium magnesium phosphate. synthetic ammonia.

Started July '58. Partial production due '59, completion end '62, to produce triple superphosphate (200), calcium magnesium phosphate (100), ammonia (100).

Industrial Chemicals

Canton

Caustic (15), hydrochloric acid (10), other chemicals. Announced underway April '59.

Chuchow Chemical Works, Chuchow, Hunan

Phosphate fertilizers (100), sulfuric acid, hydrochloric acid, liquid chlorine, caustic, bleaching powder, farm insecticides.

Started Oct. '57, completion date unknown.

Fukien

Caustic soda (20)

Hainan Sodium chloride, potassium chloride, magnesium chloride, magnesium bromide.

Hami, Sinkiang

Soda ash, natural (2.28) Hangchow, Chekiang

Sulfuric acid. Heilungkiang Province

Wood chemicals: acetic acid, methanol, active carbon, spirits, dry ice, etc. Due onstream in '59.

Sea water recovery. Plans announced July, '58.

Plans announced April '60.

Onstream late '59.

40 products, three plants. Slated for completion '60. Polish aid. Huhehot, Inner Mongolia PVC, caustic, trichlorethy-lene, hydrochloric acid, cal-cium carbide, synthetic ammonia.

Inner Mongolia Soda ash. (100).

Kirin Calcium Carbide Works Calcium carbide.

Kongmoon, Kwangtung Paper pulp (10.95), dry ice (3.65)

Lanchow Chemical Works Over 30 industrial chemicals.

Ningpo, Chekiang Sulfuric acid.

Shanghai Caustic soda (40) Nitric acid

(5). Sining, Chinghai Sulfuric acid.

Szechuen Sulfuric acid (120), soda ash

(80).

Taiyuan Chemical Works, Taiyuan, Shansi 75 products, including electrochemicals, insecticides. trochemicals, insecticides sulfuric acid, "benzene pow der", fertilizers, pharmaceuticals.

Tangu Chemical Works, Tientsin Caustic, insecticides, raw materials for plastics indus-

try. Tientsın

Sulfuric acid (40).

Tienyuan Chemical, Shanghai Caustic, hydrochloric acid.

Tsaidam Basin, Northwest China Potash, potassium chloride,

borax, hydrochloric, sulfuric, and nitric acids. Wuhan, Central China

Based on salt electrolysis.

Yuncheng, South Shansi Anhydrous sodium sulphate (150), nitrogenous fertilizers

Yungli-chiuta Works, Tientsin

Soda

Synthetic Fibers

Antung, Manchuria Viscose, possibly others.

Originally Japanese built; destroyed and rebuilt in '58. Being expanded to 20 this vear.

Paoting, Hopei Viscose (5)

East German design. First stage onstream this sum-mer. Second will up to 10. Tire cord plant being built. First modern cellulosic fiber plant.

Polymide fiber (0.380)

Started up summer '59. East German equipment, design.

Seven plants started in '58, slated for completion '62, to produce total 60.

'58.

Shanghai

acrylic, polymide Viscose, (caprolactam type)

Shenyang, Liaoning Caprolactam started caprone fiber '59. Caprone, caprolactam

Plastics

Canton Polyethylene

Experimental. Started UD Dec. '58. Low pressure procusing alcohol from sugar.

Foochow, Fukien PVC, furfural resins, caustic, insecticides

Schenjang Phenolic resins

Tientsin Chemical Polyvinyl chloride resin (6)

To triple output in '60.

Onstream fall '59.

Specialty Chemicals

Kirin Dye Works 30 dye intermediates, several

fine dyes, including indanthrene.

Shansi Province Pesticides, hormones

Shanghai Dipterex, other high-grade insecticides (10).

Produced 7 caustic, 9 acid in 1st qtr. '59. Shanghai Dyestuffs, reactivated dyes

Tietsin

Dvestuffs

Chinghai

Foochow

Number of plants at this oil center, near salt deposits.

Construction started in '58.

Two plants, onstream early

Oxygen and nitrogen from Kirin Fertilizer. Has 60,000 ton furnaces. Soviet aid.

Completed late '59. Polish

Plans announced April '59.

Started Nov. '59. Second

Construction started '56. In

partial operation. Soviet aid.

12

plant to start in '60.

Announced April '59.

See under fertilizers.

Expanded in '59.

under

late

10 with

Onstream

dry ice equipment.

Capacity totals Hangchow. Onst

fertilizers).

Major center (see

Nearly 30 chemical projects completed in last two years at this steel center.

Under construction.

Recently modernized, expanded. Supplies about 1/3 total Chinese soda output.

Aureomycin, Vitamin B12, dry mycelium (by-product). Inner Mongolia

Ephedran (0.048)

Terramycin, solvents.

Shanghai Steptomycin (0.042), dium para-amino-sano, macid, tetracycline, procaine penicillin.

Nitric acid from Kirin Fer-tilizer. Recovers sulfuric and hydrochloric acids, other products from waste.

Under construction.

Onstream July '59. Biggest liquid pesticide plant in China.

Several plants.

In partial production, to reach 15 by '62, partially for export.

Pharmaceuticals

Reported onstream April 60.


Under construction.

Partly for export to U.S.S.R., S.E. Asia. 42

Production started end of '59. Soviet aided. China's second streptomycin plant. Reportedly China's largest pharmaceutical plant.





Pictures from behind 'bamboo curtain' give clues to strengths



Checking drums of caustic soda for shipment from the old Dairen fertilizer and chemical plant. In a modern U.S. plant these drums would be labeled before they were filled and weighed automatically. But China is long on unskilled labor, short on modern equipment.

Makeshift equipment at Tientsing PVC plant. Note oversized pipe to pressure gauge, rope supporting pipe. Thermocouple head (lower right) seems standard, but not the mount: a 'dutchman,' a weld, and 'a clumsy union. Lack of standardization is evidently prevalent in Chinese industry.







Since the industry is new, most Chinese synthetic fiber equipment is modern, such as this nylon equipment at the 380-tons/year Peking synthetic fiber plant, which started up last summer. East Germany supplied the equipment and design, as it did for the Paoting viscose plant.

and weaknesses of Communist China's production technology


Equipment at No. 4 plant of Shanghai pharmaceutical complex (China's biggest) is modern, judging by this bottling machine, which handles 33,000 vials in eight hours. One of hundreds of Soviet aid projects, the plant is off-limits to non-Communists. Shanghai products include antibiotics.





Sign of China's transportation woes: hydrochloric acid ready to be shipped from Shanghai plant. Tank cars or trucks would be more efficient, but China's railroads and highways are still skimpy. Some of these kegs probably wound up on a horse-drawn wagon, still a prime transport method.

This ramshackle plant is one of hundreds of do-it-yourself plants supposedly peppering the countryside, producing chemicals ranging from sulfuric acid to PVC. This plant is on a 'People's commune', took six months to build. Capacity: ammonium sulfate, 800 tons/year; soda, 1.000 tons.





China's Spotty, Inconsistent Production Record

	Official sources put out conflicting figures.(1)							
Product	1949	1952	1957	1958	1959	1960 Target	1962 Target	
Chemical fertilizer ('000 metric tons)	27	181; 194	631; ⁶⁰ 755; 803	639.9; ⁽²⁾ 811; ⁽⁶⁾ 1,244; 800	1,330(3)	2,800	6,000- 7,000; 15,000- 20,000	
Nitrogenous fertilizers 20% N content). ('000 m.t.)	-	194	683	900	1,300 ⁽⁴⁾ - 1,500	_	-	
Phosphate fertilizers (18% P ₂ O ₅) ('000 m.t.)	-	•	120	344	750(4)	-	_	
Sulfuric acid ('000 m.t.)	40	190	611; 632	740; 749	1,050	1,500	4,500	
Caustic soda ('000 m.t.)	15	79	198	262.6; 270	365	_	800	
Soda ash ('000 m.t.)	88	192	478; 506	640	800	-	-	
Antibiotics (m.t.)	_		_	_			1,200	
Sulfa drugs ('000 lbs.)	_	178.2	4,989.6	-	_	9,979.2		
Penicillin (kg.)	0	46	18,266	72,606	_	-		
Insecticides ('000 m.t.)	-	_	_	_	_	_	135	
Synthetic fibers ('000 m.t.)			-	_	_		100	
Plastics ('000 m.t.)			13	_	_		200; 58	
Salt (million m.t.)	2.99	4.95	8.28	10.40	11.04	14; 13	10-11	
Coal (million m.t.)	30.98	63.53	128.62; 130	270	347.8	425	190- 210	
Crude oil ('000 m.t.)	122	436	1,460	_	3,700	disabour	5,000- 6,000	
Steel (million m.t.)	0.158	1.35	5.35; 5.24	11.08(5)	13.35	18.4	10.5- 12	

Sources: Media of the People's Republic of China; U.S. government reports and non-government publications, both of which derive their data from official Chinese sources. Minor inconsistencies probably result from rounding. Appearance of a single figure for a given item and year does not necessarily mean that all sources are consistent, but, most often, merely that all sources do not report on all items or on the same years. Whether or not the figures are consistent, they should not be considered reliable.

Target: 2.05-2.25 million tons.

Target: 2.06-2.8 million tons cuttable for industrial area.

Target.
Only 8 million tons suitable for industrial use.
Probably include only nitrogenous fertilizers, exclude ammonium nitrate and phosphate fertilizers.

lion/year. Natural manure use has been expanded almost to the maximum; and the only way to feed the ballooning population will be by stepping up yields with chemical fertilizers.

China needs an estimated 20 million metric tons of fertilizer/year. Last year, production was targeted at 1.33 million tons, probably fell far short of this. In August of that year, Premier Chou-En-lai himself reported that in the first six months production had fallen short of the goal by more than 40%, and implied that the full-year goal needed trimming.


Imports have helped China make up part of its

needs. But a serious foreign exchange shortage limits this. In '58, imports rose 50%, supplied 54.1% of the claimed consumption of 2.7 million tons—which is far short of China's needs.

Hard Buildup: In '52, at the start of the first plan, China had only two major fertilizer plants: Dairen, with a capacity of 80,000 m.t./year of ammonium sulfate, and the Yungli plant at Nanking (63,000 m.t.). They supplied 75% of the country's ammonium sulfate production that year.

During the first plan, these plants were expanded, and construction of the five other Central-State plants

now...an <u>emulsifiable</u> polyethylene to improve your water-based products!



A special *emulsifiable* grade of A-C* Polyethylene now makes possible the use of polyethylene to upgrade water-based products, especially where water resistance is the goal.

Examples: A-C Polyethylene is already being used to improve textile finishes . . . coatings for corrugated and paperboard containers . . . waxes and polishes . . . washable plastic paints. The

paper industry is looking into it as a way to build greater wet strength into towels, tissues, and butcher paper.

Yes, this polyethylene is *emulsifiable*. It forms stable emulsions in all systems—anionic, cationic, nonionic. Why not ask *your* technical people to evaluate A-C Polyethylene? Write us for samples and data at the address below.



SEMET-SOLVAY PETROCHEMICAL DIVISION

Dept. 579-AB, 40 Rector Street, New York 6, N. Y.

National Distribution . Warehousing in Principal Cities

HAMILTON

portable

RISE | FALL

disperser

DISSOLVES EMULSIFIES
DEAGGLOMERATES


Direct Reading Tachometers

available on
Variable Speed Models

with or without

Explosion Proof

Ammeter and Timer



HAMILTON'S REMARKABLE VERSATILITY and unparalleled wetting action permit switching from water-thin emulsions to high viscosity pastes without change or adjustment of the disperser or impeller.

The HAMILTON is ruggedly constructed for

The HAMILTON is ruggedly constructed for continuous heavy duty and will take the full impact of cutting and dissolving large lumps of material. The shaft may be centered or inched off-center, may be inched up or down, or may be continually raised or lowered . . . all these operations without stopping the motor.

Write, wire or phone for full information.

MANUFACTURED BY

SPECIALTY MACHINERY CORPORATION

50 ROANOKE AVE., NEWARK 5, N. J.



started. None came onstream before '57.

Under the second plan, formulated in '56, the '62 target for chemical fertilizers was set at 3-3.2 million tons/year. A year later this was revised to 7 million tons, including 2 million tons of phosphate fertilizers. Then, in the "great leap" clamor of '58, the Communist leaders predicted production could be boosted to fulfill about 80% of the new target in '62 by establishing a network of medium and small plants throughout the country.

So far the "great leap" has flopped dismally for fertilizers. Crimps in capital, materials, and technology make it impossible to build any more large-scale plants. The seven already existing or under construction are being completed or expanded. But the full weight of the new plan rested on the 66 medium and small projects—total capacity: 2.7 million m.t. of nitrogenous fertilizer (expressed in terms of 20% N content)—which were to have been started in '58.

On the hsien (county) level, only a few of the planned 36 ammonium bicarbonate plants were started. On the Special ch'u (municipal district) level, only two of seven planned projects were begun. At the provincial and municipal level, only about half of the planned 21 projects were being built. Except for the Anhwei calcium cyanamide plant and the Wuhan ammonium bicarbonate plant, none of the local projects was completed in '58

Evidently, the small-plant program has been scrapped or temporarily set aside because of shortages of building materials, equipment, and technical personnel. The seven big plants are still supplying about 80% of China's total chemical fertilizer needs.

At the present rate of progress, experts say, it will take China a decade to achieve production of even half the 20 million m.t./year it needs to feed its exploding population. And this, of course, can have a vital effect on the rest of China's grandiose economic plans.

Firm in Pharmaceuticals: One trend that is seemingly accurately reflected in eratic patterns of China's trade with the West (CW, May 11, '57, p. 98)

is its "self-sufficiency" in pharmaceuticals. Pharmaceutical exports from Italy, West Germany and the U.K. were all down last year, although exports from France rose slightly, in line with an increase in all French chemical exports to China.

China is evidently supplying most of its antibiotics needs. It produces Terramycin, Aureomycin, streptomycin, penicillin, oxymycin, sulfa drugs, as well as a range of proprietary products.

Almost paradoxically, with China's increased self-sufficiency in drugs has come an unexpected drying up of its exports. Two years ago, drug dealers in Southeast Asia and even South Africa were alarmed over the influx of cut-priced Chinese drugs, some of which were actually re-exports from Europe. Now pharmaceutical exports have virtually dissappeared.

Plastics Push? While China's pharmaceutical imports have been on the downswing, imports of plastics directly from Western Europe and through Hong Kong are on the rise, notably in polystyrene, polyethylene, polyvinyl chloride, and cellulose plastics. Volume is relatively small—only about \$1.1 million from Britain, China's biggest Western supplier. But they are apparently a sign of a quickening interest in plastics.

China's plastics industry right now is embryonic. It wasn't until late in '56 that the Party called for setting up a synthetic organic chemical industry. Since then, China claims to have developed production of the major raw materials, reagents, solvents, and processed products.

Right now, however, there are more plans than plants. With the Chinese de-emphasis on consumer products, plastics has taken a back seat, and not even plastic fabricating industries are very advanced. The primary plastic being produced now is PVC. Some phenol-formaldehyde and urea molding powders are also in production. At the end of '58, the Canton experimental polyethylene plant went onstream, using a lowpressure process believed similar to the Ziegler process. And the Chinese claim to be experimenting in plants to produce titanium and fluorine plastics, polymethylaldehyde, and ion-exchang-

ETHYL ALCOHOL ISOPROPYL ALCOHOL SECONDARY BUTYL ALCOHOL

ACETONE

METHYL ETHYL KETONE

ETHYL ACETATE ISOPROPYL ACETATE

SECONDARY BUTYL ACETATE



ENJAY SOLVENTS

For maximum solvent power at minimum solvent cost

You'll find that Enjay is a dependable source for oxygenated solvents for many surface coatings. Enjay Alcohols, Esters and Ketones are being

iently located storage facilities for drum, tank car or tank truck delivery. Enjay's complete technical facilities are always at your service to assist used throughout the surface coatings with the application of any Enjay industry to provide maximum per- chemical. For more information conformance at minimum cost. Enjay tact: Home Office: 15 West 51st Street, solvents are available from conven- New York 19, N. Y. Other Offices:


Akron . Boston . Charlotte . Chicago · Detroit · Houston · Los Angeles · New Orleans · Tulsa

EXCITING NEW PRODUCTS THROUGH PETRO-CHEMISTRY

ENJAY CHEMICAL COMPANY

A DIVISION OF HUMBLE OIL & REFINING COMPANY





and PQ SOLUBLE SILICATES

You can count on harmonious mixes of PQ soluble silicates (dry or liquid) with synthetic detergents, soaps, phosphates, carbonates. The alkali-silica components of PQ silicates are unique performers in soil removal as well as in protection against corrosive attack by synthetics and phosphates. Your compounds' cleaning power is improved with an attractive saving in costs.

When you use an increased proportion of the economically priced PQ soluble silicates your result will be better detergency. Our R&D Dept. will be glad to discuss how PQ silicates fit into your compounds.

PHILADELPHIA QUARTZ COMPANY 1150 Public Ledger Bldg., Philadelphia 6, Pa.



SODIUM SILICATES - METASILICATES - SESQUISILICATE
ORTHOSILICATE - POTASSIUM SILICATES

9 PLANTS . DISTRIBUTORS IN OVER 65 CITIES



ing plastics. Output may be far off.

New Fibers: China's chemical fiber industry is also really just getting started. The old Antung viscose plant

has been back in production for two years after its postwar reconstruction. Last year, two nylon plants went onstream, and this summer a large troupe of East Germans started up the first stage of the "highly automated" Paoting viscose plant, which is to have a capacity equal to 70% of China's present output of natural silk (over 190 million meters in '58).

But the real fiber breakthrough will come when the seven-plant Shanghai complex goes into production in '62, spinning out 60,000 tons/- In Hupeh Province alone there are said to be more than 300 small chemical plants, compared with one sulfuric plant before the '58 "leap." In many areas, assert the Chinese, what were set up as "baby" workshops two years ago are now turning out 80,000 to 90,000 tons/year of potash fertilizer—a claim that is worthy of some skepticism.

By mid-'59 Peking counted some 2,000 small sulfuric acid factories, most using the chamber process, and supposedly turning out around 80,000 tons last year. Technicians of the big Yung Li chemical works in Nanking designed simplified contact process equipment—a matter of pot-

China's Chemical Trade with Western World-1958

C	hina's	China's
In	nports	Exports
	(\$ mi	llion)
Total	131	36
Inorganic chemicals	6	9.5
Organic chemicals	19	4.8
Dyeing, tanning, coloring products Medicinal and pharmaceutical	8	_
products	11.6	2.3
Chemical fertilizers	67	-
Synthetic plastics	3.4	_
Pigments, paints, varnish		2.5
Essential oils	_	5.4
Misc.	14.8	10.64

(1) May include salt.


year of polyester, nylon 6 and 66 types, acetate, and artificial silk, wool and cotton.

Backyard Bounty: In their attempts to overcome their lack of investment capital and their handicaps in transportation, the heavy equipment industry, and materials, the Chinese planners have extended their pint-size plant program from steel (which didn't work), and fertilizers (which didn't either), to a whole range of chemicals—including sulfuric acid, soda ash, caustic soda, explosives, sulfur, insecticides, potassium nitrate, nitric acid, nitrate and potassium chlorate.

The leaders, at least, seem happy with the idea. "Every province, every county, and even many people's communes have set up chemical factories," Peking radio announced recently.

tery, oil barrels, and cast iron—which, the official drumbeaters maintain, was used to set up 40 small plants in three months in one area, each with an annual capacity of 400 tons. The Chinese claim that small-scale contact process equipment of this size can be built in 10 to 20 days at less than one-thirtieth the cost of the equipment required by a 4,000-tons/year plant, which would take six months to build.

Enthusiastic spokesmen of the Ministry of the Chemical Industry recently claimed that more than 100 chemical products—requiring a high degree of technology—can be made in small and medium-size plants by modern or simple local methods. This includes phosphate and potassium fertilizers, furfural, calcium carbide, synthetic rubber, organosilicones, epoxy



Whatever Your Plasticizer Needs Pittsburgh can meet them on time!

I F your vinyl production demands prompt, strictly-on-schedule deliveries, call for *Job-Rated* Pittsburgh PX Plasticizers!

With storage facilities located in Pittsburgh, Boston and Lyndhurst, N.J., Pittsburgh's broad line of high quality plasticizers are never more than an overnight truck shipment from your plant.

To help you maintain efficient inventory control, Pittsburgh will make split tank car, split tank truck or drum shipments from any of these locations.

The next time you need plasticizers in a hurry, call Pittsburgh. You'll like the advan-


Pittsburgh Job-Rated Plasticizers

tages of doing business with a basic producer. And you may discover, like many other of our customers have, that Pittsburgh is able to help you produce higher quality plastics or reduce your production costs. Write or phone us the details of *your* plasticizer requirements today.



A Subsidiary of PITTSBURGH COKE & CHEMICAL CO.

1386





resin, and polyvinyl chloride.

Aid From the West: For all this local enthusiasm and drive, the Communist Chinese wouldn't be where they are today if they didn't have the aid of Russia and its satellites.

Not that China has received any handouts. So far as is known, Russia has given China no outright grants, and a surprisingly modest amount of credits. All of the equipment China gets from the Soviet bloc it pays for with exports.

What Russia has given China is enormous injections of technical assistance. The Soviet Union is helping China build 291 factories, including chemical plants, such as the major fertilizer works and the Lanychjou petroleum refinery. It has flooded China with more than 10,000 sets of specifications, including plans used to build 150 industrial projects.

Russian technicians, who have swarmed over China sometimes 10,000 strong, helped the Chinese master industrial problems, such as producing capital equipment like a 50,000-tons/year nitrogen fertilizer plant, and laid the groundwork for producing specific goods, including varnishes, paints, rubber goods, drugs, medicines, and "many kinds of chemicals."

Under a '58 agreement, ioint Soviet-Chinese work has launched in 16 fields of scientific and engineering problems. This includes complex utilization of coal, petroleum, and natural gas, designing new chemical machinery, research on new drugs. Moreover, 160 research and designing institutes in the two countries are working together. Thousands of Chinese students get their advanced technical training in Russia, and Russians have helped develop Chinese educational programs, along with guiding over-all economic planning.

The European satellites have helped too, in providing technical help for projects such as new fiber plants, and in supplying much of China's capital equipment needs.

Will It Last? The big question now is, Is this "unbreakable friendship, cooperation, and mutual aid" heading for the rocks? The increasingly open ideological clashes between Peking and Moscow have left Western ob-

servers divided on the question. The predominant view in Washington—and among Hong Kong's close-in observers—is that while serious ditferences exist, neither country can afford to break up the alliance, and doesn't intend to. But other government observers—U.S. and British—believe a real crisis may be at hand.

Despite Peking's proud claims to increasing self-sufficiency, a break with Russia would probably cripple China's industrialization plans.

New Force? Right now, China means different things to Western businessmen. To Europeans, it represents an interesting, if erratic and sometimes disappointing, market. To Americans, it is forbidden—for some it is tempting—territory. For businessmen in both parts of the world, there is the concern that while its trade is practically insignificant now, China will sooner or later be a force to be reckoned with, a politically motivated trader that will have the means to break markets.

China's precise economic relations with the 5 viet bloc are not clear. It has never been committed to the division of labor and economic integration that is being developed in Eastern Europe. But Russia and China have been each other's most important allies, so government experts assume that they are basically working together in the Communist "trade and aid offensive," despite occasional signs of rivalry, in places such as Africa, the Mid-East, Cuba.

A Sino-Soviet split would change all this, and change the meaning of China for businessmen. If it produced a slowdown in China's economy, this could mean a shrinking market. But it might also mean that China would have to turn away from the Moscowdominated Communist bloc and depend more on trade with the West—and that could mean more business.

On the other hand, a China pitted against both Russia and the West could well be more virulent than it is today. If it went out to carve an empire for itself with no holds barred, it could stir up a mighty turmoil—for international businessmen, as well as for diplomats and for soldiers.

But all this is speculation. China remains a mystery.



20,

20

new high boiling solve acrylic, vinyl, and nitro

PENT-OXONE

SOLVENT

Description


Pent-Oxone is a new keto-ether which offers the user excellent solvency for a wide variety of dissimilar resins. It is a high boiling active solvent which makes possible economical lacquer formulations of superior performance.

USES

Acrylic lacquers. Where large portions of high boiling active solvents are needed, Pent-Oxone supplies you with a high-performance solvent at lower cost. It promotes low viscosity, superior gloss and flow properties. Solvent release characteristics of Pent-Oxone provide a film with good moisture resistance.

Nitrocellulose lacquers. High boiling Pent-Oxone is an outstanding solvent for nitrocellulose lacquers. It provides low viscosity, dilution ratios comparable to low boilers, excellent blush-resistance and flowout. Because of the high solvency for nitrocellulose, it will be of use to formulators of metal and wood lacquers, and lacquer thinners.

Vinyl lacquers. Strong vinyl resin solvent power providing high solids concentration, desirable evaporation rate, and high aromatic hydrocarbon tolerance make PENT-OXONE solvent an extremely efficient, yet low-cost solvent for solution-type vinyls.



Solution Viscosity, 20% wt. (1)Vinylite® VMCH in Indicated Solvents

PHYSICAL PROPERTIES

Both are high boiling, active solvents, water in appearance, and possess a mild odor.

PENT-OXONE	PENT-OX
Solvent	Solvent
ASTM Boiling Ra	nge
147.0-163.0°C.	163.8-
Flash Point	
141°F.	140°F.

VISCOSITIES OF ACRYLIC RESIN' SOLUT (15 Per Cent Weight Resin) A-212 **EGMEE Acetate**

(1) Resins are products of Rohm and Haas Co

(2) Commercially available solution red 15%w with indicated solvent. Solvent consists of: Toluene 45%


Butyl Alcohol 5% 50% Indicated Solvent

(3) Commercially available solution red 15% w with indicated solvent. Solvent consists of:

> 26.5% Toluene Indicated Solvent 73.5%

NITROCELLULOSE SOLVENT PROPERT

MILLOCETTOTOSE SOTACIAI LIKOLEN					
High Boiler		Blush Resistance, % R.H., 80°F.			
PENT-OXOL	100	93	4.7		
PENT-OXONE	67	91	3.1		
Diacetone Alcohol	134	82	2.3		
Ethyl Amyl Ketone	74	94	2.2		
Ethylene Glycol Monoethyl Ether (EGMEE) Acetata	64	91	2.5		
Ethylene Glycol Monobutyl Ether (EGMBE)	105	96	3.3		



Solvent Evaporation Rates

ents for use in ocellulose lacquers

PENT-OXOL

SOLVENT

Description

Pent-Oxol is a high boiling glycol ether. Its solvency and volatility help you achieve a desirable balance of lacquer properties such as viscosity, flowout, gloss, and blush-resistance.

USES

Acrylic lacquers. Because high boiling Pent-Oxol gives superior gloss to acrylic films, it is a desirable choice for your acrylic formulations.

Nitrocellulose lacquers. Pent-Oxol is an outstanding blush-retarder for nitrocellulose lacquers . . . yet the prolonged evaporation time usually encountered is no problem. Its evaporation rate and good solvency make it particularly suitable for use in high-low type thinners.

Vinyl coatings. Preliminary data indicate that Pent-Oxol peptizes vinyl chloride homopolymers suggesting its use as an organosol dispersant.



SHELL CHEMICAL COMPANY

Atlante « Chicago » Cleveland » Detroit » Houston » Los Angeles » Nework » New York » Son Francisco IN CANADA: Chemical Division, Shell Oll Company of Canada, limited. Montreal » Toronto » Yencouver

SEE BACK PAGE FOR 22
IMPORTANT USES

TIES

vent

, water white or. -OXOL

3.8-167.0°C.

o°F.

SOLUTIONS

aas Company. n reduced to livent mixture

n reduced to

o/

DPERTIES*
Dilution Ratio
Toluene "TOLU-SOL" @
4.7 1.3
3.1 0.9
2.3 0.6
2.2 0.9
2.5 0.9

3.3 1.8 S. 1/4-





NEW HIGH BOILING SOLVENTS FROM SHELL

PENT-OXONE*

SOLVENT

KETO-ETHER

PENT-0X0L*

SOLVENT

GLYCOL-ETHER

A new chemical class of solvents incorporating the best qualities of ketones and glycol ethers OT COATI

In epoxy coating can be used to flowout, gloss and These two new

22 suggeste

Aerosol vapor p

setting acrylic

Agricultural che Cellophane adh Cosmetics Dry cleaning so Duplicating fluid Dye solvents Extraction and in drug and a Gelatin sizes fo Glass cleaners Ingredients of s Internal combus

Carburetor of Engine desize Sludge solver Valve destick Varnish remo Liquid soap ing (improve sto Low-temperatur

Carbon remo

Lubricating oil a
Metal parts clea
Mineral oil dew
Nail polish lacq
Perfume fixative
Printing inks, n
Rosin soldering
Rust removers
(improve per

SHELL CH

Affants • Chicago • Cleveland • IN CANADA: Chemical Division,

THER SURFACE ING APPLICATIONS

atings, PENT-OXONE and PENT-OXOL solvents to balance properties such as pot life, viscosity, ss and flexibility.

new solvents are useful as high boilers in thermolic formulations, vinyl-acrylics, and others.

sted uses for Pent-Oxone and Pent-Oxol

or pressure modifier chemical solvents adhesive solvents

g soaps (coupler), stain removers

fluids

nd crystallization

nd antibiotic manufacture

s for cellulose acetate fibers

ers

of slushing compounds

nbustion engine cleaners

emovers

or cleaners

esizers

olvents

stickers emovers

ingredients

storage clarity, viscosity, stability)

ature brines

oil additives

cleaner formulations dewaxing

lacquers

atives

s, nitrocellulose and aniline types

ring flux solvent

ers

penetration, degreaser) (H₃ PO₄ type)

CHEMICAL COMPANY AL CHEMICALS DIVISION



reland • Detroit • Houston • Los Angeles • Newark • New York • San Francisco Division, Shell Oll Company of Canada, Umited: Montreal • Toronto • Vancouver



Technology

Newsletter

CHEMICAL WEEK September 10, 1960 Latest development in direct conversion of heat to electricity by Bell Telephone Labs: a thermoelectric alloy made of silver, antimony and tellurium. This metal is expected to replace lead telluride and bismuth telluride, used in today's heat-to-electricity devices. Advantage: the alloy will enable more efficient thermoelectric equipment because of unusually good conductivity and electronic properties.

An 80% reduction in dental caries (decay) in young children drinking fluoridated milk was reported at this week's Fifth International Congress on Nutrition in Washington. Louisiana State University researchers, after a 4½-year study, recommend large-scale studies of the prophylaxis. Homogenized milk containing 1 mg. of sodium fluoride/half-pint container was given the children during school lunch. (They found no difference in its taste, color, or odor, compared with untreated milk.) The method is of potential value in areas where municipal water supplies are not fluoridated, the investigators believe.

A radically new process for making aluminum will soon get commercial tryout in an 8,000-tons/year Aluminium Ltd., plant in Arivida, Que. This plant will be completed in about two years, will require a \$4-million investment—about that of a conventional Hall process plant of the same size. Although there is no saving in the large power usage, other operating cost reductions provide additional incentive for new plants to switch to this process. (Even though there is a current oversupply, additional capacity will likely be needed within the next two years.)

A recent French patent (1,210,068) describes the process: half the aluminum content in bauxite—the usual ore—is electrically reduced to metal. This partly converted mass is then treated with aluminum trichloride, at 1000 C to get aluminum monochloride. Impurities in this compound are removed as the vapors flow into a condenser. The vapors are cooled as they pass over a violently agitated pool of molten aluminum. As the temperature drops, both metallic aluminum and trichloride are formed. The trichloride is recycled while product aluminum is continuously tapped from the molten pool.

A high-temperature wind tunnel that doubles as a chemical reactor or metals furnace has been developed by Westinghouse Electric Corp. (Pittsburgh). The tunnel, primarily designed for missile testing, has an electric arc heater and is potentially capable of supplying an air or nitrogen stream at up to 15,000 psi. and 20,000 F, Westinghouse says. It can be used for making nitrous oxide or in petroleum processing, according to John Hutcheson, vice-president in charge of engineering.

Features include low contamination of the gas and uniform temperature "profile" within the heat chamber. (Burning electrodes and

Technology

Newsletter

(Continued)

chamber walls in other types of development units contributed as much as 10% impurities to gas flowing through the system.) Hutcheson says the new unit has a "guaranteed maximum contamination level of 0.2%" and that "further reductions in this level are contemplated." Cost of the unit (depending on requirements): \$500,000 to \$1.5 million.

Polypropylene production by a new "spark discharge" process has just been started in a 1-ton/day pilot plant run by Tokuyama Soda (Yamaguchi Prefecture, Japan). The firm, which has completed two of five patent applications, is planning to build a 10,000-tons/year plant early next year. The process (CW, Aug 27, p. 87) uses a special metallic halide catalyst with an electric spark as an initiator. Gaseous propylene and propane, passed through a continuous high-voltage arc, then washed and dehydrated, polymerizes with an average molecular weight of 500,-000 and a melting point of about 330 F.

Two new ways to give crop mutants make news this week: Rohm & Haas has registered Australian patent application 56,880/60 for producing hybrid tomato seed by treatment with a polyvalent metal salt of 2,23-dichloroisobutyric acid. And University of California (Davis) viticulturist Harold Olmo has used X-ray irradiation (2,500 roentgens) of grape vines to produce loose clusters of grapes that need not be hand-thinned.

Slurry fuels for ramjet engines (e.g., the air-breathing Talos) will be developed under a new Air Force contract with Atlantic Research Corp. (Alexandria, Va.). ARC has a leg in the field with its Arcogel slurries (marketed with Thompson Ramo Wooldridge) used as rocket propellants. The latter are typically composed of kerosene, a gelling agent, and a perchorate oxidizer.

There's not much competition-and not a very large marketin the slurry fuel field yet. But the slurry fuels are of interest because they represent a compromise between solids and liquids. Denser than liquids, they pack more fuel per unit volume, require only one chamber (instead of two for, say, LOX and kerosene). Unlike solids, they can be pumped for throttling. ARC will be investigating slurries that consist of an organic liquid fuel and a solid oxidizer. Particle size and shape of the oxidizer must be carefully controlled, ARC tells CHEMICAL WEEK.

The CPI is studying the use of light-wall carbon steel pipe, which might save as much as \$6 million (or about 10%) on its piping bill. Most of the piping dollar now goes for ordinary heavy-wall product. But there is already a definite trend to the use of light-wall stainless steel piping (CW, Oct. 25, '58, p. 51). The trend has been slower in coming for carbon steel. Specifications for this type of piping have been lacking, especially for small diameters, and the pipe has been difficult to buy.

AN IMPORTANT NOTICE

TO READERS NOT SUBSCRIBING TO CHEMICAL WEEK NOW

You are undoubtedly familiar with the CHEMICAL WEEK BUYERS' GUIDE ISSUE received by CHEMICAL WEEK subscribers each year as part of service. Well, the 1961 edition of this 750-page volume is just about ready to go to press and will be mailed to current subscribers on September 24th.

Now, sure enough, as soon as this issue appears, we'll get a virtual avalanche of requests from non-subscribers desiring to purchase a copy. It happens every time this unique buying aid comes out.

Much as we dislike having to turn down such requests, we must explain that the BUYERS' GUIDE is distributed to CHEMICAL WEEK subscribers only and is not available for sale at any price today.

So, if you would like a copy and are not currently a subscriber, why not avoid disappointment by entering your subscription to CHEMICAL WEEK now. All you need do is fill in the attached order card which entitles you to receive the 1961 BUYERS' GUIDE ISSUE, as well as the next 156 weekly issues of CHEMICAL WEEK for only \$5 (or 52 issues for \$3, if you prefer).

But you must hurry if you wish to start service with this issue, since our print orders are naturally made up in advance, and the high cost of this volume precludes our running a large surplus.

The 1961 BUYERS' GUIDE ISSUE actually contains 10 up-to-the-minute directories in one huge volume . . . over 9,000 items of chemicals, equipment, raw materials and services . . . listed by product, company and trade name — more than 170,000 listings in all. Within these pages are all the answers to your source of supply questions.

Since you are now reading this copy of CHEMICAL WEEK, you already know what a top-notch bargain this weekly magazine is by itself (little more than 3¢ per issue at the three year rate). We don't see how you can pass up the chance of having your own copy—fresh, fully-intact and "when you want it"—delivered every week of the year to your home or office—at such insignificant cost to you.

No need to enclose any payment now. To start service promptly, simply complete order card and drop it in the mail today.

CHEMICAL WEEK

McGraw-Hill Publishing Co.

330 West 42nd Street

New York 36, N. Y.

BAKER PROCESSING CHEMICALS...

"...Baker repeatedly supplies us high quality bulk chemicals...to maintain product quality ...and reduce costs."

The remarkable success story of Thomas A. Edison Industries is without question due in part to their strict practice of the motto, "There's a better way to do it . . . find it." And — as they point out in their letter — Baker Chemicals help them do just that.

Thomas A. Edison is still another example of today's industries that provide precision products for industry, defense and the home. They demand and depend on high quality processing chemicals. They have found a consistent, reliable source of supply in J. T. Baker.

Now more than ever before, so many leading manufacturers find they benefit substantially by the economies provided by Baker Chemicals. Many time and labor consuming operations can be minimized or completely eliminated as a result of J. T. Baker's ability to adhere to the most stringent specifications.

No matter what your industry or product, key chemicals of dependable uniformity and purity, in tonnage quantities, can often open new doors to smoother, more economical operations. You too will find that it pays to follow the leaders and specify Baker Chemicals. You can be sure we will always consider your trademark as precious as our own.

J. T. Baker Chemical Co.

Phillipsburg, New Jersey



one of the guardians of this precious trademark





West Orange, New Jersey
Orange 3-6800

INSTRUMENT DIVISION



November 10, 1959

Mr. Warren F. Schumacher General Sales Manager J. T. Baker Chemical Co. Phillipsburg, New Jersey

Dear Mr. Schumacher:

"There's a way to do it better -- find it." -- That's our motto and we feel that Baker chemicals help us to do just that.

For many years we have relied on the high purity of Baker reagents in our laboratory work. In making the transition from the development stage to full plant production, one of our products required bulk quantities of the same high quality materials that were used in the laboratory.

The J. T. Baker Chemical Co. has repeatedly supplied us these high quality bulk chemicals. By minimizing the variables we have been able to maintain the quality of our product and at the same time reduce costs.


Your high standard of personalized service and cooperation, both at the purchasing level and in our plant, is also to be commended -- all these factors we feel are vitally necessary to help protect our precious trademark and keep our motto in practice.

Sincerely yours,

THOMAS A. EDISON INDUSTRIES Instrument Division

John J. Dietz Chief Engineer

JJD/hma



PROBLEM: Playing dominoes, you set the 5-3 bone. Your opponent matches 3-4 and play alternates 4-5, 5-5, 5-6, 6-4, 4-2, 2-5, 5-0, and 0-1. Now it's your turn, you have a 5-1 bone, and one play wins the game for you. Where do you match?

WYANDOTTE'S NEW GEISMAR WORKS, just south of Baton Rouge, Louisiana, has a daily capacity of 300 tons of chlorine, 330 tons of caustic. This new facility firmly establishes us as a multi-plant producer and supplier of chlorine and caustic soda . . . as well as ethylene oxide-glycol and related products.

It's your move now! By railway, highway, inland or oceangoing water transportation, Wyandotte products are now directly accessible to four-fifths of the productive capacity of the United States and Canada. "Over-the-fence" supply is an interesting possibility if you build on or near our 1200-acre site.

Find out how helpful Wyandotte can be. Write us today for more information . . . or a get-together. Wyandotte Chemicals Corporation, Dept. 728-W, Wyandotte, Michigan. Offices in principal cities.

ANSWER

Matching five against five (at bottom or either side of spinner) keeps the game open and your opponent can still play. However, matching one against one (top) makes all ends open only to five. And, counting, you know all fives have been played except the one you hold. So matching 1-5 you win by freezing the game, forcing your opponent to draw the entire boneyard.




Wyandotte CHEMICALS

MICHIGAN ALKALI DIVISION
PACING PROGRESS WITH CREATIVE CHEMISTRY®

SODA A9H • CAUSTIC 90DA • BICARBONATE OF SODA • CALGIUM CARBONATE • CALCIUM CHLORIDE • BHLORINE • MURIATIC ACID • HYDROGEN • DRY ICE
GLYCOLS • SYNTHETIC DETERGENTS • SODIUM CMC • ETHYLENE OXIDE • ETHYLENE DICHLORIDE • POLYPETHYLENE GLYCOLS • PROPYLENE OXIDE
PROPYLENE DICHLORIDE • POLYPROPYLENE GLYCOLS • DICHLORODIMETHYLHYDANTOIN • CHLORINATED SOLVENTS • OTHER ORGANIC AND INORGANIC CHEMICALS

How New Process Extracts High-Grade Uranium from Texas Ore



Behind Uranium Makers New Optimism

The uranium industry is moving with renewed vigor this week, and improved processing techniques are making a big contribution to the optimistic new attitude. Susquehanna-Western, Inc.'s (Denver) plans for a \$2-million plant in Texas (CW, Aug. 6, p. 17), for example, are based on refined know-how. Moreover, improvements will help companies weather the market drought that may come between expiration of government contracts (1964 or '66) and big private purchases (perhaps '70).

The buying gap for uranium may not materialize, of course; the Atomic Energy Commission, whose contracts have backed all uranium plants built so far, is already extending some contracts beyond '64. Just last month, it lengthened its contract with Petromics Co. (Oklahoma City) to '66. And AEC is still trying to line up 800 tons/day of additional uranium refining capacity.

But if the contracts aren't extended beyond '64 or '66, most processors may be in trouble. All use relatively standard techniques, tailored for their own ores or geographical location. Under AEC's accelerated amortization plan, which runs out in '62, cost of most of their plants will be written off. But only the most efficient—and Susquehanna-Western is plainly counting on being one of these—will be able to bridge the gap until the private markets are likely to mature. Susquehanna besides being a latecomer, is also opening a new uranium area—around Falls City, Tex.

S-W's Gamble: Susquehanna-Western figures its plant, due in operation in 10 months, can process the low-grade Texas ore and still get a return on its investment before the AEC contract runs out. Also, according to Allen Gray, president of S-W, "The inevitable markets for uranium could very well materialize sooner than many people think. Our new plant is

Uranium Concentrate Producers Selling to AEC

Company		Rated Capacity tons/day of ore)) Type of Process	Contract Ends
Anaconda Co.	Grants, N.M.	3,000	\$19.36	\$ 5.5	Two plants: alkaline leach-caustic precipitation and acid leach, RIP	Dec. 31, '86
Climax Uranium Co.	Grand Junction, Colo.	330	3.09	9.4	Acid leach, CCD, SX	July 31, '60
Cotter Corp.	Canon City, Colo.	200	1.80	9.0	(unavailable)	Feb. 28, '65
Dawn Mining Co.	Ford, Wash.	400	3.10	7.8	Acid leach, CCD, ion exchange	Dec. 31, '66
Federal-Radorock-Gas Hills Partners	Frement County, Wye	o. 520	3.37	6.5	Alkaline leach, RIP	Dec. 31, '66
Globe Mining Co.	Natrona County, Wyo	. 490	3.10	6.3	Acid leach, RIP	Dec. 31, '66
Gunnison Mining Co.	Gunnison, Colo.	200	2.03	10.2	Acid leach, SX	Dec. 31, '62
Homestake-New Mexico Partners	Grants, N.M.	750	5.33	7.1	Alkaline leach, caustic precipitation	Mar. 31, '62
Homestake-Sapin Partners	Grants, N.M.	1,500	9.00	6.0	Alkaline leach, caustic precipitation	Dec. 31, '66
Kermac Nuclear Fuels Corp.	Grants, N.M.	3,300	16.00	4.9	Acid leach, SX	Dec. 31, '66
Kerr-McGee Oil Industries	Shiprock, N.M.	300	3.16	10.5	Acid leach, SX	June 30, '65
Lakeview Mining Ce.	Lakeview, Ore.	210	2.60	12.4	Acid leach, SX	Nov. 30, '63
Mines Development, Inc.	Edgement, S.D.	400	1.90	4.8	Acid leach, RIP, SX	Mar. 31, '62
Phillips Petroleum Co.	Grants, N.M.	1,725	9.50	5.5	Alkaline leach, caustic precipitation	Dec. 31, '66
Rare Metals Corp. of America	Tuba City, Ariz.	300	3.60	12.0	Acid leach, RIP	Mar. 31, '62
Susquehanna-Western, Inc.	Riverton, Wyo. Falls City, Tex.	500 220	3.50 2.00	7.0 9.1	Two systems: acid leach, SX and alkaline leach Acid leach, SX	Oct. 31, '63 Dec. 31, '66
Texas-Zinc Minerals Corp.	Mexican Hat, Utah	1,000	7.00	7.0	Acid leach, SX	Dec. 31, '66
Trace Elements Co.	Maybell, Cola.	300	2.21	7.4	Acid leach, RIP	Mar. 31, '62
Union Carbide Nuclear Co.	Rifle, Colo.	1,000	8.50	8.5	Acid leach, CCD, SX	Mar. 31, '62
Union Carbide Nuclear Co.	Uravan, Colo.	1,000	5.00	5.0	Acid leach, CCD, ion exchange	Mar. 31, '62
Uranium Reduction Co.	Moab, Colo.	1,500	11.17	7.4	Acid leach, RIP	Dec. 31, '66
Utah Construction and Mining Co.	Frement County, Wys	o. 920	6.90	7.0	Acid leach, CCD, ion exchange	Dec. 31, '66
Vanadium Corp. of America	Durango, Celo.	750	0.81	1.1	Acid leach, alkaline leach, SX, chemical precipitation, reduction fusion	Mar. 31, '62
Vitro Chemical Co.	Salt Lake City, Utah	600	5.50	9.1	Acid leach, SX	Mar. 31, '62
Western Nuclear, Inc.	Jeffrey City, Wyo.	845	4.30	5.1	Acid leach, RIP	Dec. 31, '66
	Tetals	22,320	\$143.82	6.4	Manager Committee of the Committee of th	

Abbreviations used: CCD, countercurrent decantation; SX, solvent extraction; RIP, resin-in-pulp.

designed to take advantage of private markets as well as AEC current needs."


S-W's mill will process 220 tons/day of bentonetic ore (high percentage clay and slime) from just south of San Antonio, Tex. The new facility features: (1) investment reduction through semi-open plant design; plant has a partial roof, and full roof and sidewalls are only for offices and laboratory; (2) simplified ore-sampling and feeding facilities; and (3), an improved uranium extraction process that will yield a higher-grade concentrate from a lower-grade ore.

Majority of milling plant components can be outside because of the favorable Southern weather (most oil refineries in the South are built this way). This lowers investment costs, provides simpler ventilation and dust control, which is a problem in oremilling plants.

Streamlined Start: S-W's improved technology begins with a new simplified sampling technique. A 1-lb. ore sample is cut out of each ton of bulk ore as it is continuously fed to the process. This contrasts with the batch sampling of truck deliveries at other plants. The ore sample is con-

veyed to a 2-3-ton surge bin, much smaller than the 200-ton bin common in plants this size.

The process for making uranium concentrate ("yellow cake") brings together conventional techniques, such as salt roasting and solvent extraction, in a unique system. The ore is ground and roasted, then leached or dissolved out with sulfuric acid. The acid dissolves metallic components, and forms a slurry of metallic-uranium salt solution and insoluble solids. This slurry undergoes a six-stage counter-current decantation and washing operation to remove solids.



Uranium is separated from the salt solution by solvent extraction. The solution is first mixed with a liquid amine, which picks up the dissolved uranium and metallic salts, carries them through the purification steps. Next, 10% sulfuric acid is mixed with the amine to extract iron and vanadium. (The vanadium may be recovered if quantities prove worthwhile.) Then hydrochloric acid is used to pull out uranium, leaving molybdenum impurities in the amine.

Finally, the uranium in the hydrochloric acid is precipitated with ammonia as a yellow powder, which is filtered in a continuous vacuum filter and dried on a travelling stainless steel belt, which carries the powder under infrared lights. Concentrated yellow cake thus obtained is an ammonium-uranium compound containing 90% U₃O₈. Industry's typical yellow cake averages 80% U₃O₈.

Variety of Systems: The two-phase scheme used in Susquehanna-Western's operations—leaching the uranium from the ore, then extracting the valuable component — is essentially like the techniques used in all other plants. Variations depend upon the nature of the ore.

Leaching is done in either an alkaline or acid process, usually after the ore has been ground and roasted. Alkaline leaching is suitable only for ores of high lime content found near Grants, N. M. This way of leaching has three main advantages over acid leaching: it is more selective, minimizes corrosion problems, and gives a solution that is more easily "extracted."

An example of a tailored leaching technique: Rare Metals Corp. of America (Tuba City, Ariz.), in an effort to overcome the dangers of deep mining, tried to force acid 1,000 ft. underground to leach and the uranium, then pump the solution back to the surface. The acid seeped away, however, through the unpredictable sandstone faults and the project had to be abandoned.

After leaching, the solution is extracted by one of four basic methods: (1) solvent extraction; (2) ion extraction; (3) a resin-in-pulp process; or (4) precipitation by phosphate, special chemicals or caustic.

- Solvent extraction is the procedure to be used at Susquehanna-Western's new plant. Except for its use of hydrochloric acid, its special system (leached sulfuric acid solution extracted with an amine from which hydrochloric acid removes the uranium) is typical. This process, long used in chemical process industries, broke into uranium processing (CW, Nov. 8, '58, p. 67) to cut costly steps in processing high-vanadium-content ores. The system worked well and proved its versatility by being incorporated into several plants (see chart).
- Ion exchange extraction takes uranium out of the leached acid solution in a batch operation (a roadblock to continuous processing). The acidleached solution is allowed to percolate through a series of stationary beds of ion exchange material, usually synthetic resins. The operation goes in two cycles. In the first, predetermined volumes of solution are fed into a bed and allowed to remain until the resin is loaded with uranium. Then the solution is advanced to the next bed in the series. In the following cycle, uranium saturated resin is first washed with water and then bathed with an eluant; chloride or nitrate ions in the eluant exchange places with the uranium. Final step is to precipitate uranium from the eluting



A phone call (letter or telegram) will bring you all basic facts—labor supply and costs, raw materials, water, power, gas, coal, oil supplies, taxes, civic climate, availability of processed materials from other plants

See the sites at Calvert City, Ky.



Here are sites amid a chemical complex including plants of Air Reduction, General Aniline & Film, Goodrich Chemical, National Carbide, Penn Salt Chemicals, Pittsburgh Metallurgical and American Aniline.

All inquiries are held in the strictest confidence.

Telephone Chicago WA 2-4811
J. S. FROST
Director of Industrial Development

ILLINOIS CENTRAL RAILROAD

135 East Eleventh Place Chicago 5, Illinois



solution with ammonia or magnesia.

• The resin-in-pulp process is one adaptation of ion exchange. Instead of putting a leached solution through a stationary bed, the resin, in banks of baskets, is moved through the solution. The resin picks up the uranium from the solution and then gives up the uranium to an eluting solution—in this case, ammonium nitrate or sulfuric acid. This process does not require the clear solution that ion exchange needs; also, resin-in-pulp is usually required for ores with difficult filtering characteristics.

• In phosphate precipitation, iron or aluminum turnings are added to the leached solution to promote formation of uranous phosphate (phosphorus is either present in the ore or is added as phosphoric acid). The uranous phosphate is filtered, upgraded by treatment with a hot caustic solution. Further caustic and cyanide washing, followed by conventional filtration and drying yields the yellow cake. This system works best when considerable phosphorus is present in the ore. Vitro Uranium Co. (Salt Lake City, Utah) switched from this method to solvent extraction, however, when phosphorus impurities in the ore stopped appearing in large quantities.

Uranium Mining: Open-pit mining is usually much less expensive because more economical equipment can be used, less digging is required to reach the deposit; also, there is less potential danger from radiation exposure and mining operations.

The mined ore is classified into 27 AEC categories according to the difficulty of uranium extraction. Principal metallurgical types are carnotite, asphaltic ore and uranite. They are rated according to their percentage of: four-valent uranium, six-valent uranium, vanadium, carbonaceous or asphaltic material, lime, gypsum, and primary slimes (coarse sands). Careful testing of ore composition is essential to determine appropriate processing.

Technique Helps: Prospects for mining the 55 million tons of proved ore in the Grants, N. M., area were doubtful until recently. Problem: ore is in soft, cave-in-susceptible rock. Also, the reserves are at depths ranging from 350 ft. to almost 1,500 ft., and water at 350 ft. to 550 ft. threatened to flood the mines. Solution: extensive use of wire mesh and

wooden beams in very narrow, carefully surveyed tunnels. At this mine, the use of track vehicles instead of rubber-tired loaders is expected to cut costs by 50% because of lower maintenance and fewer parts replacements.

At the Homestake-Sapin Partners (Grants, N. M.) mine, 13 gal. of water were pumped for each ton of ore mined six months ago. More efficient operation and the development of specific know-how has cut this water to 3 gal./ton and boosted the tons/day mined from 150 to 450.

These advances in mining plus the new system to be demonstrated by Susquehanna-Western are strengthening the uranium industry. What the demand for uranium concentrates will be between '66 and the '70s is still the big question. Also, should the political situation in the Congo alter the availability of Congo uranium, the uranium industry's market will be greatly changed. Although, at this time, nothing is definite, the outlook for the uranium industry shapes up strong through '66. After that, success would depend on how much of a boom private industry can build.

Paint Resins

Enjay Chemical Co. launched its Buton paint resins commercially last week, its second major entry into petroplastics. Process for the novel resins is new evidence of control of stereospecific polymer molecules (CW, July 23, p. 35).

The Buton resins are copolymers of butadiene and styrene, that are offered as bases for paints or enamels. Although they are not recommended for surfaces exposed to sunlight, they exhibit an impressive list of properties when baked or hardened by direct flame. They are hard (about 50 Sward) and tough; they adhere to metals, wood and ceramics; and they are resistant to practically all chemicals except strong oxydizing acids.

How They Are Made: Enjay has simultaneously brought onstream two plants to manufacture the Butons—one in Baton Rouge, La., and another in Bayonne, N. J. Their total capacity is said to be 10 million lbs./year, but it is also termed "expandable," indicating that initial products will be used to develop markets. Current prices in tank-car lots are 35¢/lb. for Buton 100, 24¢/lb. for Buton 200

Another Sinclair First-

PROPYLENE IN QUANTITY


Now you can get 99% + propylene in quantity. This high purity material - essential to polypropylene manufacture - is available in commercial volume. Whatever your needs - cylinder, transport or tank car - Sinclair can make prompt shipments.

Take advantage of this new high quality product. It's *free* from *harmful* impurities. Write or call us for complete information and samples.

SINCLAIR PETROCHEMICALS, INC.

Subsidiary of Sinclair Oil Corporation • 600 Fifth Ave., N.Y. 20, N.Y. • CI 6-3600





Sometimes it's better to let Eastman make it

Got a production problem? Does it involve the manufacture of a compound that's not generally available in the quantity or purity you require? Then consider this. We are equipped for and experienced in synthesis on a custom basis for quantities in the largerthan-laboratory-but-lessthan-tankcar range. For information about this service, or a quotation, write Distillation Products Industries, Eastman Organic Chemicals Department, Rochester 3, N. Y.



DISTILLATION PRODUCTS INDUSTRIES
is a division of
EASTMAN KODAK COMPANY

and 22¢/lb. for Buton 300.

Although full details of the process weren't disclosed, there is enough to show that the Buton 100 process is typical of most elastomer processes, resembling the front end of a solvent rubber plant (CW, Aug. 20, p. 62).

Butadiene, styrene, diluent and a catalyst are fed together into a series of agitated reactors, where they are maintained at temperature by circulating a coolant, which removes the heat of the polymerization reaction. From the reactors, they flow through a stabilizer and a filter, where the catalyst is removed, to a stripping tower, which cuts out the diluent for recycle to the reactors. Buton 100 leaving the bottom of the stripper tower is pumped either to drum filling or to tank-car loading.

While the Buton 100 process is continuous, manufacture of Buton 200 and Buton 300 is by batch. Buton 100 is fed to a reactor along with undisclosed modifiers and solvents. From the reactor, the mixture flows to a modifier tank, where the polymerization forming Buton 200 or 300 is completed. The polymer then passes through a stripper, to remove solvent, and a filter to drum or tank car.

Although petroleum-based resins such as Butons offer a range of attractive possibilities, they will have to prove themselves against chemical-derived resins such as the polypropylene-urethane copolymers developed by Delka Research Corp. (CW, Technology Newsletter, Aug. 13) as well as plasticized polyvinyl chloride and Du-Pont's Hypalon. Most of these new coatings have complimentary properties, so that a period of market development can be expected before the optimum uses of each are decided.

Liquid Hydrogen

The first privately owned and operated liquid hydrogen plant—designed and built by Linde Co., division of Union Carbide—is now reaching full operation at Torrance, Calif. The plant will supply the needs of National Aeronautics and Space Administration (CW, Jan. 23, p. 25); it has an actual capacity of 6.5 tons/day—slightly greater than the 5 tons/day contracted for by NASA.

The process at Torrance starts with the purification of hydrogen gas stream from an adjacent Union Carbide petrochemical plant. The hydrogen is purified, then compressed and refrigerated by liquid nitrogen. Cold hydrogen gas is then compressed further and liquefied by a combination of expansion engine and expansion valve operations.

Unstable orthohydrogen prevalent in the feed gases is converted into the para form in two stages of catalytic conversion (one before and one after liquefication). This stabilizes the liquid product, making possible low-temperature storage in superinsulated spherical storage tanks, where evaporation losses are held to less than 0.2%/day.

Although NASA's missile development projects still represent the only large-scale demand for liquid hydrogen, Linde expects its new plant to stimulate further industrial applications. Meanwhile, NASA is boosting its requirements for liquid hydrogen, will need from 8-10 million lbs. of hydrogen annually (CW, Washington Newsletter, July 30). This is about three times as much as Linde's plant can turn out. NASA is now talking with private companies about having a huge hydrogen plant built to supply its additional needs.

PROCESSES

Carbon Tetrachloride: Chemische Werks Huels (Recklinghausen, Germany) has developed a process claimed to give better than 70% carbon tetrachloride yields, along with 20% perchlorethylene plus hexachlorobenzene and hexachlorethane byproducts. A five-to-one mixture of chlorine and methane is fed through two reaction tubes. In the first reactor, the mixture is ignited with a hydrogen flame, and the temperature kept at 1200 F by regulating the gas speed and volume ratio. A heat exchanger cools the gases to 840 F before they enter the second reactor, where more methane is added. If ethylene is substituted for methane in the feed, perchlorethylene is the main product, while by-products are carbon tetrachloride, hexachlorobutadiene. hexachlorethane and hexachloroben-

Color Control: Engineers at Monsanto Chemical's Plastics Division (Springfield, Mass.) have found they can cut delivery times on styrene molding compounds 75% by inserting



...more than 200 chemicals for common and uncommon uses

What's your problem? Are you in enamelware or glass, needing the dependable qualities of uniformly high grade boron chemicals for glaze or batch?...or a rocket scientist evaluating ammonium perchlorate as an oxidizer in solid propellant fuel? The new TRONA® catalog lists the descriptions, properties, and applications of these and more than two hundred other products of American Potash and Chemical Corporation for today's expanding markets. Of special interest-our line of Lindsay rare earth, thorium and yttrium chemicals, for which Trona is a primary source. Send for your catalog today, or contact your nearest AP&CC sales representative.

BORON CHEMICALS

Borax, V-Bor®, Tronabor®, Pyrobor®, Boric Acid, Sodium Pentaborate, Boro-Spray®, Elemental Boron, Boric Acid Anhydrous

LITHIUM CHEMICALS

Lithium Carbonate, Bikalith® Ores, Lithium Hydroxide, Lithium Chloride, Lithium Brines, Lithium Metal

ELECTROCHEMICALS

Sodium Chlorate, Ammonium Perchlorate, Potassium Chlorate, Potassium Perchlorate, Manganese Dioxide

plus LINDSAY RARE EARTH, THORIUM and



American Potash & Chemical Corporation

3000 WEST SIXTH ST., DEPT. 1, LOS ANGELES 54, CALIF.

Sales offices:

3000 W. Sixth St., Los Angeles 54, Calif. • 99 Park Ave., New York 16, N.Y. • 235 Montgomery St., San Francisco, Calif. • 1320 S. W. Broadway, Portland, Ore. 214 Walton Bldg., Atlanta, Ga. • 3557 W. Peterson Avenue, Chicago, Ill. • 1600 Fairfield Avenue, Shreveport, La. • 2025 Riverside Drive, Columbus 21, Ohio

NEW GRADES OF DIMER ACID OFFERED

BY EMERY

Two new grades of dimer acid, Empol 1024 and Empol 1014, are now on full commercial production basis at Emery Industries, joining Emery's current commercial dimer Empol 1022 (approximately 75% dimer acid, 22% trimer acid, 3% monobasic). Empol 1024 contains approximately 75% dimer acid and 24% trimer acid. Empol 1014 is 95% dimer acid and 4% trimer acid, making possible the building of long molecules with little cross-linking because of its low trimer acid content. Both contain less than 1% monobasic.

PRICE REDUCTIONS

These new grades have been reduced in price upon attaining commercial status. Empol 1024 has been reduced to 26¢ a pound delivered in tankcar lots east of the Mississippi. This is ½¢ below its price when in the development stage, designated as Emery 3065-S. The other new grade, Empol 1014 (the 95% dimer) has been substantially reduced to 35¢ a pound compared to its development price tag of 45¢.47¢. It supersedes development products Emery 3019-S and 3079-S.

CHEMICAL COMPOSITION

Dimer acid is a C₃₆ aliphatic dicarboxylic acid which reacts somewhat like a long-chain member of the adipicazelaic-sebacic acid series. Trimer acid is its tribasic acid counterpart, being a C₅₄ tricarboxylic acid. Commercial dimer is a mixture of dimer and trimer acids and a small amount of unpolymerized C₁₈ fatty acid.

Although some of dimer's uses depend on its unusual liquid nature, most involve reactions with the carboxyl groups, either monomeric in the case of soaps and esters or polymeric in polyesters and polyamides.

Further information on both new grades, Empol 1014 and 1024, is available in Technical Bulletin No. 418 from Emery Industries, Inc., Dept. I-9, Carew Tower, Cincinnati 2, Ohio. continuous color control into their processing scheme. Key to their operation is a General Electric recording spectrophotometer working with a Davidson and Hemmendinger colorant mixture computer. When a special color is desired, the spectrophotometer is used to measure the color of a sample, automatically producing a graph of reflectance versus wave length. This lets the computer quickly calculate the formula for a production run, sidesteps slow matching by eye.

Iodine Isotopes: Abbott Laboratories (Chicago) is using high-neutron flux reactors to make its new iodine-131, the first chemical-grade isotope offered by a private producer (CW, Market Newsletter, Sept. 3).

These reactors, built by GE and Westinghouse, are used to step up reaction rates and yields to the point where isotope manufacture is economical. The starting material is tellurium-130. Charges containing about 50 grams of this are irradiated with neutrons and changed to tellurium-131. This then degrades through beta disintegration to iodine-131.

Key to the process is a new method of separating the irradiated iodine from tellurium, which bypasses classical -and uneconomical-chemical methods. Details are not given (as patents are pending), but Abbott says it uses an "oxidizing medium" that takes the tellurium from a valence of four to a valence of six. Iodine is liberated in the un-ionized, gaseous form into an undisclosed solution that keeps it from separating into ions. Then iodine ions are vaporized out of this solution and caught in a dilute solution of sodium hydroxide and sodium sulfite, in order to avoid contamination by stray gases such as chlorine. The product, iodine-131, has a half-life of eight days.

Desalting Water: Researchers of the University of California at Los Angeles have developed a new membrane that looks promising for saline water purification. The membrane is made from a mixture of cellulose acetate containing magnesium perchlorate and acetone. This forms a sticky film when cast onto a glass plate. When the plate is put into cold water, the mixture forms a solid membrane 0.004 in. thick. Stripped from the

plate and shrunk slightly by dipping into hot water, the membrane can then be mounted on each side of a porous steel disc.

Filtering discs constructed in this manner are then stacked in a plate and frame filter press, and salt water is circulated at an inlet pressure of 1,500 psi. The filter can desalt water about 100 times faster than conventional commercial films, the UCLA engineers say—about 8 gal./day/sq. ft. of membrane. Moreover, potable water was produced in a single pass—from brine with a higher salt content than ordinary ocean water.

New Fuel: A new plutonium-uranium fuel for power reactors is being produced in study quantities by Carborundum Co. (Niagara Falls, N.Y.). In the process plutonium oxide received from the Atomic Energy Commission is converted into plutonium carbide powder and mixed with proportionate amounts of uranium carbide powder. The mixture is then fabricated into pellets and sent to Nuclear Development Corp. of America, which will put the pellets into metal jackets and subject them to irradiation tests. Plutonium carbide is chiefly of interest because of its ability to support relatively high reactor temperatures. The pellets will not swell and distort during hightemperature operations.

Titanium Dioxide: White pigment-grade titanium dioxide is said to be manufactured at 30% less cost in a process developed by Continental Titanium Corp. (Toronto, Ont.). Although details were not disclosed, the new process was described as a pressure-leaching technique adapted to Quebec ores. A \$2-million plant using the process will be built by Continental Titanium on a site 60 miles east of Ouebec City.

Solventless Varnishing: A method of varnishing paper without using solvents has been developed by Hungarian engineers Hence Szabadi and Jozef Demecter. Key: the film-drawing properties of phenolic resin. Melted resin is drawn on the paper, where it adheres and solidifies immediately. After moving a few yards, the paper reaches final form on a delivery reel. Temperature and resin thickness are automatically controlled.



"There's only one thing faster than you, Ben, and that's Spencer Service . . . it's wonderful!"

NEED FORMALDEHYDE FAST?



Fast, overnight delivery of Spencer Formaldehyde is available in Great Lakes States from Spencer Chemical Company's Calumet City, Illinois, Works. Made from Spencer's own high quality methanol, Spencer Formaldehyde is formulated in the following grades: 37-1, 37-7, 44-1, 44-6, 45-1, 50-1. For immediate shipment by tank car or truck, write or wire your nearest Spencer sales office.

Spencer also serves industry with other industrial chemicals, as well as agricultural chemicals and plastics.

SPENCER CHEMICAL COMPANY

America's Growing Name In Chemicals



SPENCER PRODUCTS: Ammonia (Commercial, Refrigeration and Metal Treating Grades) • Aqua Ammonia • 83% Ammonium Nitrate Solution • Methanol • Formaldehyde • FREZALL (Spencer Dry Ice) • Liquid CO: Cylinder Ammonia • Nitric Acid • Nuclear Fuels • "Poly-Eth" Polyethylene • "Poly-Pro" Polypropylene • Spencer Nylon • "Mr. N" Ammonium Nitrate Fertilizer • Spencer Urea Fertilizer • SPENSOL GREEEN and URA-GREEEN (Spencer Nitrogen Solutions) • SPEN-AMM Anhydrous Ammonia.

GENERAL OFFICES: Dwight Bldg., Kansas City 5, Missouri.

DISTRICT SALES OFFICES: 575 Lexington Avenue, New York City; First National Bank Bldg., Chicago, Illinois; Candler Bldg., Atlanta, Georgia; 8401 West Dodge Road, Omaha, Nebraska; 2158 Union Avenue Bldg., Memphis Tennessee.

Non-toxic low corrosion rate sequesterant in causic solutions extremely useful in the formulation of cleaning and both glass mold cleaning and paint stripping. HOH washing also used an effect of the sequesterant application.

CH: GCCOH

CHECOCH

Carboxyl groups can add adhesion, solubility and stability to copolymers. Other (taconic Monomers (Dimethyl and Dibutyl) commercially available.





UZALI



FUMARIC AGID

Low toxicity—a primit material in alloyd reside and resin adducts manufacture—useful to the paint and plastics industries.


HCCOOH

Ноосси

OR VERSATILE PRGANIC ACIDS.

THE REPORT OF

OXALIC ACID



Citric Acid

excellent sequesterant—one of the most versatile of industrial organic acids—efficient cleaner for ferrous and non-ferrous metals—successfully used in power plant cleaning and radioactive decontamination programs.

Citroflex esters are gaining a reputation as efficient, non-toxic plasticizers.

PFIZER



ERYTHORBIC ACID

Nen-toxic-effective industrial antioxidant-widely used in brewing industry te protect beer against "off-taste" and "haze" caused by oxidation.

States (Time Lines and Time



Chas Pfizer & Co. In: Chemical Sales Division 530 Fishing Ave. Brooklys fi, N



Chemical Sale ; Division

Shopping for Surface-Active Agents?



You've come to the right page!



SSP ALKATERGES

Commercial Solvents offers two unusually versatile oil-soluble surfaceactive agents, Alkaterge-C and Alkaterge-T. They are being used in more and more industrial applications, solving a wide range of problems.

- 1. Acid Acceptors
- 2. Anti-Foam Agents
- 3. Stripping Agents
- 5. Corrosion Prevention
- 6. Emulsifying Agents and Stabilizers
- 7. Dispersing Agents
- 8. Penetrants 9. Pigment Dispersants
- 10. Pigment-Grinding
- Assistants Wetting Agents for Hydrophilic Surfaces

Put these two Alkaterges to the test. See if they aren't best for your specific applications. Further information and samples are yours, without obligation, just by requesting them on your letterhead.

INDUSTRIAL CHEMICALS DEPARTMENT

COMMERCIAL SOLVENTS CORPORATION

260 MADISON AVE., NEW YORK 16, N. Y.

· Cincin Atlanta · Boston · Chicago Cincinnati · Cleveland · New Orleans Los Angeles San Francisco New York . St. Louis IN CANADA: McArthur Chemical Co. (1958) Ltd., Montreal . IN MEXICO: Comsolmex, S. A., Mexico 7, D. F.



Cyanamid's Van Blarigan (left) and Van Eck set up system for evaluating plant's process performance.

Getting a Firmer Grip on Process Control

This week details of a new system for evaluating process performance were revealed by American Cyanamid at the Rutgers Conference on Quality Control at New Brunswick, N.J. Cyanamid developed the system for use at its Bound Brook, N.J., plant, reports that substantial savings are already being chalked up as a result of improving three processes with the technique. Moreover, the firm says that the method, now in operation for about a year, is being extended to 64 processes in two departments.

The system works by focusing attention on processes that are not performing as they should, or as might be expected from past records.

It's based on statistical quality control charts and techniques that have become firmly established in the chemical industry (CW, Jan. 3, '59, p. 30). But it broadens their usage to the point where the system's prin-

cipal architects—Hiram Van Blarigan, a statistical engineer at the plant, and Leonard Van Eck, manager of the pigments manufacturing department (pictured above)—shun the use of the words statistical quality control.

Van Eck points out that the system moves statistical quality control techniques into the realm of manufacturing management—a step beyond its usual use as a mathematical tool for statisticians. The system permits the plant department head to see at a glance (1) processes that require increased attention because of abnormal operations, (2) processes that require little or no attention because of normal operation. These two points are the heart of a supervisory philosophy called "management by exception," and Cyanamid's technique ties in with it.

Van Blarigan explains the system is concerned with maintaining and

improving the process yields of complex organic chemical batch processes rather than checking key properties of product quality (e.g., moisture content, color, isomeric assay), which are more often the object of study by quality control. Therefore, the term "process performance system" is more descriptive, he says.

How It Works: Here's the way Cyanamid described its system at the Rutgers session.* Statistical quality control charts (called process performance charts in this system) are posted next to the process equipment for each process. The average yield is plotted as a point on the charts—in some cases by the operators themselves, in others by accounting clerks who in all cases also keep smaller charts in the process superintendent's

^{*} Sponsored annually by the Metropolitan Section of the American Society for Quality Control; arranged by Rutgers University's Statistics Center,

office. Each plot point represents average yield for two or more successive batches. (The technique of plotting cumulative sums rather than averages, suggested by George Barnard in England,** has an advantage of high sensitivity to trends. The plant's statistical engineers are working on the problem of adapting the cumulative sum technique to the process performance system in a way that will give it the simplicity of the averaging technique. Their purpose: to retain the plant operators' active participation on the manageemnt-by-exception team.)

As on ordinary statistical quality control charts, a range is set up into which the process yields with normal variations will fall. A green line is drawn along the line that indicates average yield; yellow lines, called warning lines, are drawn at the two-sigma level; red lines, called action lines, at the three-sigma level.

Exceptions to normal performance are defined as plotted points that are outside the three-sigma level or as a significant number of points that may be within the three-sigma level but either above or below the average. The exceptions, with explanations and suggested action to be taken, are immediately brought to the attention of the various levels of supervision (i.e., shift foreman, general foreman, process superintendent, department head). This triggers a prompt investigation. Daily reports of the deviations and the corrective action taken are given to the department manager.

Over-all process performance—and in particular the abnormal operations—are reviewed at monthly meetings of the departmental manufacturing committee, which makes decisions that attempt to consolidate gains, eliminate problems.

Before the monthly meetings, an engineer from the plant's statistical group reviews the process performance charts, calculates new process limits if they are needed. This is the only time that the statistical section serves in more than an advisory capacity for the system.

Never a Word: The key to operator understanding and participation in the system is the simplicity with which it is introduced. Before it's installed on a process, a team of statistical engineers goes into the process area to explain the system. Absent from the explanation: references to the word "statistics," or any use of statistical jargon. Both Van Eck and Van Blarigan feel strongly that the word "statistical" tends to frighten plant operators, who play a vital role in the system.

The team, which has usually been composed of Van Blarigan and Steve Jurnack, another statistical engineer at the plant, held trial presentations for some of the supervisors who had had no statistical training so as to get pointers for the presentations to the operators.

Presentations have usually been given to groups of five to ten operators, led off with an introduction of the statisticians by the department manager. One of the team members discussed the general subject and the reasons for using the system; time required: about ten minutes. Then with the use of visual aids such as a quincunx (described to the operators as a "pinball machine that resembles a chemical processing unit in operation") and beads strung on parallel rods to represent process batches (see picture, below), he demonstrated the normal distribution and the random pattern of batch yields in relation to time.

The second member of the team, using data from processes with which

the operators were familiar, showed how the batch yields varied in the same manner as had been demonstrated on the visual aids.

According to Van Eck the new method actually helps operators practice the technique of management by exception. "Good operators are always sensitive to what is happening in the process. But sometimes they are worriers—worrying about things that are not worth wasting time over. The process performance system helps them pick out, in the same way as the department manager, the exceptions in performance that are worth worrying about," he says.


And there's added incentive for the operators to watch for process "exceptions" as pinpointed by the performance system. Ideas to improve process performance may be submitted through the plant's suggestion system. Those that prove correct may result in cash awards.

Adding up the Score: Results so far have been encouraging. Van Eck was interested in the system from the viewpoint of his job as a new department manager wanting a better "feel" for his department's performance. He estimates that it saves him several hours a week in studying process yield data. On this score, the system should fit in well into the chemical industry, which has a penchant for moving supervision from one depart-



Van Blarigan, Jurnack teach system's rudiments with visual aids.

** Barnard, G. A., "Control Charts and Stoichiastic Processes," Journal of the Reyal Statistical Society, Series B, Vol. XXI, No. 2, 1959, p. 239.



Please Be Our Guest!

When you visit the Chemical Exposition Sept. 13–15 at the Hotel Statler-Hilton in New York City during the American Chemical Society's convention.

If you want to learn more about Winthrop's bulk chemicals—

If you want to pick up a useful souvenir—

Or, even if you just want to rest your feet and say "Hello," please visit us.

BOOTH-108

Special Chemicals Dept.

Winthrop

1450 Broadway, New York 18, N.Y.

ment to another. As the plant manager of one large chemical complex in the South puts it: "After a few years in one spot, we feel that a supervisor has made his major contributions there. He'll be used to best advantage if he can be moved to another spot where he'll add a fresh approach. The problem in doing this is the time it takes for him to get acquainted with a new department."

But even for experienced department supervisors, the system has advantages. It helps save time in making decisions based on performance of a process by enabling a supervisor to examine a reasonable operating period on a single chart. There's no need to dredge up old records or to try to remember past performance.

The system, of course, can't stand alone as a complete measure for overall manufacturing efficiency. And, so far, it has been applied only to batch processes (which make up a major portion of operations at the Bound Brook plant).

The cost of plotting the charts is about equal to that of preparing some yield reports (which can be eliminated with the system). And, its ability to draw operators onto the production management team, as well as to pinpoint the areas that require concentrated improvement efforts, should assure it a continuing place as a management technique.

New Gain in Pollution

Last week chemical plant management in the Ohio River valley got a preview of a new, automated system that will go into operation this fall to check on the effectiveness of pollution-control efforts along the Ohio River. The system, called Orsanco Robot Monitor, was displayed publicly in Government Square in Cincinnati.

As outlined in the exhibit, the system will take test data from electronic analyzer units located at various points along the river, relay it to central headquarters in Cincinnati to a data logger and transcriber for evaluation. When unusual conditions are detected, an alert will be issued to water users and regulatory agencies in eight states. These states organized Orsanco in '48, which has been pushing hard at controlling the discharge of industrial wastes ever since (CW, Jan. 11, '58, p. 20).

EQUIPMENT

Continuous Weighing: Industrial Processes, Inc. (621 S. W. Morrison St., Portland 6, Ore.) is out with a new low-cost meter for weighing a wide range of dry materials without interrupting flow. The unit operates on impact principle, translates unit weight of stream flow into electric current by electronic transducer. Called the "IPI" Dry-Flow Meter, the device is 46-in. high, 22-in. wide, 16-in. deep, usually can be installed in spouts or ductwork during normal equipment downtime. Cost, without instrumentation: less than \$1,000.

Penton Linings: The U.S. Stoneware Co. (Box 350, Akron 9, O.) and Hills-McCanna Co. (4600 West Touhy Ave., Chicago 46) have added new items of Penton (chlorinated polyether) lined equipment.


U.S. Stoneware is now offering Penton protective tank linings said to be resistant to most organic and inorganic chemicals (except fuming-nitric and fuming-sulfuric acids). The lining material, which fills the temperature gap between polyvinyl chloride and fluorocarbons, is extruded in roll form, installed by local company-trained applicators.

Hills-McCanna's new offering is an 8-in. Penton-lined, packless diaphragm valve. Largest size previously made: 6 in. Suggested applications include on-off and throttling control of chemicals. Maximum operating pressure: 100 psi. at temperatures to 240 F. Cast-iron and aluminum bodies are available.

Compressor Control Panel: An automatic control panel for operation of up to five electric-motor-driven compressors from a single control point is a new product of Clark Bros. Co. (Olean, N.Y.). When set in the automatic position, the controls will start up and shut down the compressors in a preset sequence that prevents two units from starting or shutting down at the same time. Each compressor in the sequence must be running before the next unit can start. The panel can also be used to bring another compressor into operation automatically should an operating unit malfunction.

Pressure Tester: Consolidated

B.F. Goodrich Chemical raw materials



This new after-shave lotion provides a non-oily, non-greasy lotion with talc suspended in the formulation by Carbopol 934. It provides a two-in-one treatment—gives the same effect as applying talcum powder separately after applying lotion.

This suspension of talc in a water-alcohol base demonstrates the advantage you can get by using Carbopol water-soluble resins. You can vary the viscosity by varying the concentration of Carbopol—for example, 0.5% Carbopol produces stable suspensions with high viscosities, 0.3% Carbopol provides stable suspensions with low viscosity. And the suspension is permanent—making possible the squeeze-type bottle packaging used for this two-in-one after-shave lotion.

Carbopol water-soluble resins may be the answer to your need for improving a product or developing products for new markets. For information and samples, write Dept. JB-3, B.F.Goodrich Chemical Company, 3135 Euclid Avenue, Cleveland 15, Ohio. Cable address: Goodchemco. In Canada: Kitchener, Ontario.

"GRIN with the talc built in" is manufactured using Carbopol 934 by The Barbasol Company, Indianapolis, and is on sale at drug stores and cosmetic outlets everywhere. B.F.Goodrich Chemical Company supplies the Carbopol 934 water-soluble resin.



B.F.Goodrich Chemical Company a division of The B.F.Goodrich Company



GEON vinyls . HYCAR rubber and latex . GOOD-RITE chemicals and plasticizers

STRATEGIC SITES FOR CHEMICAL INDUSTRIES

Situated on deep water with railroad and ocean-going transportation, these sites are strategically located for the assembly of raw materials and with respect to domestic and world markets.

Other favorable features include virtually unlimited quantities of water for processing, ample labor supply, and proximity to large centers of population.

For detailed reports prepared on your specific requirements, address in confidence:

Warren T. White Assistant Vice President Seaboard Air Line Railread Company 3600 West Broad Street Richmond, Virginia




HARDER PASTE WAXES

Shanco W-1130 will greatly increase the hardness of a communic wax pasts.

To secure harder paste waxes, we recommend blending Shanco W-1130 and carnauba wax with thorough mixing before softer waxes are added.

Twenty-five to thirty-five per cent of Shanco W-1130 will work wonders on firmness and permit the inclusion of larger amounts of softer waxes.



(Corngula vs. Corneulu + SHANCO W-1138)

Your name and address and we'll send you THE SHANCO MESSENGER each month.



Plastics & Chemicals Inc.

PERMUTIT Q Cation Exchanger

Chemical structure: sulfonated polystyrene copolymer

Range of Screen analysis: 16 to 50 mesh Shipping wt. (backwashed and drained): 53 lbs./cu. ft.

Allowable pH range of solution: 0-11
Exchange capacity: up to 35 kgr./cu. ft.
(Na or H cycle)

Regenerants: Sodium chloride (Na cycle) Sulfuric or hydrochloric acid (H cycle) Rising space: 75% of bed depth Backwash rate: 4-5 gpm/sq. ft.

High capacity, cation exchanger. Resists wide pH ranges, high temperatures, oxidizing agents. Useful as catalyst, demineralizer, dealkalizer. Complete ion exchange service: Permutit Q is one of over 30 resins you can get through our unique ion exchange service, which includes (1) Resins, (2) Equipment, (3) Technical assistance. Write for 12-page bulletin, or for a sample of Permutit Q. Permutit Division, Dept. CW-90, 50 West 44th Street, New York 36, N. Y.


S PFAUDLER PERMUTIT INC.

American Services, Inc. (250 North Daphne Ave., Hawthorne, Calif.) is offering for lease or sale a new mobile unit for high-pressure test measurements at any plant location. The unit will measure the pressure, from 2,000 to 15,000 psi., of any type of gas. Its compressor will pressurize 300 running feet of 2-in. I.D. pipe to 15,000 psi. in 90 minutes. Effluent gases from static testing are air filtered, passed through a dehumidifier to maintain dew point required for testing.

Continuous Mix-Muller: The Simpson Mix-Muller Division of National Engineering Co. (Machinery Hall, Chicago 6, Ill.) is out with a new continuous muller-type mixer. It has two pans rather than a single pan as is used in the batch mixer. The solidsolid, dry-solid, or wetted-solid materials to be mulled enter one pan, are circulated through both pans before being discharged. The operation, called progressive batch mulling, is recommended for mixing applications where a relatively short batch cycle is satisfactory and high production, continuous processing is required. The new muller, tagged Multi-Mull, is available in six models with panretention capacities from 6 to 120 cu. ft. Hourly production rates range from 25 to over 2,500 cu.ft. of material.

Feeders: Thayer Scale Corp. (Pembroke, Mass.) is offering two new feeders-one, for hard-to-handle materials of flaked or fibrous type that are up to 11/2-in. in diameter, the other for flour-like materials that aerate and "flood." The Series C conveyor-feeder for hard-to-handle materials has a two-speed single conveyor belt with two flow-control gates. The unit has a capacity of 80 cfm. at 50% operating efficiency. The Series R rotary feeder for powdery materials has a motor-driven rotor that controls feed rate and pneumatically operated control gates. The unit comes in four models with 3- to 35-cfm. capacities at 75% operating efficiency.

Tote Bin: Tote System, Inc.'s (Beatrice, Neb.) new tote bins have automatic door openers. Previous models were opened with a ratchet handle after being tilted at a 45-degree angle to permit discharge of contents.



Dr. W. J. Wald, a Neville Senior Scientist, places a rubber sample in a plastometer in Neville's new rubber laboratories.

Constant research is conducted in the use and application of coumarone-indene resins in rubber compounding.

Your plastometer will show you why Neville C-I[®] Resins are a superior aid in rubber processing

The unique degree of plasticity derived from the use of Neville Coumarone-Indene Resins in rubber brings many benefits to your processing. You'll obtain improved mold flow, better knitting and a thinner flash line. Mixing, milling, calendering, and tubing will be faster, smoother, and cures will be more uniform.

But processing aid is not the only advantage gained by using Neville C-I Resins. You'll find marked improvement of tensile strength and elongation in many high quality formulations. Moreover, these resins are economically priced and may be used effectively to lower pound volume cost in highly loaded stocks while retaining physicals. They are available in flaked and

solid form and in a wide range of colors from $\frac{1}{2}$ to 16 Neville. Softening points are from 10° C. to 155° C. Use the coupon below to write for further information.

Resins—Coumarone-Indene, Heat Reactive, Phenol Modified Coumarone-Indene, Petroleum, Styrenated, Alkylated Phenol • Oils—Shingle Stain, Neutral, Plasticizing, Rubber Reclaiming • Solvents—2-50-W Hi-Flash*, Wire Enamel Thinners, Nevsolv* • High Purity Indene.

Neville Chemical Company, Pittsburgh 25, Pa.



☐ Please send info	rmation on Neville Coumarone-Indene Resin
NAME	TITLE
COMPANY	
ADDRESS	
CITY	CTATE



MODERN CHEMICALS OF PREFERRED QUALITY

ALCOHOL ESTERS-PLASTICIZERS

Butyl Stearate
Butyl Oleate
Propyl Oleate
Isopropyl Oleate
Isopropyl Myristate
Isopropyl Palmitate
Epoxy Plasticizers
Adipate Plasticizers
C₈-C₁₀ Plasticizers

GLYCERYL ESTERS-EMULSIFIERS

Glyceryl mono Stearate Glyceryl mono Oleate Glyceryl tri Oleate A complete line of glyceryl esters for foods, cosmetics and industry. Mono contents as high as 65%.

GLYCOL & POLYGLYCOL ESTERS—NONIONICS

Ethylene Glycol mono Stearate
Diglycol Stearate
Polyethylene Glycol 200
Polyethylene Glycol 400
Polyethylene Glycol 600
Polyethylene Glycol 600
Polyethylene Glycol 600

DISTILLED FATTY ACIDS

Stearic Acids
Oleic Acids
Coconut Fatty Acids
Vegetable Fatty Acids

NITROGEN DERIVATIVES-CATIONICS

The "Wilimids" are a series of surface active agents which exhibit strong cationic and germicidal activity.

 esters of other fatty acids, different alcohols or glycols also available.

WILSON-MARTIN

Snyder Avenue & Swanson Street, Phila. 48, Pa.

Div. of WILSON & CO., Inc.





Market Newsletter

CHEMICAL WEEK
September 10, 1960

Echoes of recent polyethylene price cuts are bouncing back from the packaging field this week. Tabs on several laminated packaging materials that combine polyethylene and aluminum foil have been slashed 7-10%. Reynolds Metals Co. initiated the move, says it's a direct result of lower polyethylene prices (CW, Aug. 20, p. 22).

The price cuts will vary, depending upon the specifications of two laminate combinations: aluminum foil-polyethylene-paper-polyethylene; and paper-polyethylene-foil-polyethylene.

Polyethylene and aluminum-foil laminates are one of the fast-growing outlets of aluminum foil for flexible packaging. Reynolds reports its sales of these materials doubled during the 12-month period ended June 30. And the company is highly optimistic about the future, already has expansion plans in the works that will triple polyethylene-foil capacity by the end of '60.

Originally, the company had one machine for polyethylene-foil production at its Bellwood, Va., packaging plant. Recently it installed a second, and will add two more later this year. Each machine is capable of extruding 2.5-3 million yds./month of polyethylene, and simultaneously laminate it to aluminum foil and paper.

Commerical products using packages made of these polyethylene-foil combinations include convenience dehydrated foods—e.g., mashed potatoes, soft drinks, soup, and many boil-in-bag frozen foods.

Canada continues its sulfur gains. Production and sales of recovered sulfur in Alberta, Canada, during the first half of '60 were well above comparable figures in '59, according to a report by the Alberta Bureau of Statistics. Sales rose the fastest, from 39,995 tons in first-half '59, to 106,145 tons during the same period in '60, an increase of 165.4%. Production also showed a sharp gain, from 90,161 tons in '59, to 196,185 tons this year, an increase of 117.6%.

Polyvinyl acetate producers are sitting on a powder keg this week. Following last week's drop in vinyl acetate monomer prices, pressure has been mounting to cut official tabs on the polymer. Vinyl acetate monomer prices were cut 1.9 e/lb, are down to 15.6 e/lb.

Major polyvinyl acetate producers contacted this week, however, are not anxious to take any fast action to cut prices further, point out that the new monomer tab still doesn't re-establish the monomer-polymer price differential in effect before Du Pont's $2\phi/lb$. across-the-board cut in Dec. '58 (CW Market Newsletter, Jan. 3, '59, p. 35).

The most concern over the source of future price cuts is from the smaller PVA producers who have gained their markets via the price

Market

Newsletter

(Continued)

route. This has resulted in price softness in some areas of the country. But among the bigger, integrated producers, the economics of producing polyvinyl acetate has not really changed, leaves little incentive for another price cut. And among the larger polymer producers who buy monomer, the present profit squeeze makes any further reductions unattractive at this time.

The recent Tariff Commission report on production of miscellaneous chemicals in '59 included some new entries, two of which caught some market observers by surprise. Ethyl acrylate, which has been a tough product to make market guesses on, was reported at 44.7 million lbs. At this rate, it is likely that '59 acrylate production was around 60 million lbs. Another difficult estimate, propylene oxide, came in strong at 288.4 million lbs. Production figures for '59 of other chemicals not reported in the '58 report included fumaric acid at 16 million lbs., and isopropyl acetate at 31.3 million lbs.

Increases in ammonia capacity are being studied by several producers in the Midwest and South. These increases, which would be accomplished via better catalysts and minor equipment changes, could lift output potential 25-30%/plant, add another 200-300 tons/day to existing U.S. capacity. Reason behind such moves is to supply the booming ammonia market in those parts of the country with a relatively small capital investment.

Commercial production of four organophosphites is now under way at Hooker Chemical Corp.'s new unit at Niagara Falls, N.Y. Products produced include triphenyl, diphenyldecyl, phenyldidecyl and tridecyl phosphites. In addition, six other organophosphites are nearing sales status, with 50 more such compounds undergoing product evaluation in the field.

Overseas capacity for electronic-grade silicon is rising. In Belgium, Societe Generale Metallurgique de Hoboken has developed a new industrial process for production of silicon, is now constructing a large-scale plant at Olen. Completion is expected about the beginning of '61; capacity will be 1,000 kilograms/month. Output will cover the whole range of "p"- and "n"-type resistivity. The company already operates a small plant at Olen for production of polycrystalline silicon and single crystals.

Chemical shippers have weathered the Pennsylvania Railroad strike well so far. Many firms report no problems in diverting shipments or in finding enough trucks for their needs.

But things likely will get tougher for purchasing and traffic men next week if the strike isn't settled by then.

Dow C.P.I. file


CHEMICAL ISOLATION

New techniques are allowing chemical separations and isolations formerly impossible. With this issue, Dow begins a new CPI File Series, "Chemical Isolation."

Practical, new applications of old processes are giving chemical processors separation and isolation methods with a high resolving power. Among these processes are ion exchange, chelation, flotation, and extraction.

In ion exchange, Dow has available a long list of ion exchange resins of both the cation and anion types. Today these improved resins and the advanced technology of the ion exchange process have been responsible for the broad acceptance of ion exchange as a chemical processing unit operation. Specific applications of Dowex® ion exchange resins will be presented in this series with new information being presented as it is developed.

Chelating agents also are adding a fineness to chemical processing that allows a very delicate control of metal ions. Again, while the chelating process is old, new chelating products and technology have extended the use of chelates throughout the chemical industry.



Future advertisements in this series will take up flotation, extraction, and other chemical isolation processes. Additional information on the application of the Dow chemicals in this series is readily available. A coupon is included for this purpose on the second page following.



THE DOW CHEMICAL COMPANY . Midland, Michigan


Dow C.P.I. file



CHEMICAL ISOLATION

ION EXCLUSION is a branch of ion

exchange chemistry notable for the efficiency and simplicity of its action. Described below and on the next page is an ion exclusion process using Dowex ion exchange resins. This process shows a method of separating ionized materials from non-ionized or slightly ionized materials when both are present in a water solution. No chemical regenerant is needed. The separation is dependent upon the physical and chemical properties of the resin, and no net ion exchange takes place.



WHEN AN AQUEOUS SOLUTION of two or more solutes is passed through an ion exclusion column, a separation of the solutes occurs and they appear in separate fractions in the effluent. Briefly, this is what happens: When an aqueous solution of solutes (such as NaCl and glycerine) is run through an ion exclusion column of ion exchange resin, the nonelectrolyte tends to concentrate inside the resin particles while the electrolyte has a higher concentration in the interstitial liquid. Although this separation is dependent on many variables, the most important is the distribution constant K_d , shown in the equation at the right, where C_1 is the concentration of the solute in the resin phase, and C_0 is the concentration of the solute in the solution outside the particle. For example, with Dowex 50W, K_d for glycerine is 0.59 and for NaCl is 0.19. This differential in K_d 's makes the separation of solutes possible, and can be used to determine the order in which a group of solutes will travel down an ion exclusion column. In the case of an aqueous solution of ionic and nonionic solutes, the ionic material appears in the effluent first.


$$K_d = \frac{C_i}{C_o}$$

ION EXCLUSION

LOW-COST IONIC-NONIONIC SEPARATIONS WITH ION EXCLUSION PROCESS

Results obtained from operating a pilot plant, using the ion exclusion process for the separation of crude glycerine from its dissolved salts, proved to be predictable. Lack of necessity for chemical regeneration in this process is an important factor in the low cost of operation. Other typical separations achieved by the use of ion exclusion are: acids and salts from alcohols, glycols, and amino acids; the separation of strongly ionized from weakly ionized materials such as acetic acid and mineral acids; and mono-, di-, and tri-chloroacetic acid.

The glycerine obtained from the pilot plant, which was finished by ion exchange and evaporation, meets or exceeds U.S.P. specifications for glycerine. Although U.S.P. glycerine cannot be made economically by the ion exclusion process alone, further processing of the glycerine effluent from the ion exclusion column by ion exchange to remove the remaining trace of ionic material and concentration by evaporation will produce U.S.P. glycerine of a very high quality. A cost analysis indicates that U.S.P. glycerine could be produced by ion exclusion followed by ion exchange and evaporation for one cent per pound.



PILOT PLANT ELUTION CURVE. Graph shows pilot plant elution curve when feeding approximately 30% crude glycerine and 2.5% salt. Feed was made by diluting, with softened water, 82% crude glycerine. Since these eluant curves remain constant under proper aperating conditions, a time cycle can be developed from the curve for automatic operation.

CHELATION

CONTROL UNDESIRABLE SIDE EFFECTS OF TRACE METAL IONS WITH CHELATING AGENTS

Chelating agents can control many of the undesirable side effects which metal ions cause in processing operations. So effective are the new chelating agents that metal ions, even though still in solution, are virtually eliminated from reactions and are difficult to detect even by chemical means. If a number of different metal ions are present in a system, a chelating agent will complex with the metals in a

predictable order of decreasing stabilities. For example, if copper, zinc, and calcium are present in a system, all the copper will be chelated first, then the zinc, then the calcium. Nearly all polyvalent metal ions react to form stable chelates.

VERSENE® 100 and VERSENEX® 80 are the most widely applicable Dow chelating agents. Both are broad-spectrum chelating agents forming complexes with the same metal ions. Generally, the stabilities of metal ion chelates of Versenex 80 are greater than those of Versene 100. Versenex 80 is, in general, indicated where unusual stability requirements are necessary.

Specialty Chelating Agents are available from Dow for specific problems such as iron control at basic pH, and heavy metal control in strong concentrations of the hardness ions.

Wherever metal ions are found, Dow chelating agents can probably help to control them. Write, stating your problems, to Dow, or mail coupon for descriptive literature.

VERSENE PRODUCTS SOLVE MANY METAL ION PROBLEMS Formation of unwanted insoluble precipitates

Deposition of sludges and scales

Catalytic promotion of unwanted reactions

Reaction with complexing agents to give unwanted colors

Oxidative breakdown and spoilage of organic material

(soaps, fats, oils, flavors, pharmaceuticals, etc.)
Actions causing instability in emulsion systems

Interference with processing steps (bleaching, dyeing, plating, finishing, etc.)

See "The Dow Hour of Gr	eat Mysteries" on TV.
The Dow Chemical Company, Midland, Chemicals Merchandising Dept. 428A.	
Dowex Ion Exchange Book	Keys to Chelation Booklet
Name	
Position	Company
Address	
Class	Tone Plate



THE DOW CHEMICAL COMPANY

Midland, Michigan



Wherever you are, there's a Du Pont Chemical Agent for Methanol, Urea, "Hytrol" O and "Hexalin" ready to serve you

For Methanol:

ARIZONA Phoenix	Braun Chemical Co.
San Diego	Braun Chemical En. Braun Chemical Co. Braun-Knecht-Heimann Co.
COLORADO Denver	Braun-Knecht-Heimann Co.
Miami Orlando Tampa	Apperson Chemical, Inc. Biscayne Chemical Labs., Inc. Lenfestey Supply Company Lenfestey Supply Company Miller-Lenfestey Supply Co.
GEORGIA Atjanta	Chemical Services, Inc.
	Van Waters & Rogers, Inc.
Addison	Phillips & Martin Co. Central Solvents & Chemicals Co.
I NDI ANA Ft. Wayne	Hoosier Solvents & Chemicals Corp . Hoosier Solvents & Chemicals Corp .
Des Moines	
Wich ita	McKesson & Robbins, Inc.* Universal Motor Oils Co., Inc.
KENTUCKY Louisville	Dixie Solvents & Chemicals Co.
Lafayette	Chemical Service, Inc. Southern Solvents & Chemicals Corp.
MARYLAND Baltimore	Leidy Chemicals Corp.
MASSACHUSETTS Boston Fall River Westfield	Howe & French, Inc. Borden & Remington Company Eastern Chemicals, Inc.
METROPOLITAN NEW YOR	tikStoney-Mueller, Inc.
MICHICAN	Western Solvents & Chemicals Co.
Sharada & Page Branch	


	,,
Grand Rapids	Wolverine Solvents & Chemicals Co.
MINNESOTA	
St. Paul	Lyon Chemicals, Inc.
MISSOURI	
Joplin	McKesson & Robbins, Inc.*
	c /o Union Transfer & Storage Co.
Kansas City	McKesson & Robbins, Inc.®
Kansas City	Missouri Solvents & Chemicals Co.
St. Louis	McKesson & Robbins, Inc.* Missouri Solvents & Chemicals Co. Missouri Solvents & Chemicals Co.
Springfield	
NEBRASKA	c/o General Warehouse Corp.
Omaha	Miller Chemical Co.
NEW JERSEY	
Lyndhurst, N. J	Stoney-Mueller, Inc.
NEW MEXICO	
	Braun Chemical Co.
NEW YORK	
Albany	Eastern Chemicals, Inc.
Binghamton	Collier Chemicals, Inc. Buffalo Solvents & Chemicals Corp.
Buffaio	Buffaio Solvents & Chemicals Corp.
Johnstown	S. H. Ireland Chemical Co.
New York	Stoney-Mueller, Inc.
Rensselaer	Stoney-Mueller, Inc. Eastern Chemicals, Inc.
Syracuse	Eastern Chemicals, Inc.
NORTH CAROLINA	
	Cardinal Products, Inc.
ОНІО	
Cincinnati	Amsco Solvents & Chemicals Co.
Cleveland	Ohio Solvents & Chemicals Co. Toledo Solvents & Chemicals Co.
	I Gledo Solvents & Chemicals Co.
OKLAHOMA	
Oklahoma City	
	Ward Chemical & Supply Co.
OREGON	
Portland	Van Waters & Rogers, Inc.
PENNSYLVANIA	
Pittsburgh	Vitro Manufacturing Co.
RHODE ISLAND	CONTRACTOR OF THE PARTY OF THE
Browidson	Borden & Remington Co.
	borden & Remington Co.
TENNESSEE	Chapman Chemical Co.
Memphis	Chapman Chemical Co.
	Chapman Chemical Co.
TEXAS	
Dallas	Texas Solvents & Chemicals Co.
Dallas	
El Paso	Braun Chemical Co.
Houston	Braun Chemical Co
Nouston	van waters & Rogers, Inc.
99 Marchania Chemical Branch	

UTAH Salt Lake City	Braun-Knecht-Heimann Co. Wasatch Chemical Co.
WASHINGTON Seattle Spokane	. Van Waters & Rogers, Inc. . Van Waters & Rogers, Inc.
WISCONSIN Chippewa Falls	Solvents & Chemicals Corp.

For Urea:

ALABAMA F. H. Ross & Co. Birmingham. F. H. Ross & Co. Mobile F. H. Ross & Co.
ARIZONA PhoeniaBraun Chemical Company
CALIFORNIA Los Angeles . Braun Chemical Co. San Diego Braun Chemical Co. San Francisco Braun-Knecht-Heimann Co.
COLORADO Denver
CONNECTICUT Stamford
FLORIDA Jacksonville
GEORGIA F. H. Ross & Co. Atlanta F. H. Ross & Co. Columbus F. H. Ross & Co. Savannah F. H. Ross & Co. \$10AHO F. H. Ross & Co.
BoiseVan Waters & Rogers, Inc.
#LLINGIS Chicago
RODIANA Fort Wayne Hoosier Solvents & Chemicals Corp. Indianapolis Hoosier Solvents & Chemicals Corp.
KENTUCKY Louisville
LOUISIANA McKesson & Robbins, Inc. Rew Orleans. McKesson & Robbins, Inc. McKesson & Robbins, Inc.
MARYLAND BaltimoreLeidy Chemicals Corp.
MASSACHUSETTS Fall River Stoneham. George Mann & Co., Inc. Worcester. Chemical Sales & Service Co., Inc.
MICHIGAN DetroitEaton Chemical & Dyestuff Co.

***Stamford Chemical Branc



Du Pont agents for Methanol, Urea, Hytrol® O and Hexalin® take a personal interest in you and your business

His knowledge and understanding of the local business conditions can often result in dollar-and-cents benefits to you.

A single phone call to him assures prompt delivery of Methanol, Urea, "Hytrol" O and "Hexalin"... whether it be a single drum, a truckload or even a tank wagon. No need to carry large inventories when your Du Pont Chemical Agent is serving you. Storage problems ("off-color," etc.) can be eliminated.

Technical service also is as close as your phone. In short order, your local agent can arrange for a Du Pont representative to assist you on these products.

Capitalize on these advantages and lighten the load of your business problems! Du Pont Company, Industrial and Biochemicals Department, Wilmington 98, Delaware.




BETTER THINGS FOR BETTER LIVING . . . THROUGH CHEMISTRY

REINNESOTA Duluth. McKesson & Robbins, Inc. ** Minneapolis McKesson & Robbins, Inc. **
MISSISSIPPI Jackson
MISSOURI Kansas City McKesson & Robbins, Inc.* St. Louis Missouri Solvents & Chemicals Co. Missouri Solvents & Chemicals Co.
NEW HAMPSHIRE Merrimack New England Chemical Supply Corp.
NEW JERSEY Newark. National Oil & Supply Co. Paterson Brown Chemical Co., Inc.
NEW MEXICO Albuquerque Braun Chemical Co.
NEW YORK Buffalo Chemical Sales Corp. Hicksville, L.I. National Oil & Supply Co. New York McKesson & Robbins, Inc. **
NORTH CAROLINA F. H. Ross & Co. Charlotte F. H. Ross & Co. Greensboro F. H. Ross & Co. Raleigh F. H. Ross & Co.
OHIO Cincinnati McKesson & Robbins, Inc.** Cieveland Ohio Solvents & Chemicals Co. Columbus McKesson & Robbins, Inc.**
OREGON Portland Van Waters & Rogers, Inc.
PENNSYLVANIA Altonia Western Penna. Chemical Co., Inc. Erie Western Penna. Chemical Co., Inc. Hiddelown (Harrisburg) Western Penna. Chemical Co., Inc. Philadelphia Pionee Salt Co. Pittsburgh Western Penna. Chemical Co., Inc. Reading Textile Chemical Co., Inc.
RHODE ISLAND Providence Borden & Remington Co. Providence George Mann & Co., Inc.
SOUTH CAROLINA F. H. Ross & Co. Columbia F. H. Ross & Co. Greenville F. H. Ross & Co.
TENNESSE Burkart-Schier Chemical Co. Chattanooga Burkart-Schier Chemical Co. Knoxville Burkart-Schier Chemical Co. Knoxville F. H. Ross & Co. Mashville Burkart-Schier Chemical Co.
TEXAS Van Waters & Rogers, Inc. Dallas. Braun Chemical Co. El Paso. Braun Chemical Co. Houston Van Waters & Rogers, Inc.
Salt Lake CityBraun-Knecht-Heimann Co.

SeattleSpokane	Van Waters & Rogers, IncVan Waters & Rogers, Inc
WISCONSIN	
For Hytrol®	D:
	Braun Chemical Co.
CALIFORNIA Los Angeles Los Angeles San Diego San Francisco	Braun Chemical Co. McKesson & Robbins, Inc.† Braun Chemical Co. Braun-Knecht-Heimann Co.
COLORADO Denver	Braun-Knecht-Heimann Co.
II I INOIS	Central Solvents & Chemicals Co.
Fort Wayne	Hoosier Solvents & Chemicals Corp. Hoosier Solvents & Chemicals Corp.
KENTUCKY Louisville	Dixie Solvents & Chemicals Co.
New Orleans	Southern Solvents & Chemicals Corp.
MARYLAND Baltimore	Leidy Chemicals Corp.
MASSACHUSETTS Boston Worcester	Howe & French, Inc. Chemical Sales & Service Co., Inc.
MICHIGAN Detroit	Western Solvents & Chemicals Co.
MINNESOTA Minneapolis	McKesson & Robbins, Inc.**
MISSOURI Kansas City St. Louis	Missouri Solvents & Chemicals Co Missouri Solvents & Chemicals Co.
NEW JERSEY Newark	Chemical Solvents, Inc.
NEW MEXICO Albuquerque	Braun Chemical Co.
NEW YORK	Buffalo Solvenis & Chemicals Corp.
Cleveland	Amsco Solvents & Chemicals Co. Ohio Solvents & Chemicals Co. Toledo Solvents & Chemicals Co.
TEXAS Dallas	Texas Solvents & Chemicals Co.

Salt Lake City	Braun-Knecht-Heimann Co.
WISCONSIN Milwaukee	Wisconsin Solvents & Chemicals Corp.
For Hexal	
ARIZONA	Braun Chemical Co.
CALIFORNIA Los Angeles Los Angeles San Diego	Braun Chemical Co. McKesson & Robbins, Inc.† Braun Chemical Co. Braun-Knecht-Heimann Co.
Chicago	
Fort Wayne	
KENTUCKY Louisville	Dixie Solvents & Chemicals Co.
MASSACHUSETTS Boston Worcester	
MICHIGAN	
MISSOURI Kansas City St. Louis	
NEW JERSEY Newark	Chemical Solvents, Inc.
NEW MEXICO Albuquerque	Braun Chemical Co.
NEW YORK Buffalo	
Cincinnati	Amsco Solvents & Chemicals Co. Ohio Solvents & Chemicals Co. Toledo Solvents & Chemicals Co.
TEXAS Dallas	Texas Solvents & Chemicals Co. Braun Chemical Co. Texas Solvents & Chemicals Co.
HTAH	Braun-Knecht-Heimann Co.
WISCONSIN	Wisconsin Solvents & Chemicals Corp.

† Mefford Chemical Co. Branch



In diatomites, Johns-Manville precision processing works for you

Celite diatomite absorbs its own weight of liquid...yet stays 'dry'

No matter which of the many available grades you choose, you can depend on a given volume of inert Celite* to retain its typical dry-powder characteristics even after absorbing its own weight of liquid.

Actually, Celite can absorb a total of more than twice its own weight. That's because a mass of the fine skeletal particles is approximately 93% air space or voids. Yet, in spite of this very high porosity, Celite is essentially non-hygroscopic.

Other unique properties—extremely high bulk, irregular particle shape and large available surface area—ideally suit Celite to hundreds of mineral filler applications. It is produced with precision from the world's purest commercially available dia-


tomite deposit. It offers a wide choice of grades, each carefully controlled for complete uniformity.

For technical data on specific mineral filler or filtration problems, talk to your nearby Celite engineer. Or write to Johns-Manville, Box 14, New York 16, N. Y. In Canada, Port Credit, Ontario.

*Celite is Johns-Manville's registered trademark for its

JOHNS-MANVILLE





Bullish Styrene Makers Go on Building

Is the styrene market heading for a glut? Although there are a number of pessimists who predict the likelihood of such an event, the majority of market experts are generally optimistic over the prospects for styrene monomer demand.

They point to surging plastics markets—particularly high-stepping polystyrene—and steadily growing styrene-butadiene rubber business to furnish the needed outlets for swelling styrene output.

There have been a rash of recent styrene expansions (CW, July 30, p. 21). Monsanto, for one, continues its scouting activities for a site for a proposed 100 million lbs./year unit. Most likely location: the Gulf Coast area.

Result of such activity is that styrene monomer capacity keeps climbing (see chart above). Between now and early '62 monomer capacity will leap nearly 700 million lbs.; from present capacity of 1.56 billion lbs. to 2.2 billion lbs. in '61 and at least 2.37 billion lbs. by '62.

Since its last production set-back in '54, styrene demand has moved up rapidly, from 704 million lbs. in that year to 1.57 billion lbs. in '59. This was 350 million lbs. more, or 28% higher, than '58's output. And demand for '60 continues to set a fast pace.

During the first six months of '60, styrene monomer output was at a rate of 1.75 billion lbs. While the summer slack has pulled this level down, producers are looking for a fall pickup that will put year-end totals close to 1.7 billion lbs., an increase of 8% over '59. Producers contacted this week say the pickup has already started, with orders for the raw material starting to come in strong. By '62, production is expected to pass the 2 billion lbs./year mark

Polystyrene Now Tops: Booming plastics markets account for this optimism. Topping the list are styrenetype resins, now the major outlet for styrene monomer, and accounting for some 50% of monomer output. This year heavier polymer demands will push these resins over the billion pound/year mark, topping last year's peak of 977 million lbs.

Within this group, straight polystyrene, used for molding and extrusion, is the largest volume resin. This year output of polystyrene is holding strong, will probably be up more than 80 million lbs. to an estimated 750 million lbs.

To meet current and future demands, several producers have recently expanded polystyrene capacity; other hikes are on the way. Dow recently completed one enlargement of its polystyrene foam capacity, and is reported to be considering an additional one.

Rexall's Granada division at Santa Ana, Calif. is presently upping capacity from 8 to 12 million lbs./year. Foster-Grant and Koppers plan respective additions of 25 million lbs. and 10 million lbs. to be completed next year if everything proceeds smoothly as planned.

Plastic Materials and Polymers, Inc. (Hicksville, Long Island, N.Y.), recently started construction on a 6-million-lbs./year plant, expected onstream in Jan. '61, which can easily be expanded to about 12 million (CW, July 30, p. 41). Shell joined

U. S. Styrene Monomer Capacity

(million pounds)

Producer	Location	Estimate '60	d capacity
Cosden-Grace	Big Spring, Tex.	20	70
Dow	Freeport, Tex.	350	500
	Midland, Mich.	200	350
Foster-Grant	Baton Rouge, La.	105	145
Koppers	Kobuta, Pa.	185	185
Monsanto	Texas City, Tex.	400	500
	Probably Gulf area	_	100
Odessa Styrene	Odessa, Tex.	60	80
Shell	Torrance, Calif.	140	215
Sinclair-Koppers	Houston, Tex.	_	70
Suntide	Corpus Christi, Tex.	_	60
Union Carbide	Institute, W. Va.	100	100
		1.560	2,375

the ranks of commercial polystyrene producers only last month to become the 13th polystyrene producer. Of these, five major ones turn out almost 90% of the polystyrene molding material in this country.

Amoco had plans earlier for a new, 30-million-lbs./year polystyrene plant but the project has since become inactive and further work has been suspended. Amoco decided to shelve the plant for two reasons: (1) the downward trend of polystyrene prices and (2) Amoco had planned to use a nonconventional process and ran into formidable technical difficulties that would have taken time and money to iron out. But most other industry men hold a more enthusiastic opinion of polystyrene's future, as indicated by their own moves to hike capacity.

In work is a move by one major producer that should boost styrene usage. This producer is planning to introduce a number of specially formulated polystyrene resins designed to better compete in areas now dominated by wood, paper, metal and other plastics. The move to broaden polystyrene's scope—mainly into furniture and containers—will come about

through modest price cuts of specific resins down to the level of generalpurpose resin pricing.

Many Markets: Underlying the phenomenal growth in polystyrene molding materials are two major consumer areas that account for almost 40% of this thermoplastic's market. Major appliances, largely refrigerators and air conditioners, and packaging have upped polystyrene demand so much in recent years that it is headed toward the same volume class as vinyl and polyethylene—both billion-pound plastics in '59.

While refrigeration uses will consume 20% of the polystyrene molding material this year (150 million lbs.) a slowdown in the large appliance market took the edge off of the expected increase in polystyrene during the first half of '60. (Some observers predicted this year would show almost as much gain as '59 had over '58.)

Packaging—including containers, films, cushioning and insulation material—has been growing the fastest of any polystyrene market, now consumes about 15% of output. Many feel that its volume will soon surpass that of refrigeration and move into

first place. The bulk of styrene used here is the general-purpose and impact material for containers.


One smaller polystyrene area but growing quietly as the result of stepped-up research programs—is expanded polystyrene foam. With an expected market this year of about 50 million lbs., it is possible this outlet could multiply swiftly if new products catch the consumers' fancy.

One example: thin (10-30 mils) polystyrene foam sheet (Monsanto's Santofome and Dyna-foam Corp.'s Dyna-foam), which has been successfully laminated to paper cups and bags. The product will compete with conventional 2-ply paper, aluminum foil and fibrous material as container insulation. A battle of production costs with some patent overtones still lies ahead but commercial production is nevertheless expected within a matter of months.

Typifying enthusiasm for sheet foam's future is Dyna-foam President Joseph Resnick, who estimates that 10-20 million lbs. of Dyna-foam will be turned out in '61 with that figure climbing to 100 million lbs. within five years.

Autos Carry Styrene Rubber: Another major force pushing up styrene demand is synthetic rubber (SBR), which now constitutes about one-third of monomer consumption. Last year, with production of SBR up 28% over '58, SBR passed the million-long-tons mark. Today SBR represents nearly two-thirds of all rubber going into tires and tire products. While this proportion of the rubber market is not likely to change much, due to a fixed minimum demand for natural rubber, total volume will be increased as the rubber industry expands. With '60 automotive business moving nicely. SBR is expected to receive a 15% boost this year to 1.2 or 1.3 million long tons.

Other Polymers Growing: Co- and ter-polymer materials have also kept close pace with monomer growth. ABS materials (acrylonitrile/buta-diene/styrene), marketed by Marbon (Cycolac), and U. S. Rubber (Kralastic and Royalite) were joined by a new producer last month when Goodrich Chemical (Abson) entered the field (CW Market Newsletter, Aug. 13). In the last six years demand for these resins has swelled from 12 million lbs. to an estimated 30 or



Henry LaRue, Ammonia Area Superintendent, Spencer Chemical Company, Vicksburg, Mississippi explains...

How we compress four different gases with a team of four Cooper-Bessemer compressors

"Our entire ammonia plant depends on the uninterrupted flow of component gases, compressed by four Cooper-Bessemer GMW-8 Compressors," reports Mr. LaRue. "These four 2000 hp gas engine driven units have been the heart of our system 24-hours a day, day in and day out, since 1953.

"Two of the compressors, with five cylinders each, compress three different gases...air, nitrogen and methane. The other pair of compressors pump a synthesis gas mixture of hydrogen and nitrogen.

"Despite their 'round-the-clock operation for seven years, none of these Cooper-Bessemer compressors has had a major down-time for maintenance. They represent a sound investment."

Cooper-Bessemer engineers are at your service to help you plan compression and power facilities. Call the nearest office. BRANCH OFFICES: Grove City • New York • Washington Gloucester • Pittsburgh • Chicago • Minneapolis • St. Louis • Kansas City • Tulsa • New Orlean • Shreveport • Houston • Greggton • Dallas Odessa • Pampa • Casper • Seattle • San Francisco • Los Angeles SUBSIDIARIES: Cooper-Bessemer of Canada, Ltd. . . . Edmonton Calgary • Toronto • Halifax • Stratford

C-B Southern, Inc. . . . Houston

Cooper-Bessemer International Corp.... New York • Caracas • Anaco Cooper-Bessemer, S.A.... Chur, Switzerland • The Hague, Netherlands Mexico City

The Rotor Tool Company . . . Cleveland



CUSTOM WORK

- ARAPAHOE affords Complete Protection for your Ideas.
- Prompt Service.
- · Proved Capability of Technical Staff.
- · Flexibility in Business Matters.
- . Minimum of Red Tape.

Two areas wherein ARAPAHOE LOWERS COST FOR CUSTOMERS

- We are especially qualified for operations via the Grignard Reaction . . . were first to make GRIGNARD REA-GENTS commercially available.
- We specialize in producing organic compounds, intermediates (used in making hormones, vitamins, etc.) and semi-finished drugs, insecticides and pesticides on a volume basis.

YOU too, can hire us. Ask Dept. "A" for new booklet "Made to Order Chemicals by Arapahoe." (Your letter-head, please!)

ARAPAHOE CHEMICALS, INC.

SODIUM SULPHATE

(Anhydrous)

SALT CAKE



MARKETS

Styrene End-Uses

	million
Polystyrene	750
Synthetic rubber (SB-R)	525
Polyester resins	65
Protective coatings	70
(styrene-butadiene latex, alkyds)	
High-impact and other resins	100
Exports	140
Total 1	650

40 million lbs. this year. Typical applications include telephone headsets, luggage, pump impellers, tool handles, and similar uses where the material must withstand much abuse.

Protective coatings now take an estimated 70 million lbs./year of the monomer, the bulk being consumed in styrene-butadiene latexes for paint bases. Most of the balance goes into alkyd resins.

Polyester resin output has grown considerably in the past 3-4 years, now consumes an estimated 65 million lbs. of styrene monomer. This outlet is expected to grow rapidly.

Monomer in Motion: The monomer situation, meanwhile, is not all that it appears to be. The 140-millionlbs. discrepancy between this year's estimated monomer production of 1.7 billion lbs. and the rated capacities of producers (see chart, p. 124) is due to two factors: (1) Demand has forced producers to turn out material over and beyond rated capacities and (2) some of the substantial monomer expansions (Dow's 300 million lbs. and Monsanto's 20 million lbs.) are already partially in operation and thus tend to swell the production figure without affecting theoretical capacity.

Exports of styrene monomer dropped off somewhat last year—from 130 to 80 million lbs. While this market was expected to be on the downslide this year because of several foreign monomer plants coming onstream, the drop is not materializing. In fact, this year should see even more monomer exported than in '58, with total overseas shipments hitting about 140 million

lbs. This figure will probably remain relatively steady for the next few years, then be gradually reduced as more foreign monomer capacity comes onstream.

With styrene demand expected to be about 2 billion lbs./year by '62, the industry will be running at the seemingly high rate of 85% of capacity. Even at this level there will be more than 350 million lbs. of idle capacity. But if major new plastics are developed—as predicted by many plastics experts—producers will be able to cash in on their optimism.


No Cobalt Crisis

There's enough cobalt now stockpiled in the U.S. to feed industry for the next few years, even if world production should drastically drop, F. R. Morral recently told the Permanent Magnet Producers Assn. in Chicago. In addition, the cobalt production facilities in this country and Canada would be more than sufficient to match the present cobalt demand of 5,000 tons/year, he explained.

With the normal source of much of the U.S.'s imported cobalt coming from Cuba and from the Congo, there had been some concern about scarcity. Political friction has caused Cuban sources to be cut off, at least temporarily, while mining operations in the Katanga province of the Congo are now uncertain. Mining was suspended in mid-July, but it has since been resumed.

Morral, director of the Cobalt Information Center, believes that with other sources of supply operating normally there should be no cause for concern in the U.S. He based his optimism on these points:

- New methods to recover cobalt from low-grade ores have been developed, and conventional processing improved.
- (2) Plant facilities have been increased throughout the world. If necessary, the U.S. and Canada together could produce more than 6,000 tons of cobalt each year.
- (3) Annual consumption of cobalt and cobalt alloys in the U.S. has remained fairly constant over the past 10 years—about 5,000 tons/year.
- (4) Cobalt stockpile in the U. S. is 27,000 tons, should last five years.



MOST-VERSATILE SUGAR KNOWN

Lactore is an amazing sugar with unlimited uses. It can improve your present products and help you develop new ones. It can lower your costs, simplify your processing. New uses are being discovered for it every day.

Only Western can supply you with all forms of Lactose—five grades, ten granulations. Strict chemical and bacteriological specifications and a rigid quality control program assure highest quality.

Take a fresh look at the characteristics of Lactose. One of the grades or granulations may help solve a problem you are working on right now. For free samples and information, write our Technical Service, Department 20D. (Tell us the applications you are considering.)



WESTERN CONDENSING COMPANY

Appleton, Wisconsin World's Largest Producer of Lactose-Pure Milk Sugar

Distributed Nationally by Chemical Department, McKESSON & ROBBINS, INC.



MEETS YOUR COMPLETE NEEDS FOR

organic di-valent sulfur compounds



COMPLETE MODERN PRODUCTION FACILITIES

... especially suited to organic di-valent sulfur compound manufacture. Eliminates investment in special equipment not in full-time use.



EXPERIENCED RESEARCH AND DEVELOPMENT STAFF

. . . saves you money on process development costs.

AVAILABLE IN COMMERCIAL QUANTITIES

Mercapto Acids, Thioethers, Disulfides, Thiophenols, Amino Mercaptans, also Alkyl and Aryl derivatives of the above classes of compounds. Or Evans can tailor your sulfur compound requirements.

Add this plant to your present facilities... at no extra cost!

For full information, fill in and mail coupon today.



EVANS CHEMETICS INC. 250 E. 43rd St., New York 17, N.Y.

- Send me a complete list of available organic di-valent sulfur compounds.
- ☐ I would like additional information on
- ☐ Have your representative call me

Name

Position

Address

Company



Deuterium officers McComb and Spevack discuss results of pilot stock offering in new company.

Planning for Heavy-Water Process Profits

The end of a long, weary road and the beginning of a better one appeared to be in sight this week for atomic inventor Jerome Spevack, whose battle for his rights in government-used processes has set legal precedents. Spevack last week completed the sale of a \$300,000 stock offering in Deuterium, Corp., a company formed to exploit his heavy-water manufacturing process.

The offering, which amounted to 30,000 shares of 5% noncumulative, redeemable, convertible preferred stock, will go mainly to secure office space for the company, carry on windup litigation for compensation for the government's use of Spevack's process, and organize for a larger public offering late this year that would raise funds to build the nucleus of a chemical complex on a site

"within 60 miles of New York City."

Basis: The core of Deuterium is Spevack's key patent on the processing of water to make deuterium oxide for use as a moderator in atomic reactors. In a precedent-setting series of litigations, Spevack was able to prevent disclosure by the Atomic Energy Commission of his process until he could patent it both here and abroad (CW, Aug. 1, '59, p. 45). According to Spevack, his process brought the direct cost of making deuterium oxide down from an original \$210/lb. to \$13.41.

Now, Spevack believes, worldwide demands for heavy water will eventually far outstrip the capacity of AEC's plant at Savannah River, Ga. Since other manufacturers around the world use costlier processes than his, Spevack thinks private production via his system would be highly profitable. He cites as an indication of his market a study by the Organization for European Economic Cooperation (OEEC) that says that by '75, assuming that some 25% of all reactors installed worldwide by that time will be heavywater-moderated, there will be a demand for "some 7,500 tons of D₂O."

In this context, and considering the tremendous investment required for the building of a heavy-water plant, it's apparent that production and marketing of D₂O by the new firm is at least five years off. Therefore, says Spevack, Deuterium, Corp., will turn its immediate attention to more common chemicals and the building of a staff and research organization. By selling research and by making low-cost, readily salable chemicals, he hopes to start and maintain the organ-

ization necessary to eventually capitalize on his heavy-water patents.

Spevack refuses to say now what chemicals he plans to make until he can produce deuterium. For the long range, look for deuterated chemicals along with heavy water. Current research indicates commercial uses for some of these materials.

Press Suits: Meanwhile, the company has potential assets in possible compensation for the use of the Spevack process. Suits have not yet been filed, but Spevack is convinced that when they are they will be successful. Contributing to his optimism: the U.S. government is already on record as saying that "if [Spevack] has a patentable improvement which the commission has utilized he is entitled to just compensation for such use." Under the laws, the company—to which Spevack has assigned an interest in his patent-could collect for use of the process both before patenting and afterward.

Although Spevack will make no judgment on how much the compensation might be, he does point out that the cost savings—the difference between \$210 and \$13.41—from his process multiplied by the amount of production since it was first utilized amount to about \$2 billion.

Organization: Right now, Spevack's company amounts to himself, as president, his wife Ruth, as secretary, and a vice-president for sales, Richard McComb; added to this is a nine-man board of directors. Later, of course, as plans for the next offering shape up, and more funds come in, a research and sales staff will be added.

Spevack has made one important innovation in the policy of the firm with respect to the rights of its scientists and engineers—a policy based on his own experiences in trying to capitalize on his invention. Although employees will follow the standard practice of assigning their inventions to the company they will "retain a property right entitling [them] to receive a 15% share of the net proceeds or royalties realized" from them. This continues even if the employee leaves the company.

Outlook: Spevack's venture is obviously a long-range affair. Nevertheless, friends and observers say, his doggedness in establishing his patent rights indicate that he will eventually achieve his aims.

Revamping for a Second Try

Last week, while Deuterium, Inc., was optimistically mapping its future (see preceding story), another relatively new company, Century Chemical Corp., was energetically trying to find the road back to the bright future it had once sighted. With a new—and strictly temporary—hand at the wheel, a severely pruned staff and a breathing spell granted by creditors, the company hopes once more to set a course for profits.

The temporary guiding force at Century is Emmons Blodgett, who's carrying the title "executive vice-president and chief executive officer." Primarily, he's a vice-president of Stone & Webster Securities Corp., which has placed \$1.5 million in Century debentures. Theodore Hodgins, former president and founder of Century, is now chairman of the board. The presidency of Century is open.

Earnings Vitalizer: Blodgett says simply, "Predicted earnings weren't coming in and expenses were way out of line with sales. Necessary actions hadn't been taken, and we had to step in."

While industry observers credit Hodgins' vision and drive for putting Century in business, they think the company now needs more of a detail man to bring it along.

Not a chemical man, Blodgett sees himself as a business man whose first order of business at Century is to realize some "drastic economies and reduce overhead expense." He told CHEMICAL WEEK: "I've been in this job only a few days and haven't made too many definite plans yet. I'll have a better idea of what we're going to do in a couple of weeks, after we have a full report from the auditors."

Some Plans Already: One plan, already in the works, is to move company headquarters out of its pesent expensive Madison Avenue location to the plant of its Chemo Puro subsidiary in Newark, N.J. This move is due within the next few weeks; the company has already closed down its Wilson Organic Chemicals subsidiary (Sayreville, N.J.) and moved that segment's equipment into storage at Newark for possible later use.

Also, on Aug. 24, Century held a creditors' meeting at which over half the major creditors were represented. Most of the representatives had authority to act for their companies and agreed to a moratorium until Century management could show definite plans and make some improvement in its situation. No limit was set on the moratorium, but it seems likely to last until the next meeting, due in about two months.

The appearance of a Stone & Webster man in the driver's seat apparently has calmed any would-be agitators among debenture holders. Blodgett believes they are waiting until Century settles its plans. S & W placed \$1.5 million of Century's debentures with its own clients.

Rabbits in Hats: Like a good magician, Blodgett knows you can't pull a rabbit out of a hat unless the rabbit's already there. And so, there's little doubt among industry observers that "Blodgett's got something already lined up." Blodgett himself says, "Of course, we'd sell the company now for the right price, but we're not announcing anything yet."

His avowed long-range plans are simple enough, on paper. He hopes to make the prospect of sale "more lucrative and appealing." Blodgett admits that "finding a buyer is still our long-range plan, but we certainly have to clean house first." His means to this end will be slashing overhead in all departments, and probably building up the Chemo Puro subsidiary, now operating profitably at the factory level, until it's enough in the black to carry Century overhead, too.



Hodgins: Now Century's chairman.

TEFLON-LINED STEEL PIPE COMPETITIVE IN COST WITH COMPARABLE HIGH-CORROSION-RESISTANT PIPING MATERIALS!

*Fluoroflex is a Resistoflex trademark, reg. U.S. Pat. Off. *Teflon is DuPont's trademark for TFE fluorocarbon resins.

Recent price reductions are the reason. They have been made possible, in many of the popular pipe sizes, by advanced technology, production improvements, and ever-increasing sales volume.

It is now possible to pipe your entire process in corrosion-impervious Fluoroflex®.T, at prices comparable, on an installed basis, with conventional piping material of far less corrosion resistance, particularly at elevated temperatures.

Case histories of economies resulting from Fluoroflex-T are being increasingly reported, citing ease and speed of installation with prefabricated lengths, lower checkout time, decreased maintenance, long equipment life, and elimination of process headaches and downtime. One plant equipped with Fluoroflex-T, in fact, reported savings of \$60,000 per month in costs of maintenance, downtime, and product loss.

Why not investigate what a Fluoroflex-TS piping installation can mean to your company, in installed costs, overall economy, and long process life? Write for complete information today?

Complete corrosion protection: Fluoroflex-T, the proprietary Teflon® product manufactured and fabricated solely by Resistoflex, is completely resistant to any chemical (except high-temperature fluorine and the molten alkali metals) up to 500° F.! It combines optimum strength and non-porosity.

Check these features:

Liner in thermal equilibrium with housing, stays in place despite wide temperature variations, eliminating fatigue collapse and flare cracking.

্

- Lengths prefabricated to size, ready to install.
- Fittings compatible with all standard piping systems.
- Complete family of piping components available.
- Gasket and sealing problems eliminated by integral gasket formed from liner over full face of flange.

RESISTOFLEX

CORPORATION

Complete systems for corrosive service

Plants in Roseland, N.J. • Anaheim, Calif. • Dallas, Tex.
Sales Offices in major cities

September 10, 1960 CHEMICAL WEEK 131

Drug Cases Move On

Legal actions are moving into advanced stages against General Pharmacal Co. (Hoboken, N.J.), manufacturer of nonbrand drugs, whose officers have been charged with counterfeiting products of major manufacturers.

Most recent move is last week's hearing by Hudson County District Court Judge Henry McFarland of state demands for destruction of drugs found in the firm's eighth-floor manufacturing area. McFarland has already ordered destruction of drugs in the firm's basement warehouse because of the filthy conditions there.

The firm had been shut by the New Jersey State Health Dept. in July because it allegedly produced drugs under "grossly insanitary" conditions. Simultaneously, two of its officers, Howard Press and William Etis, along with independent chemist Isidore Rutstein, were arrested for counterfeiting drug products of Smith Kline & French, Ciba, Schering, Merck, Wyeth, Wallace Laboratories, Warner-Chilcott.

As the result of preliminary hearings completed in mid-August, the counterfeiting case was bound over for action by a Hudson County grand jury.

Complicating efforts to destroy the company's products are actions by creditors who seek to put the firm in receivership. Their hope, of course, is to salvage and sell as much of the firm's products and equipment as they can to pay debts. The firms seeking receivership are equipment suppliers to General Pharmacal, as well as clients for whom General tableted and packaged over-the-counter drugs.

Prosecution's Plans: Prosecution of the counterfeiting charges is expected to produce testimony that General Pharmacal's operations extended well outside of New Jersey and included companies in Hollywood, Fla., Chicago, Dallas and Toronto. The firms in these cities, it's said, were outlets for interstate shipments of the forged drugs, were operated under "blind" names.

The use of the blind corporation or address is integral to illicit operations, say health and enforcement officers. Indeed, testimony in the General Pharmacal case revealed that Isidore Rutstein had no corporate connection with General, although he was seen visiting its offices many times. Allegedly, drugs counterfeited by General were distributed from a shipping and transfer company operating under a sidedoor address of a building Rutstein once had title to. In the case of the Chicago outlet, prosecution holds that address stencils found in General Pharmacal's plant are connected with the brother-in-law of the president of a firm recently raided by Chicago health officers.

Grand jury hearings of counterfeiting testimony will begin later in the fall. Meanwhile health officers are destroying General Pharmacal merchandise authorized for destruction by the court. Drug firms are expected to make a broad publicity campaign from these actions as evidence of their interest in protecting the public health, and that so-called "generic equivalents" are not always produced under the best of conditions.

Readying for Oil Strike

Returns are rolling in this week in balloting by locals of the Oil, Chemical & Atomic Workers Union concerning demands it will make in upcoming bargaining sessions with oil companies. Although votes were supposed to be in by mid-August, the deadline was extended two weeks.

Earlier in the summer a bargaining policy committee proposed that an 18¢/hour wage increase be demanded. Provided they ratify this, locals will strike unless their demand is met. A majority of 75% of membership must vote for the proposal to make it binding on all. Of those that have voted so far, says OCAW, three-fourths have favored ratification.

OCAW says the reason for extension of the voting deadline is that "several groups requested a delay because their schedule of meetings and other activities" made an earlier vote impractical.

Solid Gulf Coast: Along the Gulf Coast, where bargaining settlements are often pattern-setting, union locals have voted solidly to ratify the bargaining policy. Some 25,000 workers are represented at:

- Houston—Crown Central Petroleum, Phillips Chemical, Petro-Tex Chemical, Sinclair Refining, Shell Oil and Shell Chemical.
 - Texas City-Amoco Chemicals,

American Oil, Republic Oil Refining, and Service Pipeline.

- Corpus Christi Delhi Taylor and Sinclair Refining.
 - Beaumont-Socony Mobil.
- Port Arthur—Atlantic Refining, Gulf Oil and Texaco.
- Port Neches Goodrich-Gulf Chemicals, Neches Butane Products, Pure Oil, Jefferson Chemical, Texas-U.S. Chemical, and Texaco.
 - · Silsbee-Sinclair Oil and Gas.
 - Lake Charles, La.-Cit-Con Oil.
- New Orleans, La.—Tennessee Oil Refining.

The union did not seek a vote at Humble Oil's New Orleans refinery because the contract there is very recent and it felt "it was unnecessary to open it."

But while the union is lining up its strike threat, companies are preparing their position that oil refining is in hard times, that it can afford no wage increases. The Independent Petroleum Assn. of America has pointed out that refineries are running about 450,000 bbls./day too much crude oil—current rate is 8.25 million bbls./day. Humble Oil at New Orleans and Gulf Oil at Philadelphia have announced cutbacks.

New Business Indexes

Chemical process management may soon have a new economic index for use in forecasting some business conditions. It's an index of employee recruitment advertising, reflects employment demand.

At least two such indexes have been devised and are being tested. One is a broad-scale, all-industry measure; the other, a highly specialized measure of demand for technical manpower. Economists caution that they are merely aids to forecasting and not to be used alone.

Broad View: For the fifth straight month, the National Industrial Conference Board's Help-Wanted Index has registered a decline in the volume of help-wanted advertising found in leading newspapers of 33 major metropolitan areas throughout the county. Although NICB makes no predictions as to what the decline may indicate, it does say the index is "very sensitive and may give us advance notice of the business cycle and, particularly, labor-market conditions."

Proponents of the new plan point

sleek...

trim...
and perfectly coordinated!



Like the building itself, our equipment is new and the very latest in mechanical efficiency.

This fully integrated plant has every facility for turning out every kind of multiwall bag ... open mouth or valve, sewn or pasted, stepped-end, and our own patented Kraft-lok® valve; also bags with special inserts, sleeves, protective linings or outers, and vapor barriers.

The best in multiwall bags-are Kraft Bags!

... and the best in open mouth bag filling machines is The Kraftpacker, for which we are exclusive sales agents.

KRAFT BAG CORPORATION

Gilman Paper Company Subsidiary

630 Fifth Avenue, New York 20, N. Y. Daily News Building, Chicago 6, III.



The N-DUR Process* is a new process of applying a protective wear-resistant coating to asphalt and paved surfaces. Parking lots and driveways treated by the N-DUR Process are highly resistant to grease, oil, gasoline, water and grit. The process has been successfully used by such companies as: Standard Oil of Indiana, Gulf Oil Co., and Cities Service Oil Co. These users have found that the coating adds years to the life of the surface and it is attractive and easy to clean. Colors available are: Silver, Gold, Green, Red and Black.

The developer of the Process wishes to sell the patent rights and registered trade marks to a responsible company. He also wishes to take a position with the purchaser in the fields of product development, marketing or technical sales. He has 20 years of experience in the manufacturing and marketing of coat-

ings, finishes and adhesives. For complete information write to: Chemical Week, BO-4732.

DUR PROCESS

520 N. Michigan Ave., CHICAGO II, ILL.

*Pat. Applied For

WHO MAKES WHAT IT TAKES?

"Where can I buy that certain chemical, piece of equipment or spe-

cial service? Who's the manufacturer, the distributor? What's the address, telephone number, trade name? How can I find what it takes to satisfy my purchasing needs?"

Look no further! Just pick up and use your copy of the BUYERS' GUIDE ISSUE OF CHEMICAL WEEK . . . you'll find it the handiest assistant a chemical process businessman ever had.

But if you're not a regular subscriber . . . act now! Make sure your order's in early enough to receive the new BUYERS' GUIDE ISSUE while the supply lasts. It's all part of the CHEMICAL WEEK package . . . the GUIDE, plus 52 weekly issues of the magazine . . . at only \$3.00 a year, \$5.00 for 3 years. Write to:

Subscription Manager,

Chemical Week
330 W. 42nd St., New York 36, N. Y.

out two advantages of the helpwanted index for analyzing and predicting the business cycle: (1) information can be found quickly; (2) data can be broken down on a regional basis—a feature that's been needed for a long time, NICB believes. The 33 cities from which the ads are taken are major labor market areas.

Aside from being sensitive to the relative "tightness" of the labor market, the index may prove to be a sensitive "leading indicator," consistent enough to be used for predictions of employment and business. There's evidence that the volume of helpwanted advertising dropped several months before employment began to fall in the two most recent recessions. It has not led upturns, however.

Index for Scientists: One disadvantage of the NICB index is that no industry breakdown is available; it represents the entire civilian labor picture. However, Deutsch & Shea, Inc., technical manpower consulting firm. has developed an Engineer/Scientist Demand Index, which is based on monthly measurement of recruitment advertising directed to engineers and scientists. The measured ads are taken from a group of technical journals, leading newspapers in 20 key market areas, and association publications. The company believes its index will reveal both extent and intensity of recruiting activity.

D&S's index shows a 13% drop in demand for scientists and engineers during July which, the company says continues a downward trend established in the second quarter of 1960 and also represents the usual seasonal fall-off in professional recruiting activities during the summer.

LEGAL

Explosion Case Killed: The government's criminal action against Pacific Powder Co. (Seattle, Wash.) (CW, July 16, p. 86) has been dismissed in U.S. district court in Portland, Ore. Judge G. J. Solomon ruled that Interstate Commerce Commission regulations governing operation of private carriers are invalid because of apparent Congressional oversight in passage of the 1935 law on which the regulations are based. While the law fully covers transportation of explosives by common and contract carriers, it gives ICC regulatory powers

only over qualifications and hours of work of drivers and type and condition of trucking equipment.

FDA Classification: The Food & Drug Administration has affirmed its earlier proposal to classify certain folic acid-containing vitamin preparations. Those that have more than 0.4 milligram of folic acid per daily dose are to be classed (and labeled) as drugs for sale only upon prescription.

LABOR

Phosphate Trouble: The phosphate fields around Bartow, Fla., are in labor upset again. Last week the Southern Conference of Teamsters replaced Local 36, International Chemical Workers Union, as bargaining agent at the fertilizer and quarrying plant of Virginia-Carolina Chemical Corp. Vote: Teamsters, 339; no union, 197; ICWU, 154. However, since 44 votes have been challenged, a runoff seems likely. It's not yet known how the challenges affect voting majorities.

For over a year, in spite of the incumbency of ICWU, the workers at the plant have had little real representation, for they have worked without a contract since a violent strike last summer. Meanwhile, management has tried to convince employees they would be better off with no union.

Allied Strike: At Allied Chemical Co.'s Ironton, O., Semet-Solvay plant, 350 employees represented by Local 10522, Oil, Chemical & Atomic Workers went on strike over terms of a new contract. The company's offer of a 16½ ¢/hour wage increase over a period of two years was rejected.

Paper Pact: Crown Zellerbach Corp.'s Carthage, N.Y., plant and two unions—United Papermakers and Paperworkers and International Brotherhood of Pulp, Sulphite and Paper Mill Workers—have agreed on a two-year contract. It calls for a 4% wage increase each year, with a 7¢/hour minimum during the first year.

Rubber Contract: A month-long strike at Ruberoid Co.'s gypsum plant in Wheatland Center, N.Y., has ended with settlement on a one-year contract with Cement, Lime and Gyp-

BRIEFS

benzoic acid chlorotoluenes lauryl pyridinium chloride




THE DIFFERENCE IS HALF A PERCENTAGE POINT

Only .5% difference in assay distinguishes the technical and USP grades of Hooker benzoic acid. Both are available as a white powder or in crystalline form. The technical grade finds use as a dyeing assistant, especially for materials such as Dacron; as a flatting agent for paints and as a rubber retarder. The USP grade finds use as a preservative in antiseptic preparations and in cosmetics and some other products. Write for our new data sheet.

ISOMERIC FLIP-FLOP

Among the chlorotoluenes is one called nitrobenzoyl chloride. Hooker makes it. Its meta isomer (diagram) goes to the dye industry as an intermediate, and to the photographic film industry for use in preparation of the dyes that make crisp, sharp color prints so prac-

When you flip the NO2 to the para position (diagram), you get a product used for preparation of procaine which, added to penicillin, lengthens the effective period of dosages. Hooker can provide both isomers. The meta- assays 96% min., while the para- assays 98% min. Write for data sheets.





CATIONIC DETERGENT

Hooker lauryl pyridinium chloride, having a minimum assay of 85%, is sold as an unrefined technical material. Like most quaternary ammonium compounds, it has potent bactericidal properties. But its primary use is as a cationic agent in viscose rayon to prevent clogging of spinneret orifices. Other possible applications: dispersing and wetting agent; water-soluble lubricant additive for textile machinery; intermediate in manufacture of foam-resistant compounds; leveling agent in polishes and waxes. Write for data sheet.

For more information, check here and mail with name, title and company

- Benzoic acid, Data sheet
- ☐ Lauryl pyridinium chloride, Data sheet
- meta-nitrobenzoyl chloride, Data sheet para-nitrobenzoyl chloride, Data sheet

HOOKER CHEMICAL CORPORATION

Forty-seventh Street, Niagara Falls, New York

Sales Offices: Buffalo Chicago Detroit Los Angeles New York Niagara Falls Philadelphia Tacoma Worcester, Mass. In Canada: Hooker Chemicals Limited, North Vancouver, B. C.



CHEMICAL WEEK • ADVERTISERS' INDEX

September 10, 1960

ALLIED CHEMICAL CORP., BAKER & ADAMSON DIV. 3rd cover Agency—Kastor, Hilton, Chesley, Clifford & Atherton, Inc.	Agency—Kudner Adv., Agency	VIRGINIA ELECTRIC & POWER CO 20 Agency-Cargill & Wilson, Inc.
Agency—Kastor, Hitton, Chestey, Clifford & Atherton, Inc. *ALLIED CHEMICAL CORP., NATIONAL ANILINE DIV Agency—James J. McMahon, Inc.	HARCHEM DIV. WALLACE & TIERNAN. INC. 41 Agency—Barber & Drullard, Inc.	WESTERN CONDENSING CO
Agency—James J. McMahon, Inc. *ALLIED CHEMICAL CORP., SEMET-	HARSHAW CHEMICAL CO 70	*WILSON MARTIN CO 114 Agency—George Starr
*ALLIED CHEMICAL CORP., SEMET- 80LVAY PETROCHEMICALS DIV 79 Agency-Benton & Bowles, Inc.	HERCULES POWDER CO	WINTHROP LABORATORIES, INC 110 Agency—Thompson-Koch Co.
*AMERICAN AGRICULTURAL CHEMICAL CO., THE	*HOOKER CHEMICAL CORP	*WYANDOTTE CHEMICALS CORP 94 Agency-Brooke, Smith, French & Dorrance,
CO. THE 2 Agency—Marsteller, Rickard, Gebhardt & Reed, Inc. AMERICAN CYANAMID CO. PROCESS	Agency-The Caples Co. Adv. 98	Inc.
AMERICAN CYANAMID CO., PROCESS CHEMICALS DIV. 23 Agency—Erwin Wasey Buthrauff & Ryan. Inc.	Agency—Ogilvy, Benson & Mather, Inc.	TRACERS SECTION
*AMERICAN POTASH & CHEMICAL CORP. 101	INTERNATIONAL SALT CO., INC 10 Agency—Batten, Barton Durstine & Osborn. Inc.	(Classified Advertising)
ANTARA CHEMICALS, DIV. OF GENERAL ANILINE & FILM CORP	JOHNS-MANVILLE CORP. 122 Agency—Cunningham & Walsh, Inc.	F. J. Eberle, Business Mgr.
Agency—The House of Twiss ARAPAHOE CHEMICALS, INC	*KRAFT BAG CORP	CHEMICALS: Offered/Wasted
*ARMOUR INDUSTRIAL CHEMICAL CO. 54-55	LEE COMPANY, H. D	EMPLOYMENT
ATLAS POWDER CO. 68-69 ATLAS POWDER CO. 68-69 Agency—Aitkin Kynett Co. **BAKER CHEMICAL CO. J. T. 92-93 Agency—Wildrick & Miller, Inc. **ILOCKSON CHEMICAL CO. 15	LUCIDOL DIV., WALLACE & TIERNAN.	EQUIPMENT: Used/Surplus New For Sale
*BAKER CHEMICAL CO., J. T. 92-93 Agency—Wildrick & Miller Inc.	Agency—Barber & Drullard, Inc. 40	SELLING OPPORTUNITIES: 0ffered/Wanted 137
Agency-Wm, Balsam Adv.	NEVILLE CHEMICAL CO	SPECIAL SERVICES
Agency—J M. Mathes, Inc. Adv.	PERMUTIT DIV., PFAUDLER PERMUTIT, INC	BUSINESS OPPORTUNITY
BZURA CHEMICAL CO., INC	Agency—The Rumrill Co., Inc.	PROFESSIONAL BERVICES
*CELANESE CORP. OF AMERICA 42-43 Agency—Ellington & Co., Inc.	PFIZER & CO., CHAS	ADVERTISING STAFF
*CELANESE CORP. OF AMERICA 42-43 Agency—Ellington & Co. Inc. CHURCH & DWIGHT CO., INC. 8 Agency—Charles W, Hoyt Co., Inc.	*PHILADELPHIA QUARTZ CO 82 Agency—The Michener Co., Adv.	Atlanta 3
COLUMBIAN CARBON CO	PITTSBURGH CHEMICAL CO. 83 Agency—Erwin Wasey Ruthrauff & Ryan, Inc.	8-6951
Agency—Fuller & Smith & Boss, Inc. *CONTINENTAL CAN CO. 47 Agency—Batten, Barton, Durstine & Osborn. Inc.	PRIOR CHEMICAL CORP. 126 Agency—Robertson Martin Adv.	Boston 16Paul F. McPherson, 850 Park Square Building, HUbbard 2-7160
COOPER-BESSEMER CORP., THE 125 Agency—The Griswold-Eshleman Co.	QUAKER OATS CO. 27 Agency—Headen, Horrell & Wentsel, Inc. 21	Chicage 11Alfred D. Becker, Jr., R. J. Claussen, 620 N. Michigan Ave., MOhawk 4-5800
CROWN CORK & SEAL® CO	*REICHHOLD CHEMICALS, INC 21 Agency—MacManus, John & Adams, Inc.	
DAY CO., THE J. H	*RESISTOFLEX CORP. 131 Agency-Adams & Keyes, Inc., Adv. *ROHM & HAAS CO. Agency-Arndt, Preston, Chapin, Lamb & Keen, Inc.	Cleveland 13H. J. Sweger, Duncan C. Stephens, 1164 Illuminating Bldg., 58 Public Square, SUperior 1-7000
DIAMOND ALKALI CO. 13. 84 Agency—Fuller & Smith & Ross. Inc. DISTILLATION PRODUCTS INDUSTRIES DIV. OF EASTMAN KODAK CO. 100 Agency—The Rumril Co., Inc.	SEABOARD AIR LINE RAILROAD 112	Onlies 1
Agency-MacManus John & Adams Inc.	SELAS CORP. OF AMERICA 6 Agency—Michener Co. SHANCO PLASTICS & CHEMICALS, INC. 112	Denver 2J. Patten, 1740 Broadway, ALpine 5-2981
Agency—The Jayme Organization, Inc.	Agency-Gordon J. Weisbeck, Inc.	Penobscot Bldg., WOodward 2-1793
PRODUCTS DIV. 22 Agency-Batten, Barton, Durstine & Osborn, Inc.	SHELL CHEMICAL CO 24, 85-88 Agency—J, Walter Thompson Co.	Frankfurt/MainStanley Kimes, 85 Westendstrasse, Germany
*DUPONT DE NEMOURS, E. 1., INDUS- TRIAL & BIOCHEMICALS DEPT 120-121 Agency—Batten, Barton Durstine & Osborn, Inc.	SHELL OIL CO. 49 Agency—J, Walter Thompson Co.	
Agency—Batten, Barton Durstine & Osborn, Inc.	SILICONES DIV. UNION CARBIDE CORP. 58 Agency—J. M. Mathes, Inc.	Geneva Michael R. Zeynel 2 Place du Port, Geneva, Switz.
EASTERN STAINLESS STEEL CORP	SINCLAIR PETROCHEMICALS, INC 99 Agency—Geyer, Morey, Madden & Ballard, Inc.	Houston 25 Gene Holland, W-724 Prudential Bldg., JAckson 6-1281
Agency—Farson, Huff & Northlich, Inc.	SONNEBORN CHEMICAL & REFINING CORP. Agency—Abril-Lamarque Adv.	London E.C. 4 E. E. Schirmer, N. Murphy, McGraw-Hill House, 95 Farringdon St.,
*ENJAY CHEMICAL CO., A DIV. OF HUMBLE OIL 4. REFINING CO 81 Agency—McCann-Erickson, Inc.	SPECIALTY MACHINERY CORP 80 Agency—Lowis Studios	England.
*EVANS CHEMETICS, INC. 128 Agency—Ritter, Sanford, Price & Chalek. Inc.	SPENCER CHEMICAL CO	Los Angeles 17Robert Yocom, 1125 West Sixth St., HUntley 2-5450
OF FOOD MACHINERY & CHEMICAL	*STAUFFER CHEMICAL CO	New York 36 Charles Haines, B. A. Johnson, P. E. McPherson, Charles F. Onasch, L. Charles Todaro, 500 5th Ave., OXford 5-5959
Agency—G. M. Basford Ca.	*TENNESSEE CORP. 64 Agency—Crawford & Porter, Inc.	
FMC MINERAL PRODUCTS DIV. OF FOOD MACHINERY & CHEMICAL CORP. Agency—James J. McMahon, Inc.	Agency—Crawford & Porter, Inc. TANIUM PIGMENT CORP., SUB. OF NATIONAL LEAD CO	Philodelphia 3 William B. Hannum, Jr., 6 Penn Center Plaza, LOcust 8-4330
FOSTER WHEELER CORP	UNION CARBIDE CHEMICALS CO., DIV. OF UNION CARBIDE CORP	Pittsburgh 22 Duncan C. Stephens, 4 Gateway Center, EXpress 1-1814
GENERAL AMERICAN TRANSPORTATION	U. S. BORAX & CHEMICAL CORP 59 Agency—Howard M. Irwin & Assoc.	San Francisco 4 William C. Woolston, ii8 Post St., DOuglas 2-4600
Agency—Edward H. Weiss & Co. GOODRICH CHEMICAL CO., B. F	U. S. RUBBER COMPANY Agency—Fletcher Richards, Calkins & Holden, Inc.	5t. Louis 8
The second secon	Alleria Alleria	0-1001

*For complete product data see catalog unit in the BUYERS' GUIDE ISSUE for 1959-60

sum Workers Local 293. The contract is retroactive to June 17, calls for an 8¢/hour wage increase and concessions on plantwide seniority. The Union represents 85 employees.

Corn Contract: Management of Corn Products Refining Co. and Oil, Chemical & Atomic workers have reached agreement on a two-year contract covering 3,400 employees in four plants, at Argo and Pekin, Ill., North Kansas City, Mo., and Corpus Christi, Tex. The pact calls for a wage increase of 10¢/hour.

KEY CHANGES

Robert E. Grant to president, Textron Pharmaceuticals, Inc., new subsidiary of Textron, Inc. (Providence,

Carl F. Prutton to board of directors, Commercial Solvents Corp.

Lacy E. Crain to chairman of the board, W. A. Craig, J. R. Damninga, Leb Joyner, C. W. Lyon, Jr., W. J. Roberts, Borden Duffel, R. E. Kennedy, David Yarbrough, all to board of directors, Pipe Line Chemical Co., Inc. (Dallas, Tex.).

J. L. Christian to board of directors and executive committee, Edward J. Bock, Tom K. Smith, Jr. to vicepresidents, Monsanto Chemical Co.

N. Harvey Collisson to senior vicepresident, Milton L. Herzog to vicepresident, general manager, Metals Div., Richard M. Furland to vicepresident, general manager, International Div., Gordon Grand, Jr. to vice-president, law and administration, Arthur T. Safford, Jr. to vicepresident, marketing, and Henry A. Arnold and Donald A. Drummond, vice-presidents, to senior advisors, Olin Mathieson Chemical Corp. (New York).

Ross A. Corio to vice-president, marketing and sales, Hatco Chemical Div., W. R. Grace & Co. (New York).

Laurence A. Tisch to board of directors, Eugene Jacobson and Richard Dando to vice-presidents, Sun Chemical Corp. (New York).

Thomas R. Young to vice-president, operations, The Houston Chemical Corp., subsidiary, Chatham-Reading Chemical Corp. (New York).

Tracers

TO THE CHEMICAL PROCESS INDUSTRIES

Published: each Saturday-closes 11 days in advance.

Rate-\$3.00 per line (\$1.50 per line for position wanted ads), minimum 3 lines. Allow 5 average words as line; Count one half line for box number.

ADDRESS BOX NO. REPLIES TO: Box No. Classified Adv. Div. of this publication. Send to office nearest you. NEW YORK 36: P. O. BOX 12 CHICAGO 11: 520 N. Michigan Ave. SAN FRANCISCO 4: 68 Post St.

POSITIONS VACANT

Operating Manager Wented. Evaporated salt plant in south wants experienced superintendent to manage operation. Work record required to show ability to manage plant and handle people. Opportunity for right person. P-5215, Chemical Week.

Research Chemists—The following positions are open in expanding Research Division of pharmaceutical company located in Philadelphia. Salary continensurate with training and experience. Synthetic Organic Chemist, Ph.D. with 3-5 years experience in heterocyclics of drug design. Biochemist, Ph.D. with several years experience in enxymology. Analytical Chemist, Ph.D. or equivalent with experience in microanalytical and spectrophotometric procedures in organic chemistry. Reply giving complete information and salary requirements. P-5182, Chemical Week.

SELLING OPPORTUNITIES AVAILABLE

Fatty ocid salesman-manager, or broker, or agent wanted by New East Coast fatty acid pro-ducer. Large production available. Replies confi-dential—Address Box 6657, Baltimore 19, Md.

Sales Engineer for leading manufacturer of well established, highly successful line of chemical processing equipment to cover prime market area along eastern seaboard. This ofters an exceptional opportunity and bright future for a man who combines chemical processing knowledge and experience with sales engineering ability. Sead resume, in strict confidence, to: RW-5235, Chemical Week.

POSITIONS WANTED

Advertising Marketing Manager seeks more challenging opportunity with chemical or chemical specialty manufacturer. Now handling complete advertising and promotional activities with a nationally-known chemical company. PW-5218, Chemical Week.

Carbon Black and Graphite Dispersions, Develop-ment. Manufacture, Technical Service, Sales. PW-5234, Chemical Week.

SELLING OPPORTUNITY WANTED

Manufacturers Agent for Southwest, experienced technical sales staff now selling to Chemical, Food, Paper Refineries, Oil and Gas Plants in Texas, La, Okla and Ark. needs additional lines. Can we represent your product in this area? Engineers & Contractors, P.O. Box 7107, Houston & Texas.

We are interested in commissions for Scandin-avis. All products. Replies to Ru We Plast, Prastgarden 1#, Bro. Sweden.

PROFESSIONAL SERVICES

Technical Guidance by Martin H. Gurley, Jr., Research Advisory Service, RFD. 4 Lexington, Va. Congress 1-3294.

The Consulting Engineer. "By recross of apecial training, wide experience and tested ability, coupled with professional integrity the consulting engineer brings to his client detached engineering and economic advice that rises above local limitations and encompasses the availability of all modern developments in the fields where he practices as an expert. His services, which do not replace but supplement and broaden those of regularly employed personnel, are justified on the ground that he saves his client more than he costs him."

San Carlotte Control

CONTRACT WORK WANTED

Custom Grinding-Ultre Fine or Coorse-Specialty or Volume Blending and Grinding service on unit or contract basis. Complete COs installation for Nylon, Teston and Heat Sensitive Materials. A. Cramer Corp., 10881 S. Central Avenue, Box 682, Oak Lawn, Illinois.

BUSINESS OPPORTUNITY

Connection with investor wanted by chemist, Ph.D., willing to finance exclusively the foundation and operation of a small chemical plant, manufacturing surfactants and related chemical specialties in N.Y. Metropolitan area. BO-5220, Chemical Week.

EQUIPMENT FOR SALE

Reaction kettles— Synthetic Resin — Units 1-18,000 lb. charge stainless with agitator coils condensers, etc. including new "Selas" gas heating unit, 1-18,000 lb. charge stainless with agitator coils, condensers, etc. heated by a "Trent" electric jacket. 1-10,000 lb. charge stainless with agitator coils, condensers, receiver etc. jacketed for "Arochlor" electric heater. All kettles in equal to new condition and being replaced by larger units by new resin manufacturer. FS-5027, Chemical Week.

50,000 Yower Packing Rings, ceremic, single spiral with corrugated outer surface 3½" O.D., 3" L, 5/16" wall thickness. Price way below cost. Industrial By-Products & Surplus Co., 40-40 Lawrence Street, Flushing 34, New York. INdependence 1-4100.

Shriver 48" cast iron P. & F. filter presses, 50 chambers, closed delivery, hydraulic closure. Perry Equipt., 1415 N. 6th St., Phila. 22, Pa.

Sherples C-20 Super-D-Hydrator, type 316 stain-less steel. Perry Equipment Corp., 1415 N. Sixth Street, Philadelphia 22, Pennsylvania.

Buflovak 42" x 120" double drum dryers ASME 160 #. WP with conveyors knives vari-drive etc. Perry, 1415 N. 6th St., Phila. Pa.

CHEMICALS FOR SALE

60 Lypks. Aluminum Stearate 32¢ lb. Bulk DOS Plast. 32¢/lb. (dark). Bulk DBS Plast. 33¢/lb. w/w. Bulk Acetone Redistilled 43¢/gal. FS 4980, Chemical Week.

WANTED/FOR SALE

This Tracer Section can be used whenever you are looking for or offering Equipment, Plants, Supplies, Chemicals, Opportunities, Special Services, The rates are low—just call or write Classified Advertising Division, Chemical Week, P.O. Box 12, N. Y. 36, N. Y., LOngacre 4-3000.

EQUIPMENT WANTED


Dryer—Continuous Apren Conveyer type. Total drying area approx. 250 sq. ft. Apron construction, stainless steel. Hammer Mill—#3 Mikro or equivalent. Mixer—Double arm, blade tilting type. 300 gal. working capacity, Steam jacketed. 40 H.P. Stainless steel construction, Rotary Air Locks—8"—12". Ball Mill—6' x 10' Jacketed. Chrome Manganese Steel. Stainless Reactor—Min. size 6'6" x 8'. Must be built for 100 PSI pressure. 3 Stainless Steel Condensers—200 to 400'sq. ft. of tube surface. Please include price information with full particulars in the first letter. Indicate if you own the equip, and where it is available for inspection. W-5025, Chemical Week.

MISCELLANEOUS

To Employers Who Advertise for Men: The letters you receive in answer to your advertisements are submitted by each of the applicants with the hope of securing the position offered. When there are many applicants it frequently happens that the only letters acknowledged are those of promising candidates. (Others do not receive the slightest indication that their letters have even been received, much less given any consideration.) These men often become discouraged, will not respond to future advertisements and sometimes even question if they are bona fide. We can guarantee that Every Advertisement Printed Is Duly Authorized. Now won't you help keep our readers interested in this advertising by acknowledging every application received, even if you only return the letters of unsuccessful applicants to them marked say, "Position filled, thank you." If you don't care to reveal your identity, mail them in plain envelopes. We suggest this in a spirit of helpful co-operation between employers and the men replying to Positions Vacant advertisements. Classified Advertising Division, McGraw-Hill Publishing Company. "Put Yourself in the Place of the Other Fellow."

tremited Week

BUSINESS BENCHMARKS




SEPTEMBER 10, 1960

WEEKLY BUSINESS INDICATORS	Latest Week	Preceding Week	Year Ago
Chemical Week output index (1957=100)	124.0	124.0	118.1
Chemical Week wholesale price index (1947=100)	106.5	108.5	110.8
Stock price index (12 firms, Standard & Poor's)	48.39	49.93	59.24
Steel ingot output (thousand tons)	1,533	1,547	332
Electric power (million kilowatt-hours)	14,602	14,453	14,109
Crude oil and condensate (daily av., thousand bbls.)	6,846	6,842	6,765

EMPLOYMENT INDICATORS (Thousands)	Latest Month	Preceding Month	Year Ago
All manufacturing	16.378	16.352	16,455
Nondurable goods	6,903	6,835	6,874
Chemicals and allied products	873	879	843
Paper and allied products	568	563	565
Rubber products	259	258	256
Petroleum and coal products	234	232	238

CHEMICAL CUSTOMERS CLOSE-UP.





TOTALLY NEW!



Lighter! Stronger! Safer! Exclusive new expanded polystyrene case for B&A "C. P." Acids!

An exclusive development of General Chemical, this new "one-way" case holds four 5-pint "C.P." acid bottles in contoured pockets formed of shock-resistant low density expanded polystyrene. Here is still another packaging "break-through" from America's leading producer of laboratory and scientific chemicals . . . another example of continuing B&A leadership in reagent packaging.

Smaller! Lighter! The new case is substantially smaller than old-fashioned containers and is far easier to store and handle. Tare weight with empty bottles is less than 11 pounds. This saves you money on freight.

Easier to handle! Convenient finger grips make case easy to lift and carry. Top and bottom specially designed with interlocking feature for safe stacking.

Safer! The new polystyrene case is chemically resistant, and it is weather-resistant, too. Withstands outdoor storage. Bottles are "cradle cushioned," fully protected in form-fitted polystyrene pockets.

Stronger! The new case is far stronger than other "one-way" cases now in use for "C.P." acids. In thorough and extensive testing, it has met the most stringent ICC drop test requirements . . . bottles remained unharmed after 16 separate drops from a 4-foot height!

Order Now! These new units are now ready for shipment from General Chemical's B&A distributing points coast to coast. They have had more than a year of intensive research and testing and are *proved* superior to any other type of "shipper" now available! For further information, phone or write your nearest B&A office.

BAKER & ADAMSON®
"C. P." Acids



GENERAL CHEMICAL DIVISION

40 Rector Street, New York 6, N.Y.



Photographed with the conneration of Bossett Furniture Industries Inc.

Wake up to TITANOX® white pigments...

... the titanium pigments so suitable for today's white and light-colored furniture finishes.

Because they meet the twin requirements of end-product quality and production efficiency, TITANOX-RA and TITANOX-RA-50 rutile titanium dioxides are favorites with paint formulators. These easy dispersing pigments provide high brightness, whiteness and hiding power at low pigmentation. Both retard after-yellowing and, in addition, TITANOX-RA-50 retards chalking in finishes that may be exposed to the weather, Above all, the uniformity of these pigments in all properties make them favorites with paint production men.

For primers having higher total pigmentation, the

TITANOX titanium-calcium pigments—TITANOX-RCHT (30% Ti0₂) and TITANOX-C-50 (50% Ti0₂) provide the necessary hiding power and contribute to the specialized film properties needed for base coats on wood. For outdoor furniture finishes there is, in addition to TITANOX-RA-50, TITANOX-RA-NC, the rutile titanium dioxide with maximum chalking resistance.

There's a TITANOX white pigment not only for white and light-colored furniture finishes, but for products of all types. Titanium Pigment Corporation, 111 Broadway, New York 6, N. Y.; offices and warehouses in principal cities. In Canada: Canadian Titanium Pigments, Ltd., Montreal.

TITANIUM PIGMENT CORPORATION

SUBSIDIARY OF NATIONAL LEAD COMPANY



